## ProductSheet

# HP Series 7 Pro 31.5 inch 4K Thunderbolt 4 Monitor - 732pk (8Y2K9AA)

# The power to make it real



See ultimate potential before it's real with the ultra-powerful and stunningly precise, HP Series 7 Pro 31.5" 4K
Thunderbolt 4 Monitor. Powered by the impressive capabilities of Thunderbolt™ 4, experience your creations in tangible, lifelike detail with IPS Black technology and 4K UHD resolution.[1]



#### Color that rivals reality

View every detail as if it's true-to-life with captivating color contrast on this precise 31.5" 4K monitor. Through the cutting-edge IPS Black panel, dive into deeper shadows and richer hues with twice the contrast of a traditional IPS panel. Combined with VESA DisplayHDR™ 400, wide 98% Display P3 color gamut, and superb color accuracy[1], what you see on screen rivals reality.

## Unleash the power of Thunderbolt™ 4

Transform your desk into a productivity powerhouse with this Thunderbolt™ 4 monitor.[2] Through a single cable, drive 4K resolution at 60 Hz, daisy chaining support for a second 4K monitor, as well as high-speed data and internet[3]—all while charging your device at up to 100W—without slowing you down.

### Seamless control

Designed with intelligent controls, this display gets you working quickly and multi-tasking efficiently. Instantly wake your display and PC with Single Power On[4]. And when you're multitasking between two devices, simply use the built-in KVM switch to control both with just a single keyboard and mouse.[5]

### **Featuring**

### IPS Black

Stunning colors from any angle thanks to the 2,000:1 contrast ratio and ultra-wide viewing angles.  $^{[1]}$ 

# **4K UHD Resolution**

Get lost in the captivating definition and expanded view of 4K resolution.

# 31.5-inch Diagonal Screen

Dive in and accomplish more on a massive 31.5-inch diagonal screen framed by a 4-sided, virtually borderless bezel.

# VESA DisplayHDR™ 400

Replicate reality on your screen and enjoy watching HDR media with enhanced contrast.

## **Wide Color Gamuts**

100% sRGB for ideal color reproduction and 98% Display P3 for deeper, lifelike hues.  $^{[1]}$ 

# **Specifications**

Display size (diagonal)	31.5"
Panel technology	IPS Black
Display size (diagonal)	80 cm (31.5")
Aspect ratio	16:9 <sup>[1]</sup>
Native resolution	
Mative resolution	4K UHD (3840 x 2160) <sup>[1,2]</sup> 640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x 900; 1680 x
Resolutions supported	1050; 1920 x 1080; 1920 x 1200; 2560 x 1440; 3840 x 2160
Pixel pitch	0.18 x 0.18 mm
	400 nits <sup>[1]</sup>
Contrast ratio	2000:1 <sup>[1]</sup>
Response time (typical)	5ms GtG (with overdrive) <sup>[1]</sup>
Minimum dimensions (W x D x H)	71.35 x 4.7 x 41.59 cm (without stand)
Minimum dimensions (W x D x H)	28.09 x 1.85 x 16.37 in (without stand)
Dimensions With Stand (W x D x H) 71.35 x 21.7 x 60.49 cm	
Weight	8.77 kg (with stand)
Weight	19.33 lb (with stand)
Display features	Single Power ON; Anti-glare; Height Adjust/Tilt/Swivel/Pivot; HP Eye Ease; IPS Black; HDR; KVM switch; Daisy chain; Picture-in-Picture; Picture-by-Picture
Onscreen controls	Brightness+; Color; Image; Input; Power; Menu; Management; Information; Exit
Display colors	Up to 1.07 billion colors supported <sup>[3]</sup>
Display scan frequency (horizontal)	30-135 kHz <sup>[1]</sup>
Display scan frequency (vertical)	29-60 Hz <sup>[1]</sup>
Camera	No integrated camera
Power	100 - 240 VAC 50/60 Hz
Power consumption	205 W (maximum), 48 W (typical), 0.5 W (standby)
Operating temperature range	5 to 35°C
Operating humidity range	20 to 80% RH (non-condensing)
Sustainable impact specifications	Low halogen; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 85% ITE-derived closed loop plastic; Designed with recycled metals; 5% ocean-bound plastic
	Australia MEPS; Bauart; CB; CE; CEL; China CCC; China CECP; C-Tick; cTUVus; CU; EAC; EUP Lot-5; EUP Lot-6; FCC; ISO 9241-307; KC (Korean) requirements; KCC (Korean) requirements; Korea MEPS (E-standby); NOM (Mexico); PSB for Singapore; RCM; SEPA eco label (China); S-Mark for Argentina; Taiwan BSMI; VCCI; Vietnam MEPS; EUP Lot-26; California Energy Commission (CEC); South Africa Energy; Mexico Energy; UAE; TUV-GS; NRCS of South Africa; Belarus Energy; India BIS; Cambodia ISC; NRCS; Ukraine EE; South Africa safety; Ukraine CoC; Ukraine DOC; Microsoft WHQL Certification (Windows 11)
Physical security	Security lock-ready <sup>[11]</sup>
Management Software	HP Display Center; HP Display Manager
UPC number	(A2K) 197498471280; (A2N) 197498471297; (ABO) 197498471303; (AB1) 197498471310; (AB2) 197498471327; (AB4) 197498471334; (ABA) 197498471341; (ABB) 197498471358; (ABG) 197498471365; (ABJ) 4582712372997; (ABT) 197498471372; (ABU) 197498471389; (ABV) 197498471396; (ABY) 197498471402; (ACJ) 197498471419; (ACQ) 197498471426; (AH3) 197498471433; (AKL) 197498471440; (AR6) 197498471457; (UUF) 197498471464; (UUZ) 197498471471
Manufacturer Warranty	HP three-year limited warranty
What's in the box	Monitor; Thunderbolt™ cable; DisplayPort™ cable; HDMI cable; Warranty card; USB Type-A to B cable; Quick Setup Poster; AC power cord; Color calibration report <sup>[10]</sup>

ProductSheet | HP Series 7 Pro 31.5 inch 4K Thunderbolt 4 Monitor - 732pk (8Y2K9AA)

# **Top Recommended Displays, Accessories and Services**

No Top Recommended Displays, Accessories and Services

ProductSheet | HP Series 7 Pro 31.5 inch 4K Thunderbolt 4 Monitor - 732pk (8Y2K9AA)

### **Messaging Footnotes**

- [1] All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary, either higher or lower.
- [2] For full Thunderbolt™ 4 functionality, host PC must support Thunderbolt™ 4.
- [3] Display supports 1Gb ethernet speed. Host PC requires infrastructure to support 1 Gb ethernet speeds.
- [4] Single Power On only compatible with HP PCs with Windows 10 or higher.
- [5] For KVM compatibility, if connected PCs do not have USB-C® port, user will need a USB-C® to A cable. Sold separately.

### **Technical Specifications Footnotes**

- [1] All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.
- [2] DisplayPort™ 1.4 or HDMI 2.0 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 3840 x 2160 at 60 Hz with 10-bit color using one DisplayPort™, HDMI, or USB-C® (DisplayPort™ alt mode).
- [3] Number of colors through A-FRC technology.
- [10] Included cables may vary by country.
- [11] Lock sold separately.

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

DisplayPort™ is a trademark owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

