HP DeskJet Ink Advantage 4276 All-in-One Printer (60K49C)



Overview

The leader for simple, stress-free printing.[1]

Effortlessly print/scan/copy with this compact, wireless printer with an automatic document feeder and optional high-yield cartridges, paired with the easiest-to-use print app. Enjoy a seamless experience from the World's #1 Printer Company.[2,3]

Easily scan and copy multiple pages

Easily scan and copy multiple pages with the 35-page automatic document feeder.

Rely on high-quality prints with low-cost inks

Even if you print a lot, you'll save a lot with the optional low-cost, high-yield Original HP inks.

Stay connected with our most reliable Wi-Fi®[4]

Be always ready to print with our most reliable Wi-Fi® that automatically reconnects if connection is lost.[4]

Driving innovation with 60% recycled plastic[5]

Choose printers made with at least 60% recycled plastic.[5]

---

[1] Based on 2023 CYQ1 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2023 CYQ1 Release. Includes shipments of all HP Deskjet in-class printers.

[2] Compared to OEM printing apps for the majority of top-selling, network-capable inkjet/laser printers and all-in-ones for the home and office, priced ≤$450 USD. Printers selected by market share as reported by IDC Quarterly Hardcopy Peripherals Tracker – Final Historical CYQ1 2023. Claim based on research of printer manufacturer's print apps and Keypoint Intelligence hands-on testing and study commissioned by HP, July 2023. For details, please see: www.keypointintelligence.com/HPSmartapp . Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com .

[3] Based on 2022 Q4 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2022 Q4 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

[4] HP DeskJet Ink Advantage 4200 Printer Series has self-healing Wi-Fi , HP’s best and most reliable wireless technology. Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz operations only. Learn more at www.hp.com/go/mobileprinting .

[5] Percentage of recycled plastic is calculated by plastic total weight.

Specifications

Print quality black (best)	Up to 1200 x 1200 rendered dpi
Print quality color (best)	Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected HP photo papers and 1200 input dpi)
Print speed black (ISO, A4)	Up to 8.5 ppm
Print Speed Color (ISO)	Up to 5.5 ppm
Print speed	Print speed up to 8.5 ppm (black) and 5.5 ppm (color)
Bottom margin (A4)	12.7 mm
Left margin (A4)	3 mm
Right margin (A4)	3 mm
Top margin (A4)	3 mm
Functions	Print, copy, scan, wireless, send mobile fax
Duplex printing	Manual (driver support provided)
Duty cycle (monthly, A4)	Up to 1000 pages
Duty cycle (monthly, letter)	Up to 1000 pages
Fax smart software features	Option to add files from your phone file/photos, Camera scan or Printer scanner, Option to easily add cover page and save the cover page template, Access to Fax history to see all send faxes and drafts, Ability to edit and resent fax from History, Easily print fax confirmation
Replacement cartridges	HP 653 Tri-color Original Ink Advantage Cartridge (~200 pages yield) 3YM74A; HP 653 Black Original Ink Advantage Cartridge (~360 pages yield) 3YM75A. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies[4]
Connectivity, standard	1 Wi-Fi 802.11b/g/n; 1 Hi-Speed USB 2.0 (device)
Network capabilities	Yes, built-in Wi-Fi 802.11b/g/n, 2.4 GHz single-band only
Wireless capability	Yes, built-in Wi-Fi 802.11b/g/n, 2.4 GHz single-band only
Software included	HP Printer Software, available online
Compatible Operating Systems	Windows 11; Windows 10; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Chrome OS; macOS 14 Sonoma *(macOS 14 Sonoma; Windows 11; Windows 10; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Chrome OS.)*
Sustainability specifications	60% post-consumer recycled plastic
Digital sending standard features	No
Scan file format	JPEG, TIFF, PDF, BMP, PNG
Scan input modes	HP app, Webscan
Scan technology	Contact Image Sensor (CIS)
Scanner type	Flatbed, ADF

Display	Icon LCD display
Dimensions (W x D x H)	428 x 332 x 200 mm *(Dimensions vary as per configuration)*
Dimensions (W x D x H)	16.85 x 13.07 x 7.87 in
Weight	4.82 kg *(Weight varies as per configuration)*
Weight	10.6 lb *(Weight varies as per configuration)*
Power consumption	2.8 W (ready), 1.53 W (sleep), 0.3 W (auto-off), 0.3 W (off).[2] *(Power requirements and consumption are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)*
Power supply type	Internal
What's in the box	HP DeskJet IA 4276 All-in-One Printer; HP 653 Setup Black Cartridge; HP 653 Setup Tri-Color Cartridge; Regulatory flyer; Setup guide; Reference guide; Power cord [For ink volume and page yield information, visit http://hp.com/go/learnaboutsupplies][8]
Manufacturer Warranty	One-year limited warranty. For more info please visit us at http://support.hp.com .For full terms and conditions visit: www.hp.com/go/orderdocuments .Warranty and support options vary by product, country, and local legal requirements

Additional specifications

Accessories	None
Acoustic power emissions (active copy)	6.2 B(A)
Acoustic power emissions (active, printing)	6.2 B(A)
Acoustic pressure emissions	55 dB(A) (printing at 6ppm)
Additional information about HP	https://www.hp.com
Additional information about HP in the countries	https://www.hp.com/uk
Automatic document feeder capacity	Standard, 35 sheets
Automatic paper sensor	No
Bit depth	24-bit
Borderless printing	No
Cable included	No, please purchase USB cable separately
Camera phone supported	No
Cartons per layer	10
Color	Cement
Color copy capability	Yes
Color or black	Color
Color scanning	Yes
Compatible Network Operating Systems	macOS 14 Sonoma; Windows 11; Windows 10; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Chrome OS
Compliance alliances	None
Connection type	Wireless
Control panel	Fixed icons display; 7 buttons (Power, Cancel Job, Resume, Info, Wireless, Color Copy & Black Copy); 5 LED indicator lights (Power, Ink level, Wifi, resume & Info).
Copies, maximum	Up to 9 copies
Copy reduce / enlarge settings	Via HP app
Copy resolution (black graphics)	Up to 300 x 300 dpi
Copy resolution (black text)	Up to 300 x 300 dpi
Copy resolution (color text and graphics)	Up to 300 x 300 dpi
Copy speed black (ISO)	Up to 6 cpm
Copy speed color (ISO)	Up to 3 cpm

Count of layers in pallet	5
Datasheet photo 1	Publication photos/Tassel_HP DeskJet Ink Advantage 4276 All-in-One printer_60K49C_front.png
Dimensions with trays up (W x D x H)	428 x 445.6 x 261 mm
Duty cycle note	Duty cycle is the maximum number of pages that can be printed in a month, but this page volume is not recommended on an ongoing basis.
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	EN 55032:2015+A11:2020 CLASS B, IEC 61000-4-2:2008,EC 61000-4-2:2008, IEC 61000-4-3:2020,IEC 61000-4-4:2012, IEC 61000-4-5:2014+A1:2017, IEC 61000-4-6:2013, IEC 61000-4-8:2009, IEC 61000-4-11:2004+A1:2017, EN 301 489-1 V2.2.3,EN 301 489-17 V3.2.4, FCC CFR 47 PART 15, ICES-003, ISSUE 7
End of Life CO2e (kg)	2.54
Energy Usage CO2e (kg)	7.784
Envelope Feeder	No
Fax Remote Retrieval	Yes (with HP app using mobile device)
Finished output handling	Sheetfed
First page out black (A4, ready)	As fast as 13 sec
First page out color (A4, ready)	As fast as 16 sec
Geographic availability	AP
Ink types	Dye-based (color); Pigment-based (black)
Input capacity	Up to 60 sheets
Internal Storage	No
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 5 envelopes
Maximum Memory	64 MB DDR1; 24 MB Flash
Maximum dimensions (W x D x H)	428 x 579 x 261 mm (Output Extension full out)
Maximum dimensions (W x D x H)	16.8 x 13.1 x 7.87 in (Output Extension full out)
Maximum input capacity (10x15cm photos)	Up to 20 sheets
Maximum input capacity (4x6 photo)	Up to 20 sheets
Maximum input capacity (cards)	Up to 20 cards
Maximum input capacity (labels)	Up to 10 sheets
Maximum input capacity (photo paper)	Up to 20 sheets
Maximum input capacity (sheets)	Up to 60 sheets

Maximum output capacity (cards)	Up to 20 cards
Maximum output capacity (envelopes)	Up to 5 envelopes
Maximum output capacity (labels)	Up to 10 sheets
Maximum output capacity (photo paper)	Up to 20 sheets
Maximum output capacity (sheets)	Up to 25 sheets
Maximum print area	209.9 x 349.6 mm
Media sizes supported	A4; B5; A6; DL envelope
Media sizes supported	Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes, custom	76 x 127 to 215 x 355 mm
Media sizes, custom	3 x 5 to 8.5 x 14 in
Media types	Plain paper, photo paper, brochure paper, envelopes and other specialty inkjet papers
Media weight, recommended	75 g/m²
Media weight, recommended	20 lb
Media weight, supported	A4: 60 to 90 g/m²; HP envelopes: 75 to 90 g/m²; HP cards: up to 200 g/m²; HP 10 x 15 cm photo paper: up to 300 g/m²
Media weight, supported	Letter: 16 to 32 lb; HP envelopes: 20 to 24 lb; HP cards: up to 110 lb; HP 4 x 6 inch photo paper: up to 145 lb
Memory	64 MB DDR1
Memory Slots	None
Minimum System Requirements	Windows 10, 11, : 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, Internet Explorer.
Minimum System Requirements for Macintosh	macOS V10.14 Mojave, macOS 10.15 Catalina, macOS 11 Big Sur, macOS 12 Monterey, macOS 13 Ventura; 2 GB HD; Internet required
Model number	4276
Multitasking supported	No
Non-Operating Humidity Range	5 to 90% RH (non-condensing)
Number of users	1-3 Users
Operating altitude	Up to 3,000 m
Operating altitude	Up to 10,000 ft
Operating humidity range	15 to 80% RH (non-condensing)
Operating temperature range	5 to 40°C
Operating temperature range	41 to 104°F
Output capacity	Up to 25 sheets

Package dimensions (W x D x H)	475 x 242 x 405 mm
Package dimensions (W x D x H)	1200 x 1016 x 2162 mm
Package weight	6.19 kg
Package weight	13.65 lb
Page yield (set-up/inbox cartridges)	~240 pages black; ~100 pages tri-color
Pallet dimensions	48 x 40 x 85.12 in
Pallet dimensions (W x D x H)	47.24 x 39.37 x 85.12 in
Pallet weight	331kg
Pallet weight	728 lb
Paper handling input, optional	Not Applicable
Paper handling input, standard	60-sheet input tray
Paper handling output, optional	Not Applicable
Paper handling output, standard	25-sheet output tray
Paper trays, maximum	1
Paper trays, standard	1
Photo (product photo, jpg, 70x100)	Printers and Multifunction/CD028B_70x100.jpg
Photo proofsheets supported	No
Power	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 350 mA. India input voltage: 200 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 350 mA.
Print Cartridge/Bottle, Color(s)	Black; Cyan; Magenta; Yellow
Print Cartridges/Bottle, Number	2 (1 each black, tri-color)
Print Technology	Ink
Print colors maximum	4
Print head nozzles	328 (black), 588 (color)
Print heads	2 (1 each black, tri-color)
Print languages	HP PCL 3 GUI; HP PCLm (HP Apps/UPD); URF (AirPrint)
Print speed black (ISO)	Up to 8.5 ppm
Print speed black (draft, A4)	Up to 20 ppm
Print speed color (ISO)	Up to 5.5 ppm
Print speed color (draft, A4)	Up to 16 ppm
Print speed color (normal, 10x15 photo)	As fast as 65 sec
Print speed color (normal, 4x6 photo)	As fast as 65 sec
Print technology	HP Thermal Inkjet

Printer drivers included	HP PCL 3 GUI
Processor speed	1.0 GHz
Product color	Cement
Product logos	High speed USB, Works with Microsoft Vista; Windows 10; Mac Smiley, Mac Universal; Chromebook Certified, Mopria, Wi-Fi Certified, Bluetooth, Airprint, ColorLock, Instant Ink (for countries that apply), WeChat (for countries that apply), Energy Star (For countries that apply), Recycle, Fragile, keep out of rain, this side up, PAP20 (for countries that apply), HP Total Care, Smart Way (for countries that apply), Stack height (NA:6, EMEA 6, AP 5), CE (for countries that apply), Green Dot (for countries that apply), Tidy Man (for countries that apply), EAC Logo (for countries that apply), KCCC Logo + approval number (Korea), AP Language bubble (AP only), RMN (regulatory model number), Regionalize mobius loop
Product long name specifications	HP DeskJet Ink Advantage 4276 All-in-One Printer, Color Printer for Home, Print, copy, scan, wireless, send mobile fax
Product name (back)	HP DeskJet Ink Advantage 4276 All-in-One Printer
Product name (front)	HP DeskJet Ink Advantage 4276
Product name (primary)	HP DeskJet Ink Advantage 4276
Product name (secondary)	HP DeskJet Ink Advantage 4276
Product short name specifications	HP DeskJet Ink Advantage 4276 Wireless All-in-One Color Printer, Copier, Scanner
Production CO2e (kg)	31.314
Quantity per pallet	50
Recommended Macintosh system requirements	macOS V10.14 Mojave, macOS 10.15 Catalina, macOS 11 Big Sur, macOS 12 Monterey, macOS 13 Ventura; 2 GB HD; Internet required
Recommended monthly page volume	100 to 300
Recommended monthly page volume note	HP recommends the number of pages printed not exceed the recommended monthly page volume for optimum device performance.
Recommended operating humidity range	20 to 80% RH (non-condensing)
Recommended operating temperature range	15 to 30°C
Recommended operating temperature range	59 to 86°F
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013, IEC 62368-1:2014, IEC 62368-1:2018, EN IEC 62368-1:2020 +A11:2020, EN 62311:2008, EN 50663:2017, EN 50665:2017
Scan resolution, hardware	Up to 1200 x 1200 dpi
Scan resolution, optical	Up to 1200 dpi
Scan size (ADF), maximum	215.9x355.6mm
Scan size (ADF), maximum	8.5x14in
Scan size, maximum	216 x 297 mm

Scan size, maximum	8.5 x 11.69 in
Scanning options (ADF)	Single-sided
Segment (filter)	Home
Send to email capability	No
Service & support options	With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support.
Standard input capacity (cards)	Up to 20 cards
Standard input capacity (envelopes)	Up to 5
Standard input capacity (legal)	Up to 60 sheets
Standard media sizes (duplex)	Not Applicable
Standard media sizes (duplex, imperial)	Not Applicable
Standard output capacity (cards)	Up to 20 cards
Standard output capacity (envelopes)	Up to 5 envelopes
Standard output capacity (labels)	Up to 10 sheets
Standard output capacity (legal)	Up to 25 sheets
Storage altitude	4500 m
Storage altitude	15,000 ft
Storage device and direct print support	Storage devices not supported
Storage temperature range	-40 to 60°C
Storage temperature range	-40 to 140°F
Sub-brand name	Deskjet Ink Advantage
System requirements, recommended	Windows 10, 11, : 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, Internet Explorer.
Target user and print volume	For teams up to 3 users; Prints up to 100 pages/month
Total CO2e (kg)	43.648 *(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)*
Transportation CO2e (kg)	2.01
Twain version	Version 2.4
UNSPSC code	43212104
UPC number	197029945846

Vertical alignment accuracy	+/- 0.042 mm
Vertical alignment accuracy	+/- 0.00167 in
Video action printing supported	No
Wireless technologies	802.11b/g/n

---

[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[4] Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://hp.com/go/learnaboutsupplies

[8] For more information about page yields for replacement cartridges see http://hp.com/go/learnaboutsupplies for setup cartridges click on Setup supplies link on the same page.

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Consumer Care Pack Services

HP 3 Year Return to Depot for Deskjet	UG235E

Ink/Toner/Paper/Printer Supplies

Ink Supplies

★ : Recommended

HP Inkjet Printer Cartridges and Ink Supplies

HP 653 Black Original Ink Advantage Cartridge	3YM75AE
HP 653 Tri-color Original Ink Advantage Cartridge	3YM74AE

HP Photo Papers

HP Photo Papers for inkjet

HP Matte Photo Paper 180 g/m2 10 x 15 cm (101 x 152 mm) 25 sheets	7HF70A

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ae-en) – Nov 15, 2026 8:33 AM UTC+0000