



Overview

Laser MFP performance at an affordable price

Get productive MFP performance at an affordable price. Print, scan, and copy, and easily produce high-quality results.

Legendary quality, surprisingly affordable price

This surprisingly small laser delivers exceptional quality, page after page.

Designed to fit your space

You can fit this MFP almost anywhere – it's that small and compact.



Uncompromising laser quality Sharp, black text

The right price

Specifications

Print Resolution Technologies	ReCP	
Print quality black (best)	Up to 1,200 x 1,200 dpi	
Print speed black (ISO, A4)	Up to 20 ppm	
Print speed black (ISO, letter)	Up to 21 ppm	
Print speed	Print speed up to 21 ppm (black)	
Bottom margin (A4)	5 mm	
Left margin (A4)	5 mm	
Right margin (A4)	5 mm	
Top margin (A4)	5 mm	
Functions	Print, copy, scan	
Duplex printing	Manual (driver support provided)	
Duty cycle (monthly, A4)	Up to 10,000 pages	
Duty cycle (monthly, letter)	Up to 10,000 pages ^[14]	
Printer smart software features	Manual duplex and booklet print, N-up printing, skip blank pages, poster print, watermarks	
Copier smart software features	Automatic adjusting background; Extended layout (2-up, 4-up, ID copy); expanded contrast adjustments (11 different settings);Scale from one paper size to another (Letter>A4, AutoFit);	
Scanner advanced features	Scan to WSD(network support only);Book Scanning; Poster Stitching for multiple scan; Text Converting; Scan to E-Book; Existing File to E-Book	
Energy savings feature technology	HP Auto-Off Technology; Power save	
Replacement cartridges	HP Black Contractual Original Laser Toner Cartridge (~1500 yield) W1660A ^[4]	
Connectivity, standard	1 Hi-Speed USB 2.0 (device)	
Connectivity, optional	None	
Network capabilities	No	
Wireless capability	No	
Network protocols, supported	No	
Software included	Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Driver, HP MFP Scan, OCR program, HP LJ Network PC-FAX (4-in-1 model only)	
Compatible Operating Systems	Windows 11; Windows 10; Windows Server; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; MacOS v14 Sonoma; Linux ^[11] <i>(Windows 10 or higher)</i>	
Energy star certified	No	
Ecolabels	CECP	

Blue Angel compliant	No, please refer to the ECI (Ecolabel Comparison Information) document	
Copy speed (black, normal quality, A4)	Up to 20 cpm	
Copy speed black (normal, letter)	Up to 21 cpm	
Digital sending standard features	PC Scan	
Faxing	Νο	
Scan file format	BMP; JPG; PDF; PNG; TIFF	
Scan input modes	Front-panel copy, HP MFP scan software, user application via TWAIN or WIA	
Scan technology	Contact Image Sensor (CIS)	
Scanner type	Flatbed	
Display area (imperial)	2.57 x 0.58 in	
Display area (metric)	65.5 x 14.8 cm	
Display	2-Line LCD (16 characters per line)	
Dimensions (W x D x H)	406 x 359.6 x 253 mm (Dimensions vary as per configuration)	
Dimensions (W x D x H)	15.98 x 14.16 x 9.96 in (<i>Dimensions vary as per configuration</i>)	
Weight	7.46 kg^[2] (Weight varies as per configuration)	
Weight	16.45 lb (Weight varies as per configuration)	
Power consumption	Active Printing: 300 watts, Ready: 38 watts, Sleep: 1.9 watts, Manual off: 0.2 watts, Auto off/Manual on: 0.2 watts ^[3]	
Power supply type	Internal (Built-in) power supply	
What's in the box	Preinstalled introductory HP Laser Black print cartridges (~1.5K pages); Setup Guide; Reference Guide; Regulatory Statements Flyer; Power cord; USB cable ^[12]	
Manufacturer Warranty	One-year limited hardware warranty; For more info please visit us at https://support.hp.com	

Additional specifications

Acoustic power emissions (active scan)	6.25 B(A) (only 20 ipm ADF)	
Acoustic power emissions (active, printing)	6.78 B(A) (printing at 20 ppm)	
Additional information about HP	http://www.hp.com	
Additional information about HP in the countries	http://www.hp.com/uk	
Automatic paper sensor	No	
Bit depth	8-bit (monochrome) 32-bit (color)	
Cable included	Yes, 1 USB; 1 USB PC to Printer	
Cartons per layer	5	
Certifications and compliances	GB4943.1-2011; IS 13252(PART 1): 2010	
Color or black	Black and white	
Color scanning	Yes	
Compatible Network Operating Systems	Windows 11; Windows 10; Windows Server; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; MacOS v14 Sonoma	
Connection type	Wireless	
Control panel	2-Line LCD; 12 Buttons(Power, Cancel, Start, Navigation(Menu, OK, Back, Left, Right), ID_Copy, Contrast, Scale, Info); LED indicator lights(Power, Status)	
Copier settings	Adjust Background; Auto-fit; Collation; Darkness control; ID Copy; Original Size; Original Type; reduce/enlarge	
Copies, maximum	Up to 99 copies	
Copy reduce / enlarge settings	25 to 400%	
Copy resolution (black text)	Up to 600 x 600 dpi	
Count of layers in pallet	4	
Country of origin	Made in China	
Datasheet photo 1	Publication logos/hp_ratchet_laser_mfp_1188a-in_sy.png	
Datasheet photo 3	AHID/a262e1c323fcb388c2d1a98293234b75902ae765	
Datasheet photo 4	Publication logos/quality_assurance_sy.jpg	
Datasheet photo 5	Publication logos/Compact_size wyh with text.jpg	
Downloadable software	V3 Print Driver with Installer; TWAIN/WIA Driver; HP MFP Scan; OCR program; HP LJ Network PC-FAX (4-in-1 model only)	
Driver updates	Latest supported operating systems and print drivers available at https://support.hp.com	
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output.	

Electromagnetic compatibility	GB17625.1-2012
Enhanced scanning resolution	Up to 4800 x 4800 dpi
Finished output handling	Sheetfed
First copy out black (A4)	As fast as 8.9 sec
First copy out black (A4, sleep)	As fast as 17 sec (15 min)
First copy out black (letter)	As fast as 8.9 sec
First copy out black (letter, sleep)	As fast as 17 sec (15 min)
First page out black (A4, ready)	As fast as 8.3 sec
First page out black (A4, sleep)	As fast as 18 sec (15 min)
First page out black (letter, ready)	As fast as 8.3 sec
First page out black (letter, sleep)	As fast as 18 sec (15 min)
Input capacity	Up to 150 sheets
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10 envelopes
Maximum Memory	128 MB
Maximum dimensions (W x D x H)	15.98 x 16.59 x 9.96 in
Maximum dimensions (W x D x H)	482 x 447 x 361 mm
Maximum input capacity (sheets)	Up to 150 sheets
Maximum output capacity (sheets)	Up to 100 sheets
Maximum print area	216 x 356 mm
Media size, tray 1	A4; A5; A5(LEF); B5 (JIS); Oficio; Envelope (DL,C5)
Media size, tray 2	N/A
Media size, tray 3	N/A
Media sizes supported	A4; A5; A5(LEF); B5 (JIS); Oficio; Envelope (DL,C5)
Media sizes supported	Letter; Legal; Executive; Oficio; Oficio 8.5x13 in; Envelope (No.10, Monarch); 4x6 in
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes, custom	76 x 127 to 216 x 356 mm
Media sizes, custom	3 x 5 to 8.5 x 14 in
Media type and capacity, tray 1	Sheets (75 g/m ²): 150; envelopes: 10
Media types	Plain, Thick, Thin, Cotton, Color, Preprinted, Recycled, Labels, CardStock, Bond, Archive, Envelope
Media weight (tray 1)	60 to 163 g/m²
Media weight, supported	60 to 163 g/m²

Media weight, supported	16 to 43 lb	
Memory	128 MB	
Memory footnote	128 MB (System Memory), Not expanded	
Minimum System Requirements	PC: Windows® 11: 64-bit; Windows® 10, 2016/2019 Server: 32-bit or 64- bit; Intel® Pentium® IV 1 GHz or higher; 1 GB RAM; 16 GB HDD	
Minimum System Requirements for Macintosh	Mac: Apple®OS X El Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), macOS Monterrey (v12), macOS Ventura (v13), macOS Sonoma (v14); 1.5 GB HD; Internet required; USB	
Model number	1188a	
Number of users	1-5 Users	
Operating humidity range	10 to 80% RH (non-condensing)	
Operating temperature range	50 to 86°F	
Operating temperature range	10 to 30°C	
Output capacity	Up to 100 sheets	
Package dimensions (W x D x H)	482 x 447 x 361 mm	
Package dimensions (W x D x H)	18.9 x 17.6 x 14.2 in	
Package weight	21.9 lb	
Package weight	9.94 kg	
Pallet dimensions	47.2 x 39.3 x 75.8 in	
Pallet dimensions (W x D x H)	1200 x 1000 x 1925 mm	
Pallet weight	469 lb	
Pallet weight	213 kg	
Paper handling input, standard	150-sheet input tray	
Paper handling output, standard	100-sheet output bin	
Paper trays, maximum	1	
Paper trays, standard	1	
Photo (product photo, jpg, 70x100)	Printers and Multifunction/hp-laserjet-m1319-mfp-series_70x100.jpg	
Power	110-volt input voltage: 110 to 127 VAC, 50/60Hz and 220-volt input voltage: 220 to 240 VAC, 50/60Hz. Not dual voltage, power supply varies by part number with # Option code identifier.	
Print Cartridges/Bottle, Number	1 (black)	
Print Technology	Laser	
Print colors	No	
Print languages	SPL	
Print quality black (normal)	Up to 600 x 600 dpi	
Print technology	Laser	
Printer Management	None	

Processor speed	600 MHz	
Product long name specifications	HP Laser MFP 1188a Printer, Black and white Printer for Small Office, Print, copy, scan	
Product short name specifications	HP Laser 1188a Wireless Multifunction Black and white Printer, Copier, Scanner	
Quantity per pallet	20	
RMN number	China: SEOLA-1802-02 India: SEOLA-1802-02A	
Recommended monthly page volume	100 to 2,000 ^[15]	
Recommended monthly scan volume note	HP recommends that the number of scanned pages per month be within the stated range for optimum device performance	
Recommended operating humidity range	20 to 70% RH	
Recommended operating temperature range	15 to 27℃	
Recommended operating temperature range	59 to 80.6°F	
Safety	GB4943.1-2011; IS 13252 (PART 1): 2010	
Scan resolution, hardware	Up to 4800 × 4800 dpi	
Scan resolution, optical	Up to 600 × 600 dpi	
Scan size, maximum	216 x 297 mm	
Scan size, maximum	8.5 x 11.7 in	
Security management	No	
Standard output capacity (envelopes)	Up to 10 envelopes	
Storage temperature range	-20 to 40°C	
Storage temperature range	-4 to 104°F	
Target user and print volume	For teams up to 5 users; Prints up to 2,000 pages/month	
Tariff numbers	8443310000	
Technology logo 2	Publication logos/Win11 Comp Logo.png	
Technology logo 4	Publication logos/MacOS wyh.jpg	
Technology logo 5	Publication logos/WorksWithAirPrint_AMS.jpg	
Technology logo 6	Publication logos/USB v2 wyh.jpg	
Twain version	Version 1.9	
UNSPSC code	43212110	
UPC number	(460) 197192079508; (AB2) 196786996511; (ACJ) 196786996528; (BBU) 197192923603	
Warm-up time	32 sec	
Waste electrical and electronic weight	7.54kg	

[2] Weight varies as per configuration

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

[4] Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

[11] Windows 10 or higher

[12] Introductory cartridges included; yields 1500 black pages. Replacement cartridge average declared yield 1500 based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

[14] Duty cycle is defined as the maximum number of pages per month of imaged output.

[15] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

W1660A

HP Color Laser Toner Printer Cartridges

HP 166A Black Original Laser Toner Cartridge

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ap-en) – Mar 26, 2025 3:08 PM UTC+0000