



HP Color LaserJet Enterprise MFP M776dn (T3U55A)



Overview

Brilliant colour prints, JetIntelligence technology and the world's most secure printing [1]

Expect brilliant colour prints from advanced MFPs, equipped with JetIntelligence technology. Offering the world's most secure printing [1] and a wide range of paper handling features, this is printing that helps save time and simplifies workflows.

Work stands out with exceptional colour performance

Special print mode for a wider colour range and extra vividness for documents and marketing materials.

Simplify and speed up workflows

The world's most secure printing[1]

Each printer in your fleet checks its operating code and repairs itself from attacks.

Minimal interruptions. Maximum productivity.

Change the toner and drum in seconds. Both are easily accessible and come already installed out of the box.

Features

Premium colour using Enhanced print mode

Original HP toner and drums with JetIntelligence –
and HP ColorSphere 3

Wide range of paper-handling accessories

Fast, easy supplies replacement

Minimal maintenance with long-life supplies

Automatic two-sided printing

[1] Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>.

Specifications

| | |
|--|---|
| Print Resolution Technologies | HP ImageREt 4800, Enhanced (600 x 600 dpi), Fine Lines (1200 x 1200 dpi), Quickview (300 x 300 dpi), Pantone Calibrated |
| Print quality black (best) | Up to 1200 x 1200 dpi |
| Print quality color (best) | Up to 1200 x 1200 dpi |
| Print speed black (ISO, A4) | Up to 46 ppm |
| Print Speed Color (ISO) | Up to 46 ppm |
| Print speed | Print speed up to 45 ppm (black) and 45 ppm (colour) |
| Bottom margin (A4) | 5 mm |
| Left margin (A4) | 5 mm |
| Right margin (A4) | 5 mm |
| Top margin (A4) | 5 mm |
| Functions | Print, copy, scan and optional fax |
| Duplex printing | Automatic (standard) |
| Duty cycle (monthly, A4) | Up to 200,000 pages |
| Printer smart software features | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP EasyColor |
| Copier smart software features | Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build |
| Scanner advanced features | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets |
| Energy savings feature technology | HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy |
| Replacement cartridges | W2010A HP 659A Black LaserJet Toner Cartridge (16,000 pages); W2011A HP 659A Cyan LaserJet Toner Cartridge (13,000 pages); W2012A HP 659A Yellow LaserJet Toner Cartridge (13,000 pages); W2013A HP 659A Magenta LaserJet Toner Cartridge (13,000 pages); W2010X HP 659X Black LaserJet Toner Cartridge (34,000 pages); W2011X HP 659X Cyan LaserJet Toner Cartridge (29,000 pages); W2012X HP 659X Yellow LaserJet Toner Cartridge (29,000 pages); W2013X HP 659X Magenta LaserJet Toner Cartridge (29,000 pages); W2004A HP 660A Original LaserJet Imaging Drum (65,000 pages, universal for all 4 colours) |
| Supplies feature | HP JetIntelligence Cartridge |
| Connectivity, standard | 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2) |
| Connectivity, optional | HP Jetdirect 2900nw Print Server J8031A, HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A |

| | |
|---|--|
| Network capabilities | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional), second Ethernet port (optional); Microsoft Universal Print (MUP) support |
| Wireless capability | Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A |
| Mobile printing capability | HP ePrint; Apple AirPrint™; Mopria™ Certified; Google Cloud Print™ |
| Network protocols, supported | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, Syslog; Security: SNMPv3, SSL Cert Management, IPSec/Firewall, ACL, 802.1x |
| Software included | No software solutions are included in the Box only on http://www.hp.com , http://www.123.hp.com |
| Compatible Operating Systems | Windows Client OS (32/64 bit): Win10, Win8.1, Win7 Starter Edition SP1, UPD Win7 Ultimate; Mobile OS: iOS, Android; Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Mac: Apple® macOS Catalina v10.15; Discrete PCL6 Printer Driver: For more information on the supported operating systems go to http://support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://www.support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see http://www.hp.com/go/upd |
| Sustainable impact specifications | Mercury free |
| Energy star certified | Yes |
| Ecolabels | CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified |
| Blue Angel compliant | Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies |
| Copy speed (black, normal quality, A4) | Up to 46 cpm |
| Copy speed (color, normal quality, A4) | Up to 46 cpm |
| Copy speed black duplex (A4) | Up to 46 ipm |
| Digital sending standard features | Scan to E-mail; Scan-to-Sharepoint; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF |

| | |
|--|--|
| Digital sending optional features | Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management |
| Scan speed (normal, A4) | Up to 90 ppm (black and white); Up to 90 ppm (colour) |
| Scan file format | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A |
| Scan input modes | Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXF) applications; HP Scan or user application via TWAIN |
| Scan technology | Charge Coupled Device (CCD) Flatbed; Contact Image Sensor (CIS) ADF |
| Scanner type | Flatbed, ADF |
| Display area (metric) | 162 X 121.5 mm |
| Display | 22.8 cm (9.0 in) with 20.3 cm (8.0 in) functional touchscreen, 1024x768 LCD (colour graphics), smooth gesture, enabled touchscreen |
| Dimensions (W x D x H) | 58.5 x 66.3 x 71.0 cm <i>(With no accessories and multi-purpose tray closed)</i> |
| Weight | 70.9 kg ^[9] <i>(With print cartridges)</i> |
| Power consumption | 900 watts (printing), 100 watts (ready), 0.8 watts (sleep), 0.8 watts (HP Auto-Off/Auto On), 0.07 watts (Auto-Off), 0.07 watts (Off) ^[10] |
| Power supply type | Internal (Built-in) power supply |
| What's in the box | HP Color LaserJet Enterprise MFP M776dn printer; HP Black Original LaserJet Toner Cartridge (16,000 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (13,000 pages each); 4 HP Original LaserJet Imaging Drums (65,000 pages each colour); Getting started Guide; 1 Power cord ^[13] |
| Manufacturer Warranty | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to http://www.hp.com/support to learn about HP award winning service and support options in your region. |

Additional specifications

| | |
|---|--|
| Acoustic power emissions (active scan) | 6.6 B(A) |
| Acoustic power emissions (active, printing) | 6.7 B(A) (printing at 46 ppm) |
| Acoustic power emissions (ready) | 4.9 B(A) |
| Acoustic power note | Configuration tested: base model, simplex printing, A4 paper at an average of 46 ppm |
| Acoustic pressure emissions bystander (active scan) | 50 dB(A) |
| Acoustic pressure emissions bystander (active, printing) | 52 dB(A) |
| Acoustic pressure emissions bystander (ready) | 32 dB(A) |
| Additional information about HP | https://www.hp.com |
| Additional information about HP in the countries | http://www.hp.com/uk |
| Automatic document feeder capacity | Standard, 200 sheets |
| Automatic paper sensor | Yes |
| Bit depth | 24-bit; Internal: 48-bit |
| Business filter | cMPS |
| Cable included | No, please purchase USB cable separately |
| Cartons per layer | 1 |
| Certifications and compliances | TUV and GS Mark (Germany); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. |
| Color or black | Color |
| Color scanning | Yes |

| | |
|--|--|
| Compatible Network Operating Systems | Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit; Failover Cluster 2008 R2; Failover Cluster 2012 R2; Terminal server 2008 R2; Remote Desktop server 2012 R2; Citrix Server 6.5; Citrix XenApp & XenDesktop 7.6; Novell iPrint server; "Citrix Ready Kit Certification: Up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com ; Linux: For more information see http://www.developers.hp.com/hp-linux-imaging-and-printing ; Unix: For more information see http://www.hp.com/go/unixmodelscripts ; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://www.support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems: For more information on the supported operating systems see http://www.hp.com/go/upd |
| Component type | Printer |
| Control panel | 22.9 cm (9.0 in) with 20.3 cm (8.0 in) functional touchscreen; Colour graphic display; Rotating (adjustable angle); Job control buttons; LED Home button; Hardware Integration Pocket; Easy access USB |
| Copier scaling (ADF) | 25 to 200% |
| Copier settings | Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes) |
| Copies, maximum | Up to 9999 copies |
| Copy reduce / enlarge settings | 25 to 400% |
| Copy resolution (black text) | Up to 600 x 600 dpi |
| Copy resolution (color text and graphics) | Up to 600 x 600 dpi |
| Copy speed black (normal, A3) | Up to 26 cpm |
| Copy speed black (normal, Tabloid) | Up to 26 cpm |
| Copy speed black duplex (A3) | Up to 26 ipm |
| Copy speed black duplex (Tabloid) | Up to 26 ipm |
| Copy speed color (normal, A3) | Up to 26 cpm |
| Copy speed color (normal, Tabloid) | Up to 26 cpm |
| Copy speed color duplex (A3) | Up to 26 ipm |
| Copy speed color duplex (A4) | Up to 46 ipm |
| Copy speed color duplex (Tabloid) | Up to 26 ipm |
| Count of layers in pallet | 1 |
| Country of origin | Made in Japan |
| Datasheet photo 1 | Publication photos/Keystone_HP Color LaserJet Enterprise MFP M776dn_T3U55A_main.jpg |
| Datasheet photo 2 | Publication photos/Keystone_HP Color LaserJet Enterprise Flow M776z_3WT91A_main.jpg |

| | |
|---|--|
| Datasheet photo 3 | Publication photos/KeystoneWAP2.jpg |
| Datasheet photo 4 | Publication logos/ePrint_thin_icon.jpg |
| Datasheet photo 5 | Publication logos/HP_Care_Pack_RGB_blue_icon.jpg |
| Downloadable software | <p>From http://www.123.hp.com: HP Easy Start (Guided Software Install for Windows and Mac); From http://www.hp.com for Windows OS: Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support; From http://www.hp.com for Mac OS: HP Easy Start (Guided Software Install), HP Mac OS Print Driver, HP Easy Admin; For Mobile OS: iOS see http://www.hp.com/go/businessmobileprinting; For Android see http://www.hp.com/go/businessmobileprinting; From http://www.hp.com for printer administrators: Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator; HP Universal Print Drivers PCL6 GDI & PS GDI for Windows; HP ePrint Software (Mobile Driver for Windows); HP Web JetAdmin; HP JetAdvantage Security Manager; HP ROAM; For HPLIP Linux Printer Driver see http://www.hplipopensource.com/hplip-web/index.html; For Unix Model Script Printer Driver see http://www.hp.com/go/unixmodelscripts; ReadIris</p> |
| Driver updates | <p>Current HP printer drivers and software can be obtained from the HP Customer Care Web site: go to http://www.hp.com/support; 1 Select the country/region; 2 Select Software and Drivers; 3 Select Printer; 4 Enter a product name/number; 5 The operating system is automatically detected; 6 Select a driver or other software; 7 Then select DOWNLOAD</p> |
| Duplex ADF scanning | Yes |
| Duty cycle note | Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. |
| Dynamic security | Dynamic security enabled printer |
| Electromagnetic compatibility | CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries. |
| Engine life | 600000 |
| Enhanced scanning resolution | Up to 600 dpi |
| Envelope Feeder | No |
| File Format Supported | JPG; MTIFF; PDF; PDF/A; TIFF; XPS |
| Finished output handling | Sheetfed |
| First copy out black (A4) | As fast as 5.6 sec |
| First copy out black (A4, sleep) | As fast as 16 sec |
| First copy out color (A4) | As fast as 7.7 sec |
| First copy out color (A4, sleep) | As fast as 18 sec |
| First page out black (A4, ready) | As fast as 6.5 sec |
| First page out black (A4, sleep) | As fast as 11.6 sec |

| | |
|---|---|
| First page out color (A4, ready) | As fast as 6.8 sec |
| First page out color (A4, sleep) | As fast as 11.8 sec |
| First page out footnote | Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration software application driver and document complexity. |
| Fonts and typefaces | 105 internal TrueType fonts scalable in HP PCL; Barcode font variants (Code 39, 12 of 5, UPC/ENA, Code 128, OCR-A/OCR-B); 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts |
| Input capacity | Up to 650 sheets (MP Tray: Up to 100 sheets; Tray 2: Up to 550 sheets) |
| Internal Storage | Standard, 500 GB High-Performance SED Hard Disk (AES 256 hardware encryption or greater) |
| Levels of grayscale | 256 |
| Mac compatible | Yes |
| Maximum Input Capacity (envelopes) | Up to 10 envelopes |
| Maximum Memory | 5 GB ^[9] |
| Maximum dimensions (W x D x H) | 921 x 663 x 710 mm |
| Maximum input capacity (sheets) | Up to 3,900 sheets |
| Maximum output capacity (sheets) | Up to 500 Sheets |
| Maximum print area | 302 x 454.2 mm |
| Media size (ADF) | Executive; A3; A4; A5; A6; Long paper up to 864 mm (34 in) |
| Media size, tray 1 | A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Envelopes: B5, C5, C6, DL |
| Media size, tray 2 | A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273) |
| Media size, tray 3 | Optional 1 x 550 and 2 x 550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Optional 2,700 sheet HCL paper tray and stand: A4 |
| Media sizes supported | 100 sheet multipurpose Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS); Envelopes: B5, C5, C6, DL; 550 sheet input Tray 2: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Optional 1 x 550 and 2 x 550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273) |
| Media sizes supported, key | 10 x 15 cm; A4; A3; Envelopes |

| | |
|--|--|
| Media sizes, custom | 100 sheet multipurpose Tray 1: 64 x 127 to 320 x 457.2 mm; 550 sheet input Tray 2: 148 x 148 to 297 x 431.8 mm; Optional 1 x 550 and 2 x 550 tray and stand: 148 x 148 to 320 x 457.2 mm; Optional 2,700 sheet HCI paper tray and stand: 279.4 x 210 mm to 297 x 215.9 |
| Media type and capacity, ADF | 200 sheets |
| Media type and capacity, tray 1 | Sheets: 100 (80 g/m ²); Transparencies: 50; Envelopes: 10; Labels: 50 |
| Media type and capacity, tray 2 | Sheets: 550 (80 g/m ²); Transparencies: 200; Labels: 200 |
| Media type and capacity, tray 3 | Optional 1 x 550 and 2 x 550 tray and stand - Sheets: 550 (80 g/m ²); Transparencies: 200; Labels: 200; Optional 2,700 sheet HCI paper tray and stand - Sheets: 1100+1600 (80 g/m ²) |
| Media types | Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), envelopes, labels, glossy film, cardstock, transparencies |
| Media weight (tray 1) | 60 to 300 g/m ² plain papers, up to 220 g/m ² glossy/coated |
| Media weight (tray 2) | 60 to 256 g/m ² plain papers, up to 220 g/m ² glossy/coated |
| Media weight (tray 3) | 60 to 256 g/m ² plain papers, up to 220 g/m ² glossy/coated |
| Media weight, supported | 100 sheet multipurpose Tray 1: 60 to 300 g/m ² ; 550 sheet input Tray 2: 60 to 256 g/m ² ; Optional 1 x 550 and 2 x 550 tray and stand: 60 to 256 g/m ² ; Optional 2,700 sheet HCI paper tray and stand: 60 to 256 g/m ² |
| Media weights, supported ADF | 45 to 200 g/m ² |
| Memory | 3.0 GB |
| Memory Slots | 1 slot, 144-pin, DDR3 x32 SODIMM |
| Memory card compatibility | Not available |
| Memory footnote | The purchase of an accessory DIMM will enable the use of HP Workpath apps, but does not provide additional ramdisk or other benefits. A firmware update may be required for configuration page to accurately reflect the accessory DIMM is installed. |
| Memory upgrade | The purchase of an accessory DIMM will enable the use of HP Workpath apps, but does not provide additional ramdisk or other benefits. A firmware update may be required for configuration page to accurately reflect the accessory DIMM is installed. |
| Minimum System Requirements | 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com |
| Minimum System Requirements for Macintosh | 2 GB available hard drive space, Internet connection or USB port. For OS hardware requirements see http://www.apple.com |
| Mobile printing capability footnote | To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam ^[17] |
| Model number | M776dn |
| Native scan file format | Hi-compression PDF; JPG; MTIFF; PDF; PDF/A; TIFF; XPS |
| Network capabilities footnote number | [17] |
| Number of users | 5-20 Users |

| | |
|--|---|
| Operating humidity range | 10 to 80% RH |
| Operating temperature range | 10 to 32.5°C |
| Output capacity | Up to 500 sheets |
| Package dimensions (W x D x H) | 856 x 760 x 972 mm |
| Package weight | 92.12 kg |
| Page yield footnote | Average black and colour composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies . |
| Pallet dimensions (W x D x H) | 856 x 760 x 972 mm |
| Pallet weight | 92.12 kg |
| Paper handling input, optional | 1 x 550 sheet paper tray; 2 x 550 tray and stand; HCI paper tray and stand |
| Paper handling input, standard | 100 sheet multi-purpose tray; 1 x 550 sheet paper tray |
| Paper handling output, standard | 500 sheet output tray |
| Paper trays, maximum | 5 |
| Paper trays, standard | 2 |
| Photo (product photo, jpg, 70x100) | Printers and Multifunction/hp-laserjet-m5035-mfp-series_70x100.jpg |
| Plug and play | HP Smart Install |
| Power | 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz) |
| Print Cartridges/Bottle, Number | 4 toner cartridges (1 each for black, cyan, magenta, yellow); 4 drum units (1 each for black, cyan, magenta, yellow) |
| Print Technology | Laser |
| Print colors | Yes |
| Print languages | HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™, Google Cloud Print |
| Print quality black (normal) | Up to 600 x 600 dpi |
| Print resolution black (fine lines) | Up to 1200 x 1200 dpi |
| Print resolution color (fine lines) | Up to 1200 x 1200 dpi |
| Print resolution color (normal) | Up to 600 x 600 dpi |
| Print speed black (Landscape, A5) | Up to 35 ppm |
| Print speed black (normal, A3) | Up to 26 ppm |
| Print speed black (normal, tabloid) | Up to 26 ppm |
| Print speed color (Landscape, A5) | Up to 35 ppm |
| Print speed color (normal, A3) | Up to 26 ppm |
| Print speed color (normal, tabloid) | Up to 26 ppm |
| Print speed duplex (A3) | Up to 26 ipm |

| | |
|---|--|
| Print speed duplex (A3) | Up to 26 ipm |
| Print speed duplex (A4) | Up to 46 ipm |
| Print speed duplex (A4) | Up to 46 ipm |
| Print speed duplex (tabloid) | Up to 26 ipm |
| Print speed duplex (tabloid) | Up to 26 ipm |
| Print speed footnote (A3/Tabloid) | Measured using ISO/IEC 24734 excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration software application driver and document complexity. |
| Print speed footnote (A5) | Measured using ISO 24734 Feature Test A5 Landscape Feed. Speed may vary based on content PC media orientation and media type. |
| Print speed footnote number (A5) | [16] |
| Print technology | Laser |
| Printer Management | HP Device Toolbox; HP JetAdvantage Security Manager; HP Printer Assistant; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver: Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator |
| Printer black pages (MPV black) | 1320 |
| Printer color pages (MPV color) | 880 |
| Processor speed | 1.2 GHz |
| Product long name specifications | HP Color LaserJet Enterprise MFP M776dn, Color Printer for Business, Print, copy, scan and optional fax, Automatic document feeder; Front USB flash drive port; Flow; Two-sided printing; Two-sided scanning |
| Product safety | https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-mfp-m776-series/model/21298756?sku=T3U55A&serialnumber=T3U55A ; https://h10032.www1.hp.com/ctg/Manual/c06362773.pdf |
| Product short name specifications | HP LaserJet Enterprise M776dn Multifunction Color Printer, Ethernet Only; Copier, Scanner |
| Quantity per pallet | 1 |
| Recommended media weight (duplex) | 60 to 216 g/m ² |
| Recommended monthly page volume | Up to 40,000 pages |
| Recommended monthly page volume note | Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. |
| Recommended monthly scan volume | 5000 to 10,000 |
| Recommended monthly scan volume note | HP recommends that the number of scanned pages per month be within the stated range for optimum device performance. |

| | |
|--|--|
| Recommended operating humidity range | 30 to 70% RH |
| Recommended operating temperature range | 15 to 27°C |
| Replacement cartridges footnote | Average black and colour composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies . |
| Resolution | Up to 600 dpi |
| Safety | IEC 60950-1:2005+A1:2009+A2:2013 (International); EN60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries. |
| Scan resolution, hardware | Up to 600 x 600 dpi |
| Scan resolution, optical | Up to 600 dpi |
| Scan size (ADF), maximum | 297 x 864 mm |
| Scan size (ADF), minimum | 68 x 127 mm |
| Scan size, maximum | 297 x 432 mm |
| Scan speed (normal, A3) | Up to 50 ppm (black and white); Up to 50 ppm (colour) |
| Scan speed (normal, tabloid) | Up to 50 ppm (black and white); Up to 50 ppm (colour) |
| Scan speed duplex (normal, A3) | Up to 110 ipm (black and white); Up to 100 ipm (colour) |
| Scan speed duplex (normal, A4) | Up to 180 ipm (black and white); Up to 180 ipm (colour) |
| Scan speed duplex (normal, Tabloid) | Up to 110 ipm (black and white); Up to 100 ipm (colour) |
| Scan speed footnote | Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution network conditions computer performance and application software. |
| Security management | Management security: SNMPv3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in |
| Software scan file format | HP scan supports: JPG, RAW(BMP), PDF, Searchable PDF, PDF/A, TIFF, PNG, RTF, TXT |
| Standard media sizes (duplex) | A3; A4; A5; 8K; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio; RA4; RA3; SRA3; SRA4; A4R; B5 (JIS); B4 (JIS) |
| Standard output capacity (envelopes) | Up to 10 envelopes |
| Standard output capacity (transparencies) | Up to 50 sheets |

| | |
|---|---|
| Storage device and direct print support | USB Printing; Right-side facing USB/Flash drive |
| Storage temperature range | -20 to 40°C |
| Target user and print volume | For teams up to 20 users; Prints up to 40,000 pages/month |
| Technology logo 2 | Publication logos/energy star.jpg |
| Technology logo 3 | Publication logos/windows 10_logo_EMEA.jpg |
| Technology logo 4 | Publication logos/MacOS.jpg |
| Technology logo 5 | Publication logos/AirPrint.jpg |
| Technology logo 6 | Publication logos/Mopria.jpg |
| Technology logo 7 | Publication logos/USBhiColour_new.jpg |
| Top key features | Two-sided printing; Two-sided scanning; Scan to email |
| Twain version | Version 2.1 |
| Typical electricity consumption (TEC) footnote | Blue Angel TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or Blue Angel TEC values. Blue Angel uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device. |
| Typical electricity consumption (TEC) number | Blue Angel: 2.470 kWh/Week; Energy Star 3.0: 0.734 kWh/Week ^[11] |
| UNSPSC code | 43212110 |
| UPC number | (ABT) 193015437906; (ABY) 193015437913; (ACQ) 193015437920; (B13) 193015437937; (B19) 193015437944; (BAZ) 193015437951 |
| Warm-up time | As fast as 210 sec |
| Web address for additional information | Solutions: http://www.hp.com/go/gsc ; Fonts and IPDS Emulation: http://www.hp.com/go/laserjetfonts ; HP Web Jetadmin: http://www.hp.com/go/wja ; HP Universal Print Driver: http://www.hp.com/go/upd ; HP JetAdvantage Security Manager: http://www.hp.com/go/securitymanager ; HP JetAdvantage On Demand Cloud Solutions: http://www.hp.com/go/JetAdvantageondemand |
| What is in the box footnote | Standard cartridges included; Yields 16,000 black and 13,000 colour composite (C/M/Y) pages. Average black and colour composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies . |

[9] With print cartridges.

[10] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

[11] Blue Angel TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or Blue Angel TEC values. Blue Angel uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device.

[13] Standard cartridges included; Yields 16,000 black and 13,000 colour composite (C/M/Y) pages. Average black and colour composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Laser Printer Supply Kits

| | |
|--|----------|
| HP 300 ADF Roller Replacement Kit | J8J95A ★ |
| HP LaserJet 110V Fuser Kit | 4YL16A ★ |
| HP LaserJet 220V Fuser Kit | 4YL17A ★ |
| HP LaserJet 3WT89A Transfer Kit | 3WT89A ★ |
| HP LaserJet 3WT90A Toner Collection Unit | 3WT90A ★ |

HP Color Laser Toner Printer Cartridges

| | |
|--|----------|
| HP 659X High Yield Black Original LaserJet Toner Cartridge | W2010X ★ |
| HP 659X High Yield Cyan Original LaserJet Toner Cartridge | W2011X ★ |
| HP 659X High Yield Magenta Original LaserJet Toner Cartridge | W2013X ★ |
| HP 659X High Yield Yellow Original LaserJet Toner Cartridge | W2012X ★ |
| HP 660A Original LaserJet Imaging Drum | W2004A ★ |
| HP 659A Black Original LaserJet Toner Cartridge | W2010A |
| HP 659A Cyan Original LaserJet Toner Cartridge | W2011A |
| HP 659A Magenta Original LaserJet Toner Cartridge | W2013A |
| HP 659A Yellow Original LaserJet Toner Cartridge | W2012A |

HP Business Papers

HP Business Papers for laser

| | |
|---|--------|
| HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets | CG965A |
| HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets | 7MV83A |
| HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets | 7MV80A |

HP Paper for Multiple Uses

HP Recycled Paper

| | | |
|---|--------|----------|
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 7MV81A | obsolete |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 7MV82A | |

Accessories

Memory

★ : Recommended

DDR3 Memory

HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM

E5K48A ★

HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM

E5K49A ★

Accessory Bundles

Printer Accessibility Accessories

HP Accessibility Kit

2TD64A ★

HP Accessibility Assistant

2MU47A

Paper Handling

Input Trays

HP Color LaserJet 2x550-sheet Feeder and Stand

T3V29A ★

HP LaserJet 2700-sheet High Capacity Paper Tray and Stand

T3V30A ★

HP LaserJet 550-sheet Paper Tray

T3V27A ★

Fax Upgrades

HP MFP Analog Fax Accessory 700

2EH31A ★

Cables/Cable Kits/Cable Adapters

Printer Cables

HP Foreign Interface Harness

B5L31A ★

Port Cables and Cable Adapters

HP Internal USB Ports

B5L28A ★

Network Print Servers

External Print Servers

HP Jetdirect 2900nw Print Server

J8031A ★

HP Jetdirect 3100w BLE/NFC/Wireless Accessory

3JN69A ★

Internal Print Servers

HP Jetdirect LAN Accessory

8FP31A ★

Cabinets and Stands

Printer Cabinets and Stands

HP LaserJet Printer Stand

T3V28A ★

Services

Document & Printing

★ : Recommended

Print Security Solutions

| | | |
|---|---------------|----------|
| HP HID Mobile Access Mifare DES Fire Keystroking Reader | 35H11A ★ | |
| HP HIP1 Card Reader Accessory Kit | 5B248A ★ | |
| HP HIP2 Keystroke Reader | Y7C05A ★ | |
| HP Legic Secure USB Reader | 4QL32A ★ | |
| HP USB Universal Card Reader | X3D03A ★ | obsolete |
| HP Security Manager | HPJETADSECMGR | |

Print Management Software Solutions

| | | |
|---------------------------|---------------|--|
| HP Universal Print Driver | HPUNIVPRNTDRV | |
| HP Web Jetadmin | HPWEBJETADMIN | |

Document & Workflow Management Solutions

| | | |
|------------------|---------|--|
| HP Workpath Apps | HPJA_AP | |
|------------------|---------|--|

HP Care Pack Services

Imaging and Printing Hardware Support Onsite Svc

| | | |
|---|---------|--|
| HP 1 year Post Warranty Next Business Day w/DMR Service for Color LaserJet MFP M776 | UC2Y1PE | |
| HP 3 year Next Business Day w/DMR Service for Color LaserJet MFP M776 | UC2W9E | |
| HP 4 year Next Business Day w/DMR Service for Color LaserJet MFP M776 | UC2X0E | |
| HP 5 year Next Business Day w/DMR Service for Color LaserJet MFP M776 | UC2X1E | |

Imaging and Printing Commercial Care Pack Services

| | | |
|---|---------|--|
| HP 1 yr Post Wty Parts Exchange Service for Color LaserJet MFP M776 | UC2Y7PE | |
| HP 3 year Parts Exchange Service for Color LaserJet MFP M776 | UC2X8E | |
| HP 4 year Parts Exchange Service for Color LaserJet MFP M776 | UC2X9E | |
| HP 5 year Parts Exchange Service for Color LaserJet MFP M776 | UC2Y0E | |

HP Document and Workflow Solutions Overview

★ : Recommended

HP Document and Workflow Solutions Printing Security

| | |
|---|---------------|
| HP Access Control Secure Printing and Job Accounting Solution | HPACSOLUTION |
| HP Proximity Card Reader | HPPROXIMTYRDR |
| MyQ Solutions | MYQSOL |

HP Document and Workflow Solutions Printer Workflow

| | |
|----------------------|----------------|
| HP Capture and Route | HPCAPTANDROUTE |
|----------------------|----------------|

HP Document and Workflow Solutions Mobile Printing

| | |
|----------------------|--------|
| HP Roam for Business | HPROAM |
|----------------------|--------|

Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.