



HP DesignJet T630 36-in Printer (5HB11A)



Pregled

Simply the world's easiest large-format plotters[1]—affordability without tradeoffs

The world's smallest wide-format printer[4] with a built-in stand, is designed to fit your office, budget, and the way you work. Print multi-size projects with ease. Print your A1 plot as fast as 30 seconds. 1 GB memory.

Extreme simplicity

Print multi-size A3 and A0 projects automatically, without manually switching the media source.

Fits the way you work

Avoid waiting by the printer with high-speed printing as fast as 30 seconds per A1 plot.

Fits your office and budget

Save space with the world's smallest plotters[4] designed to fit your office, including a built-in stand.

[1] The HP DesignJet T600 Printer series and the HP DesignJet Studio Printer series are the only solutions providing seamless printing of both large- and small-format sheets automatically in a multi-size print basket compared to competitive alternatives with comparable size and features as of January, 2020.

[4] HP DesignJet T650 36-in series printers are up to 17% smaller compared to competitive alternatives with comparable size and features as of January, 2020. The world's smallest large-format plotters based on most compact footprint.

Specifikacije

| | |
|--|---|
| Kvalitet štampanja u boji (najbolji) | Up to 2400 x 1200 optimised dpi |
| Funkcije | Print |
| Mogućnost povezivanja, standardna | Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11a/b/g/n, Wi-Fi Direct |
| Uključeni softver | HP Click, HP Smart app, HP Print Preview for Windows, HP Easy Start, HP DesignJet Utility for Windows, HP Support Assistant |
| Specifikacije održivog uticaja | More sustainable design reduces CO2e up to 7.3 tons/year by units sold by using up to 30% UL Validated recycled plastic.; Free, convenient HP ink cartridge and printhead recycling with HP Planet Partners; FSC®-certified papers and a range of recyclable HP media with a take-back program; ENERGY STAR® certified; EPEAT® registered |
| Sertifikovano za Energy star | Yes |
| Minimalne dimenzije (Š x D x V) | 1317 x 605 x 932 mm |
| Minimalne dimenzije (Š x D x V) | 51.9 x 23.8 x 36.7 in |
| Težina | 34.7 kg |
| Težina | 76.5 lb |
| Potrošnja energije | <35 W (printing), <5.6 W (ready), <2.1 W (sleep), <0.2 W (standby) |
| Sertifikacija zaštite životne sredine | ENERGY STAR; WEEE; EU RoHS; EAEU RoHS; REACH; ErP; EPEAT Gold |
| Sadržaj kutije | HP DesignJet T630 36-in Printer, printer stand, automatic sheet feeder, printhead, introductory ink cartridges, spindle, quick reference guide, setup poster, power cord |
| Garancija proizvođača | One-year limited hardware warranty |

Dodatne specifikacije

| | |
|--|--|
| Bezbednost | USA and Canada (CSA certified); EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, Khazakistan (EAC); Ukraine (UA); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS); Mexico (NYCE) |
| Boje potrošnog materijala za štampanje | Cyan, magenta, yellow, black |
| Broj kertridža za štampanje | 4 (C, M, Y, K) |
| Brzina štampanja | 30 sec/page on A1, 76 A1 prints per hour[1] |
| Brzina štampanja | 30 sec/page on D, 76 D prints per hour[1] |
| Debljina medijuma | Up to 11.8 mil |
| Debljina medijuma (metričke merne jedinice) | Up to 0.3 mm |
| Dimenzije paketa (Š x D x V) | 1470 x 575 x 590 mm |
| Dimenzije paketa (Š x D x V) | 57.9 x 22.6 x 23.2 in |
| Dinamička bezbednost | Dynamic security enabled printer |
| Dodatne informacije o kompaniji HP | https://www.hp.com |
| Dodatne informacije o kompaniji HP u zemljama | https://www.hp.com/uk |
| Dodatni pribor | B3Q37A HP DesignJet 36-in Spindle |
| Elektromagnetna kompatibilnost | Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC/RED Directives), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class B product: Korea (KCC) |
| Emisije akustičke snage (aktivno štampanje) | 5.8 B(A) (operating), <3.4 B(A) (idle) |
| Emisije akustičkog pritiska | 42 dB(A) (operating), <16 dB(A) (idle) |
| Fotografija lista sa podacima 1 | AHID/34934a1899f2ab7649db0786d0791838aa80d700 |
| Glave štampača | 1 (cyan, magenta, yellow, black) |
| Jezici za štampanje | HP-GL/2, HP-RTL, CALS G4, JPEG, URF |
| Kap mastila | 5.5 pl (C, M, Y); 12 pl (K) |
| Logotip tehnologije 1 | AHID/1962e85088e267aba6a8acbb8ddaa27a1c41fce1 |
| Logotip tehnologije 2 | AHID/8dd5a796e864b72e1e6b7c31b8aebe448c357226 |
| Logotip tehnologije 3 | AHID/05b7ed2c3f80a504f7c6d00e397551677c5dfcb0 |
| Logotip tehnologije 4 | AHID/93a68b8d94fd3b1ed6cdc04da868ac9d4e2a7fdd |
| Logotip tehnologije 5 | AHID/7dd3918e9ff935d45aab890d745b678a5e8bb273 |
| Logotip tehnologije 6 | AHID/ec44458676a420f774d6aa91024e6eabf0b34a69 |
| Logotip tehnologije 7 | AHID/619a3448a77fd810ffc2ecd1be2266a1ade2bab4 |

Logotipi proizvoda

AirPrint; ENERGY STAR; EPEAT Gold; Gold IPv6 Ready; Hi-Speed USB; UL Validated; Wi-Fi CERTIFIED; Windows 10 Compatible

| | |
|--|--|
| Maksimalna optička gustina (crno-belo) | 8 L* min/2.10 D[4] |
| Maksimalna težina rolne | 6.2 kg |
| Maksimalna težina rolne | 13.6 lb |
| Maksimalni ulaz rolne | 1 |
| Memorija | 1 GB |
| Minimalna teoretska širina linija | 0.0008 in |
| Minimalna teoretska širina linija | 0.02 mm |
| Mlaznice glave štampača | 1376 |
| Napajanje | Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max. Not dual voltage, power supply varies by part number with # Option code identifier. |
| Neoperativni opseg vlažnosti vazduha | 0 to 95% RH |
| Oblast na kojoj se ne može štampati (sečeni list) | 0.2 x 0.2 x 0.2 x 0.7 in (manual feed); 0.2 x 0.2 x 0.2 x 0.2 in (input tray) |
| Oblast na kojoj se ne može štampati (sečeni list) | 5 x 5 x 5 x 17 mm (manual feed); 5 x 5 x 5 x 5 mm (input tray) |
| Omogućeno je daljinsko štampanje | Yes |
| Operativna nadmorska visina | Up to 9843 ft |
| Operativna nadmorska visina | Up to 3000 m |
| Opseg operativne temperature | 41 to 104°F |
| Opseg operativne temperature | 5 to 40°C |
| Opseg operativne vlažnosti vazduha | 20 to 80% RH |
| Opseg temperature skladišta | -25 to 55°C |
| Opseg temperature skladišta | -13 to 131°F |
| Playbook TS ikona, dimenzije za AiO | https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192862.png |
| Playbook TS ikona, ekran za AiO | https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169148.png |
| Playbook TS ikona, veza | https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png |
| Podržane primarne aplikacije | Line drawings; Presentations; Renderings |
| Podržane veličine medijuma | Auto sheet feeder: A, B; manual feed: A, B, C, D, E |
| Podržane veličine medijuma | Auto sheet feeder: A4, A3; manual feed: A4, A3, A2, A1, A0 |
| Preciznost linije | ±0.1%[3] |

| | |
|---|--|
| Preporučeni medijumi | Q1396A HP Universal Bond Paper (FSC® certified)[5] (recyclable)[6] 610 mm x 45.7 m;C6019B HP Coated Paper (FSC® certified)[5] (recyclable)[6] 610 mm x 45.7 m;C6029C HP Heavyweight Coated Paper (FSC® certified)[5] (recyclable)[6] 610 mm x 30.5 m |
| Putanja štampanja | Print Anywhere with HP Smart app, HP Click, HP driver for macOS, HP driver for Windows, printing support for Chrome OS, email printing, HP Print Service Plugin for Android, Apple AirPrint |
| Reciklirana potrošačka plastika u hardveru po težini plastike | 30% |
| Rolna medijuma oblasti na kojoj se ne može štampati (rolna medijuma) | 0.2 x 0.2 x 0.2 x 0.2 in |
| Rolna medijuma oblasti na kojoj se ne može štampati (rolna medijuma) | 5 x 5 x 5 x 5 mm |
| Rukovanje završenim izlazom | Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter |
| Spoljni prečnik rolne | 100 mm |
| Spoljni prečnik rolne | 3.9 in |
| Standard veličina medijuma (listovi, rolne) | 11 to 36 in |
| Standard veličina medijuma (rolne metričkih mernih jedinica) | 279 to 914 mm |
| Tehnologija štampanja | Ink |
| Tehnologija štampanja | HP Thermal Inkjet |
| Težina medijuma, preporučena | 60 to 280 g/m ² (roll/manual feed); 60 to 220 g/m ² (auto sheet feeder) |
| Težina paketa | 121.9 lb |
| Težina paketa | 55.3 kg |
| Tipovi mastila | Dye-based (C, M, Y); pigment-based (K) |
| Tipovi medijuma | Bond and coated paper (bond, coated, heavyweight coated, plain, bright white, blueprint), technical paper (natural tracing), film (clear, matte), photographic paper (satin, gloss, semigloss, polypropylene), self-adhesive (adhesive, polypropylene) |
| UNSPSC kôd | 43212107 |
| UPC broj | 194850020186 |
| Uključeni upravljački programi štampača | Raster driver for Windows and macOS |
| Unutrašnje skladište | None |
| Veb-adresa za dodatne informacije | http://www.hp.com/go/designjett630 |
| Veliki kapacitet broja dobijenih stranica (u boji) | 20 ml of ink yields 101 A1 pages, taking into account maintenance routines[2] |
| Veličina modela | 36 in |

Veličina modela 914 mm

Veličine medijuma, prilagođene Auto sheet feeder: 8.3 x 11 to 13 x 19 in; manual feed: 8.3 x 11 to 36 x 74.7 in

Veličine medijuma, prilagođene Auto sheet feeder: 210 x 279 to 330 x 482 mm; manual feed: 210 x 279 to 914 x 1897 mm

Zapremina isporučenog kertridža za štampanje 80 ml (K); 38 ml (K); 29 ml (C, M, Y)

Širina medijuma, maksimalna 36 in

Širina medijuma, maksimalna 914 mm

Štampanje datoteka u više veličina jednim klikom Yes

HP Care Pack usluge

★ : Preporučeno

Graphics Solutions Care Pack Services

| | |
|--|------------------|
| HP 2 year Next Business Day Hardware Support for Designjet T630-36 (EMEA) | U18JSE ★ |
| HP 3 year Next Business Day Hardware Support for Designjet T630-36 (EMEA) | U18JTE ★ |
| HP 5 year Next Business Day Hardware Support for Designjet T630-36 (EMEA) | U18JWE ★ |
| HP 1 year Post Warranty Next Business Day Hardware Support for DesignJet T630-36 | U18KHPE ★ |
| HP Installation and Network Setup Service for Designjet Low End Series | UC744E ★ |
| HP 2 year Parts Coverage Hardware Support for DesignJet T630-36 (EMEA) | U18JXE ★ |
| HP 1 year Post Warranty Parts Coverage HW Support for DesignJet T630-36 | U18KRPE ★ |
| HP 2 year Post Warranty Next Business Day Hardware Support for DesignJet T630-36 | U18KJPE |
| HP 2 year Post Warranty Parts Coverage HW Support for DesignJet T630-36 | U18KSPE |
| HP 3 year Parts Coverage Hardware Support for DesignJet T630-36 (EMEA) | U18JYE |
| HP 4 year Next Business Day Hardware Support for Designjet T630-36 (EMEA) | U18JVE |
| HP 4 year Parts Coverage Hardware Support for DesignJet T630-36 (EMEA) | U18JZE |
| HP 5 year Parts Coverage Hardware Support for DesignJet T630-36 (EMEA) | U18K0E |
| HP Return to Support Service for DesignJet (Midrange 36 inch) | U67TVE |

Dodatna oprema

Rukovanje papirom

★ : Preporučeno

Spindles

HP DesignJet 36-in Spindle

B3Q37A ★

Dodatna oprema za mastilo/toner/papir/šampač

Pribor za mastilo

★ : Preporučeno

HP Graphic Arts mastila/glave šampača

| | |
|---|--------|
| HP 712 29-ml Cyan DesignJet Ink Cartridge | 3ED67A |
| HP 712 29-ml Magenta DesignJet Ink Cartridge | 3ED68A |
| HP 712 29-ml Yellow DesignJet Ink Cartridge | 3ED69A |
| HP 712 3-pack 29-ml Cyan DesignJet Ink Cartridge | 3ED77A |
| HP 712 3-pack 29-ml Magenta DesignJet Ink Cartridge | 3ED78A |
| HP 712 3-pack 29-ml Yellow DesignJet Ink Cartridge | 3ED79A |
| HP 712 38-ml Black DesignJet Ink Cartridge | 3ED70A |
| HP 712 80-ml Black DesignJet Ink Cartridge | 3ED71A |
| HP 713 DesignJet Printhead Replacement Kit | 3ED58A |

Odricanje odgovornosti — Autorska prava

© Copyright 2024 HP Development Company, L.P. Informacije navedene u ovom dokumentu podložne su promenama bez prethodnog obaveštenja. Jedine garancije za proizvode i usluge kompanije HP navedene su u izričitim garantnim izjavama koje se dobijaju uz takve proizvode i usluge. Ništa ovde navedeno ne treba smatrati kao dodatnu garanciju. HP ne snosi odgovornost za tehničke ili uređivačke greške ili propuste u ovom dokumentu.