HP Color LaserJet Pro MFP M479fdw (W1A80A)



Overview

The HP Color LaserJet Pro MFP M479 – focus your time on growing business and staying ahead.

Winning in business means working smarter. The HP Color LaserJet Pro MFP M479 is designed to let you focus your time where it's most effective-growing your business and staying ahead of the competition.

Built to keep you – and your business – moving forward

Scan files directly to Microsoft® SharePoint®, email, USB, and network folders.[1]

Simply designed to uncomplicate your day

Set up this MFP fast, and easily manage device settings to help increase overall printing efficiency.

HP's best-in-class security – detect and stop attacks[7]

A suite of embedded security features help protect your MFP from being an entry point for attacks.[6]

Sustainability is smart business

Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner cartridges.

Features

Enhanced workflow

Wi-Fi Dual-band

Enhanced security

Bluetooth® Low-Energy for HP Roam for Business

New user interface

Energy efficient

---

[1] Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com.

[6] To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam.

[7] Based on HP review of 2019 published security features of HP in-class printers. HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect.

Specifications

Print Resolution Technologies	HP ImageREt 3600, PANTONE® calibrated
Print quality black (best)	600 x 600 dpi, Up to 38,400 x 600 enhanced dpi
Print quality color (best)	600 x 600 dpi, Up to 38,400 x 600 enhanced dpi
Print speed black (ISO, A4)	Up to 27 ppm
Print Speed Color (ISO)	Up to 27 ppm
Print speed	Print speed up to 28 ppm (black) and 28 ppm (colour)
Bottom margin (A4)	4.23 mm
Left margin (A4)	4.23 mm
Right margin (A4)	4.23 mm
Top margin (A4)	4.23 mm
Functions	Print, copy, scan, fax, email
Duplex printing	Automatic (default)
Duty cycle (monthly, A4)	Up to 50,000 pages
Printer smart software features	Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, Wi-Fi Direct Printing, ROAM enabled for easy printing, HP ePrint, HP Auto-On/Auto-Off Technology, Bluetooth® Low-Energy, Intuitive 10.92 cm touchscreen control panel, Scan/print from Cloud using business apps on the control panel, Job Storage with PIN printing, Print from USB, N-up printing, collation
Copier smart software features	Instant-on copy; Duplex copy (2-sided to 2-sided option of “book-style” or “flip style”); Up to 999 multiple copies; Scan once print many; Collation; Reduce/enlarge from 25 to 400% (custom page size presets, binding margin, and two pages to one page); Fit to page; Brightness (lighter/darker); Quality (draft/normal/best); ID copy; Enhancements (optimise for content with presets: none, text, photo, mixed); Copy preview (scan glass only)
Scanner advanced features	Single-pass 2-sided scanning ADF; Scan to cloud (Google Drive and DropBox); Scan to email with LDAP email address lookup; Scan to network folder; Scan to USB; Scan to Microsoft SharePoint®; Scan to computer with software; Fax archive to network folder; Fax archive to email; Fax to computer; Enable/disable fax; Quick Sets
Fax smart software features	Permanent fax memory backup; Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax log; HP Digital Fax
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology

Replacement cartridges	HP 415A Black LaserJet Toner Cartridge (2,400 pages) W2030A; HP 415A Cyan LaserJet Toner Cartridge (2,100 pages) W2031A; HP 415A Yellow LaserJet Toner Cartridge (2,100 pages) W2032A; HP 415A Magenta LaserJet Toner Cartridge (2,100 pages) W2033A; HP 415x Black LaserJet Toner Cartridge (7,500 pages) W2030X; HP 415x Cyan LaserJet Toner Cartridge (6,000 pages) W2031X; HP 415x Yellow LaserJet Toner Cartridge (6,000 pages) W2032X; HP 415x Magenta LaserJet Toner Cartridge (6,000 pages) W2033X
Supplies feature	HP JetIntelligence Cartridge
Connectivity, standard	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE) 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio
Modem	33.6 kbps
Network capabilities	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x
Wireless capability	Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy
Mobile printing capability	HP ePrint; Apple AirPrint™; Mobile Apps; Google Cloud Print™; Mopria™ certified; HP app; Wi-Fi® Direct Printing
Network protocols, supported	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
Software included	No software solutions are included in the Box, only on http://www.hp.com, http://www.123.hp.com/laserjet
Compatible Operating Systems	Windows Client OS (32/64-bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, for more information on the supported operating systems go to http://www.support.hp.com, enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) User Guide, search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, for more information on the supported operating systems see http://www.hp.com/go/upd
Sustainability specifications	Mercury free
Energy star certified	Yes
Ecolabels	CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified
Blue Angel compliant	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Copy speed (black, normal quality, A4)	Up to 27 cpm
Copy speed (color, normal quality, A4)	Up to 27 cpm
Copy speed black duplex (A4)	Up to 24 cpm

Digital sending standard features	Scan to email with LDAP email address lookup; Scan to network folder; Scan to USB; Scan to Microsoft SharePoint®; Scan to computer with software; Fax archive to network folder; Fax archive to email; Fax to computer; Enable/disable fax; Quick Sets
Fax Resolution Black (best)	Up to 300 x 300 dpi (halftone enabled)
Faxing	Yes
Scan speed (normal, A4)	Up to 29 ppm/46 ipm (black and white), up to 20 ppm/35 ipm (colour)
Scan file format	PDF; JPG; TIFF
Scan input modes	Front-panel scan, copy, email, or file buttons, HP Scan software, and user application via TWAIN or WIA
Scan technology	Contact Image Sensor (CIS)
Scanner type	Flatbed, ADF
Display area (metric)	95.04 x 53.86 mm
Display	10.92 cm (4.3 in) intuitive touchscreen Colour Graphic Display (CGD)
Dimensions (W x D x H)	416 x 472 x 400 mm
Weight	23.4 kg
Power consumption	550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Auto-Off/Auto-On), 0.06 watts (Auto-off/Manual On), 0.06 watts (Off)[8]
Power supply type	Internal (Built-in) power supply
What's in the box	HP Color LaserJet Pro M479fdw; 4 preinstalled HP LaserJet Toner cartridges (black: 2,400 pages, Introductory - cyan, magenta, yellow: 1,200 pages); In-box documentation (Getting Started Guide, Install Poster); Warranty card (where required); Internet connection is required to set up the printer; HP printer software is available at http://www.hp.com/support; Power cord; USB cable; Fax cable[11]
Manufacturer Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to http://www.hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G; wty ID A001)

Additional specifications

Acoustic power emissions (active scan)	6.3 B(A)
Acoustic power emissions (active, printing)	6.3 B(A)
Acoustic power emissions (ready)	3.5 B(A)
Acoustic pressure emissions bystander (active scan)	47 dB(A)
Acoustic pressure emissions bystander (active, printing)	49 dB(A)
Acoustic pressure emissions bystander (ready)	14 dB(A)
Additional information about HP	https://www.hp.com
Additional information about HP in the countries	http://www.hp.com/uk
Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 50 sheets uncurled
Automatic paper sensor	No
Bit depth	30-bit
Business filter	cMPS
Cable included	Yes, 1 USB cable, fax cable
Certifications and compliances	TUV and GS Mark (Germany), Eastern European approvals, CE Marking, UL listed
Color or black	Color
Color scanning	Yes
Compatible Network Operating Systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix xenApp & xenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com, Linux - for more information see http://www.developers.hp.com/hp-linux-imaging-and-printing, Unix - for more information see http://www.hp.com/go/unixmodelscripts, UPD PCL6/PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/upd
Component type	Printer
Connection type	Wireless
Control panel	10.92 cm (4.3 in) intuitive colour touchscreen (CGD); 3 Buttons (Home, Help, Back)

Copier scaling (ADF)	25 to 400%
Copier settings	ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults
Copies, maximum	Up to 999 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black text)	Up to 600 x 600 dpi
Copy resolution (color text and graphics)	Up to 600 x 600 dpi
Copy speed color duplex (A4)	Up to 24 cpm
Datasheet photo 1	Publication photos/HP Color LaserJet Pro MFP M479fdw W1A80A Front.jpg
Datasheet photo 2	Publication photos/HP Color LaserJet Pro MFP M479fnw W1A78A Front.jpg
Datasheet photo 3	Publication photos/HP Color LaserJet Pro MFP M479fdw_W1A80A_wap.jpg
Datasheet photo 4	Publication logos/2-sided_printing_thin_icon.jpg
Datasheet photo 5	Publication logos/Color_touchscreen_thin_icon.jpg
Distinctive ring detection supported	Yes
Downloadable software	From http://www.123.hp.com: HP Easy Start (Guided Software Install for Windows and Mac); From http://www.hp.com for Windows OS: Full solution software and drivers, Basic solution software and drivers, HP PCL6 xPS Discrete Print Driver, Product Documentation and Support; From http://www.hp.com for Mac OS: HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin; For Mobile OS: iOS - for more information see http://www.hp.com/go/businessmobileprinting, Android - for more information see http://www.hp.com/go/businessmobileprinting; From http://www.hp.com for printer administrators: Printer Administrator Resource Kit (Driver Configuration Utility Driver Deployment Utility Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows), SAP Print Drivers for more information see http://www.support.hp.com/usen/document/c05051702, HP Web JetAdmin, HP JetAdvantage Security Manager, HP Roam; HPLIP Linux Printer Driver for more information see http://www.hplipopensource.com/hplipweb/index.html; Unix Model Script Printer Driver for more information see http://www.hp.com/go/unixmodelscripts, ReadIris
Driver updates	Software driver and Hardware Firmware is located at http://www.hp.com/support/colorljm479mfp
Duplex ADF scanning	Yes
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015

End of Life CO2e (kg)	28.527
Energy Usage CO2e (kg)	22.963
Engine life	50000
Enhanced scanning resolution	Up to 1200 x 1200 dpi
Envelope Feeder	No
Fax Auto Redial	Yes
Fax Broadcast Locations	119
Fax PC Interface Supported	Yes, only for sending
Fax Polling	Yes (receive only)
Fax Speed Dials, Maximum Number	Up to 120 numbers
Fax Transmission Speed	33.6 kbps
Fax delayed sending	Yes
Fax forwarding	Yes
Fax memory	Up to 400 pages
Fax phone TAM interface supported	Yes
Fax resolution black	Up to 203 x 196 dpi
Fax telephone mode supported	Yes
Finished output handling	Sheetfeed
First copy out black (A4)	As fast as 9.5 sec
First copy out black (A4, sleep)	As fast as 11.0 sec
First copy out color (A4)	As fast as 11.1 sec
First copy out color (A4, sleep)	As fast as 12.1 sec
First page out black (A4, ready)	As fast as 9.5 sec
First page out black (A4, sleep)	As fast as 11.0 sec
First page out color (A4, ready)	As fast as 11.0 sec
First page out color (A4, sleep)	As fast as 12.1 sec
Fonts and typefaces	84 scalable TrueType fonts
Input capacity	Up to 300 sheets
Junk fax barrier	Yes, CSID matching only (Caller ID not supported)
Levels of grayscale	256

Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 15 envelopes
Maximum Memory	512 MB NAND Flash, 512 MB DRAM
Maximum dimensions (W x D x H)	426 x 652 x 414 mm
Maximum input capacity (sheets)	Up to 850 sheets (with Optional 550 sheet tray)
Maximum output capacity (sheets)	Up to 150 sheets
Media size (ADF)	A4; Custom sizes 102 x 152 to 216 x 356 mm
Media size, tray 1	A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)
Media size, tray 2	A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)
Media size, tray 3	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double)
Media sizes supported	Tray 1, Tray 2: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double); Envelopes (DL, C5, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double); Automatic duplexer: A4; B5; 16K (195 x 270 mm, 184 x 260 mm; 197 x 273 mm); Oficio (216 x 340 mm)
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes, custom	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm
Media type and capacity, ADF	Sheets: 50 uncurled
Media type and capacity, tray 1	Sheets: 50; Envelopes: 5
Media type and capacity, tray 2	Sheets: 250; Envelopes: 10
Media type and capacity, tray 3	Sheets: 550
Media types	Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Media weight, supported	Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers); Optional Tray 3: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Glossy media); Automatic duplexer: 60 to 163 g/m²
Media weights, supported ADF	60 to 120 g/m²
Memory	512 MB NAND Flash, 512 MB DRAM

Minimum System Requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser, for additional OS hardware requirements see http://www.microsoft.com
Minimum System Requirements for Macintosh	2 GB available hard disk space, Internet connection or USB port, for additional OS hardware requirements see http://www.apple.com
Model number	M479fdw
Native scan file format	PDF; JPG
Number of users	3-10 Users
Operating humidity range	10 to 80% RH (non-condensing)
Operating temperature range	10 to 32.5°C
Output capacity	Up to 150 sheets
Package dimensions (W x D x H)	597 x 497 x 490 mm
Package weight	26.8 kg
Page yield (set-up/inbox cartridges)	~2400 pages black and ~1200 pages cyan, yellow and magenta
Paper handling input, optional	Optional 550 sheet tray
Paper handling input, standard	50 sheet multipurpose tray, 250 sheet input tray, 50 sheet Automatic Document Feeder (ADF)
Paper handling output, standard	150 sheet output bin
Paper trays, maximum	3
Paper trays, standard	2
Photo (product photo, jpg, 70x100)	Printers and Multifunction/hp-laserjet-m5035-mfp-series_70x100.jpg
Plug and play	Auto Wireless Connect
Power	220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz)
Print Cartridges/Bottle, Number	4 (1 each black, cyan, magenta, yellow)
Print Technology	Laser
Print colors	Yes
Print languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster
Print quality black (normal)	600 x 600 dpi, Up to 38,400 x 600 enhanced dpi
Print resolution color (normal)	600 x 600 dpi, Up to 38,400 x 600 enhanced dpi
Print speed black (Landscape, A5)	Up to 49 ppm
Print speed black (Portrait, A5)	Up to 7 ppm

Print speed color (Landscape, A5)	Up to 49 ppm
Print speed color (Portrait, A5)	Up to 7 ppm
Print speed duplex (A4)	Up to 24 ipm
Print speed duplex (A4)	Up to 24 ipm
Print speed footnote number (A5)	[14]
Print technology	Laser
Printer Management	HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Printer black pages (MPV black)	750
Printer color pages (MPV color)	500
Processor speed	1200 MHz
Product long name specifications	HP Color LaserJet Pro MFP M479fdw - print, copy, scan, and fax; Scan to email/folder/USB/cloud; Up to 50,000 page duty cycle; 750-4,000 recommended monthly page volume; Gigabit ethernet networking; Dual-band wireless networking; Bluetooth® Low-Energy; Wi-Fi Direct; Auto-duplex printing; Single pass 2-sided scanning
Product short name specifications	HP LaserJet Pro M479fdw Wireless Multifunction Color Printer, Copier, Scanner; Duplex
Production CO2e (kg)	168.239
Recommended media weight (duplex)	60 to 163 g/m²
Recommended monthly page volume	750 to 4,000[4]
Recommended monthly scan volume	750 to 4000
Recommended operating humidity range	30 to 70% RH (non-condensing)
Recommended operating temperature range	15 to 27°C
Resolution	1200 x 1200 dpi optical
Resolution (black and white, standard mode)	203 x 96 dpi
Resolution (black and white, superfine mode)	Up to 300 x 300 dpi (no halftone)
Resolution (black photo grayscale)	300 x 300 dpi (halftone)

Safety	IEC 60950-1:2005+A1:2009+A2:2013/EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013; IEC 60825-1:2014/EN 60825-1:2014 (Class 1 Laser/LED Product); IEC 62479:2010/EN 62479:2010
Scan resolution, hardware	Up to 1200 x 1200 dpi
Scan resolution, optical	Up to 1200 x 1200 dpi
Scan size (ADF), maximum	216 x 356 mm
Scan size (ADF), minimum	102 x 152 mm
Scan size, maximum	216 x 297 mm
Scan speed duplex (normal, A4)	Up to 46 ipm (black and white), up to 34 ipm (colour)
Security management	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization: Firewall and ACL, control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAP-TLS, and PEAP), authentication via WEP, WPA/WPA2 Personal, WPA2-enterprise; Encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager, IPPS
Software scan file format	Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TxT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TxT, JPG-2000, PNG, TIFF
Standard media sizes (duplex)	A4; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio
Standard output capacity (envelopes)	Up to 20 envelopes
Storage device and direct print support	USB Printing; Wi-Fi Direct
Storage temperature range	-20 to 40°C
Target user and print volume	For teams up to 10 users; Prints up to 4,000 pages/month
Technology logo 2	Publication logos/windows 10_logo2.jpg
Technology logo 3	Publication logos/MacOSX_Universal_new.jpg
Technology logo 4	Publication logos/wifi certified.jpg
Technology logo 5	Publication logos/USBhiColour_new.jpg
Technology logo 6	Publication logos/AirPrint.jpg
Telecom compliance (fax capability)	Wireless: EU Radio Equipment Directive 2014/53/EU; EN301 489-1 V2.1.1; EN301 489-17 V3.1.1; IEC62311:2007; EN62311:2008; EN300 328 V2.1.1(2.4 GHz); EN301 893 V2.1.1(5 GHz); Fax Telecom: ETSI ES 203 021; Other Telecom approvals as required by individual countries.
Top key features	Scan to email/PDF; Two-sided printing; 50-sheet uncurled ADF

Total CO2e (kg)	227.516 *(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)*
Transportation CO2e (kg)	7.787
Twain version	Version 2.3
Typical electricity consumption (TEC) number	Blue Angel: 1.084 kWh/Week; Energy Star 3.0: 0.358 kWh/Week[9]
UNSPSC code	43212110
UPC number	(ABT) 192018996854; (ABY) 192018996861; (ACQ) 192018996878; (B13) 192018996885; (B19) 192018996892; (BAZ) 192018996908
Warm-up time	As fast as 45 sec
Web address for additional information	http://h20564.www2.hp.com/hpsc/doc/public/display?docId=bpr01485&DocLang=en&docLocale=en_US&jumpid=reg_r1002_inen_c-001_title_r0002

---

[4] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

[8] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

[9] Blue Angel TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

[11] In box cartridges yield: 1,200 colour composite (C/Y/M) and 2,400 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions.

Accessories

Network Print Servers

★ : Recommended

External Print Servers

HP Jetdirect 3000w NFC/Wireless Accessory	**J8030A** ★

Paper Handling

Input Trays

HP LaserJet 550-sheet Feeder Tray	**CF404A** ★

Services

Document & Printing

★ : Recommended

Support Services (for Document & Printing)

HP 1 year Post Warranty Next Business Day Service for Color LaserJet Pro MFP M479	UB9T5PE
HP 3 year Next Business Day Service for Color LaserJet Pro MFP M479	UB9S6E
HP 4 year Next Business Day Service for Color LaserJet Pro MFP M479	UB9S7E
HP 5 year Next Business Day Service for Color LaserJet Pro MFP M479	UB9S8E
HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)	U9JT1E

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Color Laser Toner Printer Cartridges

HP 415A Black Original LaserJet Toner Cartridge	W2030A
HP 415A Cyan Original LaserJet Toner Cartridge	W2031A
HP 415A Magenta Original LaserJet Toner Cartridge	W2033A
HP 415A Yellow Original LaserJet Toner Cartridge	W2032A
HP 415X High Yield Black Original LaserJet Toner Cartridge	W2030X
HP 415X High Yield Cyan Original LaserJet Toner Cartridge	W2031X
HP 415X High Yield Magenta Original LaserJet Toner Cartridge	W2033X
HP 415X High Yield Yellow Original LaserJet Toner Cartridge	W2032X

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper Glossy 150 g/m2 A4 (210 x 297 mm) 150 sheets	CG965A
HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV80A

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.