HP LaserJet Enterprise M507dn (1PV87A)



Overview

Handle business solutions securely, plus help conserve energy with HP EcoSmart toner.

Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer you can rely on.[1]

HP's most secure printing[2]

Each printer in your fleet checks its operating code and repairs itself from attacks.

A whole fleet at your control

Centralise control of your printing environment with HP Web Jetadmin[5] – and help build business efficiency.

Low costs, low energy use

Stay productive with reliable cartridges, and help save energy while printing with HP EcoSmart black toner.[1]

Enhanced productivity keeps business moving

Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.[7]

Features

Low energy consumption	HP's most secure printing[2]
Robust mobility	Enhanced user interface
Enterprise manageability	Enhanced workflows

---

[1] To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam.

[2] Based on HP review of 2018 published security features of HP in-class printers. HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect.

[5] HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.

[7] Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting.

[2] Based on HP review of 2018 published security features of HP in-class printers. HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect.

Specifications

Print Resolution Technologies	300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200
Print quality black (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 43 ppm (default) ; Up to 50 ppm (HP High Speed)
Print speed	Print speed up to 45 ppm (black)
Bottom margin (A4)	4.3 mm
Left margin (A4)	4.3 mm
Right margin (A4)	4.3 mm
Top margin (A4)	4.3 mm
Functions	Print
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 150,000 pages
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement cartridges	CF289A HP 89A Black Original LaserJet Toner Cartridge (5,000 pages);CF289X HP 89X High Yield Black Original LaserJet Toner Cartridge (10,000 pages);CF289Y HP 89Y Extra High Yield Black Original LaserJet Toner Cartridge (20,000 pages)
Supplies feature	HP JetIntelligence Cartridge
Connectivity, standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket
Connectivity, optional	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional); Second Ethernet port (optional).
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional); second Ethernet port (optional); Microsoft Universal Print (MUP) support
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A; Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™ Certified; Google Cloud Print™

Network protocols, supported	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, Syslog; Security: SNMPv3, SSL Cert Management, IPSec/Firewall, ACL, 802.1x
Software included	No software solutions are included in the Box, only on http://www.hp.com, http://www.123.hp.com
Compatible Operating Systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see http://www.hp.com/go/upd
Sustainability specifications	Mercury free
Energy star certified	Yes
Ecolabels	CECP; Blue Angel; ENERGY STAR® certified
Blue Angel compliant	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Display area (metric)	54 x 40.5 mm
Display	6.86 cm (2.7 in) QVGA LCD (colour graphics)
Dimensions (W x D x H)	418 x 376 x 299 mm
Weight	11.48 kg *(With print cartridges)*
Power consumption	601 (Active Printing), 7.60 (Ready), 2.61 watts (Sleep), 0.06 watts (Auto-Off), 0.06 watts (Off), Auto Off/Wake on LAN 0.73 Watt[6]
Power supply type	Built-in 115V or 220V Power Supply
What's in the box	HP LaserJet Enterprise M507dn Printer; HP Original LaserJet Toner Cartridge (5,000 pages); Regulatory flyer (CD replacement); Unpack flyer; Installation guide; Power cord; Warranty cards; Support flyers/number list[8]
Manufacturer Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Additional specifications

Acoustic power emissions (active, printing)	6.9 B(A)
Acoustic power emissions (ready)	3.9 B(A)
Acoustic pressure emissions bystander (active, printing)	55 dB(A)
Acoustic pressure emissions bystander (ready)	25 dB(A)
Additional information about HP	https://www.hp.com
Additional information about HP in the countries	http://www.hp.com/uk
Automatic paper sensor	No
Best technical electricity consumption (TEC)	1.257 kWh/week
Best technical electricity consumption (TEC) footnote	[5] Best TEC is not applicable to the ES 2.0 TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum Sleep Delay was used, Wi-Fi Direct was disabled, and Active I/O - Energy Efficient Ethernet was used.
Business filter	cMPS
Cable included	No, please purchase USB cable separately
Color or black	Black and white
Compatible Network Operating Systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://citrixready.citrix.com, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers-, Supported for Compatible Network Operating systems please see http://www.hp.com/go/upd
Component type	Printer
Consumables CO2e (kg)	0.007
Control panel	6.86 cm (2.7 in) QVGA LCD (colour graphics) display with 24-key pad
Datasheet photo 1	Publication photos/HP LaserJet Enterprise M507dn_1PV87A_main.jpg
Datasheet photo 2	Publication photos/HP LaserJet Enterprise M507x_1PV88A_main.jpg
Datasheet photo 3	Publication photos/HP LaserJet Enterprise M507_Kobe_wap.jpg
Datasheet photo 4	Publication logos/Low_energy_thin_icon.jpg
Datasheet photo 5	Publication logos/Color_touchscreen_thin_icon.jpg

Downloadable software	From http://www.123.hp.com, HP Easy Start (Guided Software Install for Windows and Mac), From http://www.hp.com for Windows OS, Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From http://www.hp.com for Mac OS, HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin, For Mobile OS, iOS For more information see http://www.hp.com/go/businessmobileprinting, Android For more information see http://www.hp.com/go/businessmobileprinting, From http://www.hp.com for printer administrators, Printer Administrator Resource Kit (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows), SAP Print Drivers for more information see http://www.support.hp.com/us-en/document/c05051702, HP Web JetAdmin, HP JetAdvantage Security Manager, HP Roam, HPLIP Linux Printer Driver for more information see http://www.hplipopensource.com/hplip-web/index.html, Unix Model Script Printer Driver for more information see http://www.hp.com/go/unixmodelscripts, ReadIris From http://www.123.hp.com, HP Easy Start (Guided Software Install for Windows and Mac), From http://www.hp.com for Windows OS, Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From http://www.hp.com for Mac OS, HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin, For Mobile OS, iOS For more information see http://www.hp.com/go/businessmobileprinting, Android For more information see http://www.hp.com/go/businessmobileprinting, From http://hp.com for printer administrators, Printer Administrator Resource Kit (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows), SAP Print Drivers for more information see http://www.support.hp.com/us-en/document/c05051702, HP Web JetAdmin, HP JetAdvantage Security Manager, HP Roam, HPLIP Linux Printer Driver for more information see http://www.hplipopensource.com/hplip-web/index.html, Unix Model Script Printer Driver for more information see http://www.hp.com/go/unixmodelscripts, ReadIris
Driver updates	Current HP printer drivers and software can be obtained from the HP Customer Care Web site http://www.hp.com/support: 1. Select the country/region; 2. Select Software and Drivers; 3. Select Printer; 4. Enter a product name/number; 5. The operating system is automatically detected; 6. Select a driver or other software; 7. Then select DOWNLOAD
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A. Other EMC approvals as required by individual countries.
End of Life CO2e (kg)	14.531
Energy Usage CO2e (kg)	40.039

Engine life	300000
Envelope Feeder	No
Finished output handling	Sheetfed
First page out black (A4, ready)	As fast as 5.9 sec
First page out black (A4, sleep)	As fast as 10 sec
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Input capacity	Up to 650 sheets
Internal Storage	Optional, 500 GB minimum encrypted hard disk drive
Mac compatible	Yes
Maximum Memory	1.5 GB MAX memory, when Accessory DIMM is installed
Maximum dimensions (W x D x H)	418 x 639 x 299 mm
Maximum input capacity (sheets)	Up to 2,300 sheets
Maximum metric depth	639
Maximum metric height	299
Maximum metric width	418
Maximum output capacity (sheets)	Up to 250 sheets
Maximum print area	212 x 352 mm
Media size, tray 1	A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio (216 x 340 mm); 16K; Postcards (JIS single and double); Envelopes (B5, C5, C6, DL); 76.2 x 127 to 215.9 x 355.6 mm
Media size, tray 2	A4; A5; A6; RA4; B5 (JIS); B6 (JIS); Oficio (216 x 340 mm); 16K; Postcards (JIS double); 105 x 148 to 215.9 x 355.6 mm
Media size, tray 3	A4; A5; A6; RA4; B5 (JIS); B6 (JIS); Oficio (216 x 340 mm); 16K; Postcards (JIS double); 105 x 148 to 215.9 x 355.6 mm
Media sizes supported	Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, postcards (JIS single and double), envelopes (B5, C5, C6, DL); Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340 mm), 16K, postcards (JIS double); Optional 550 sheet Tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340 mm), 16K, postcards (JIS double); Optional Automatic Duplexer: A4, RA4, Oficio (216 x 340 mm)
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes, custom	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 215.9 x 355.6 mm; Optional 550 sheet Tray: 105 x 148 to 215.9 x 355.6 mm
Media type and capacity, tray 1	Sheets: 100; Transparencies: 50; Envelopes: 10
Media type and capacity, tray 2	Sheets: 550
Media type and capacity, tray 3	Sheets: 550

Media types	Paper (bond, colour, plain, preprinted, prepunched, recycled, rough); Envelopes; Labels; Cardstock; Transparencies; User-defined
Media weight (tray 1)	60 to 200 g/m²
Media weight (tray 2)	60 to 120 g/m²
Media weight (tray 3)	60 to 120 g/m²
Media weight, supported	Tray 1: 60 to 200 g/m²; Tray 2, 3: 60 to 120 g/m²
Memory	512 MB
Memory Slots	1 slot, 90-pin DDR3 Slim DIMM
Memory upgrade	Expandable to 1.5 GB through one 90-pin SlimDIMM accessory
Metric depth	376
Metric height	299
Metric width	418
Minimum System Requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser, for additional OS hardware requirements, see http://www.microsoft.com
Minimum System Requirements for Macintosh	2 GB available hard disk space, Internet connection or USB port, OS hardware requirements, see http://www.apple.com
Model number	M507dn
Network capabilities footnote number	[14]
Number of users	5-15 Users
Operating humidity range	10 to 80% RH
Operating temperature range	10 to 32.5°C
Output capacity	Up to 250 sheets
Package dimensions (W x D x H)	497 x 398 x 466 mm
Package weight	14.3 kg
Page yield footnote	[6] Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies
Paper handling input, optional	Up to 3 optional 550 sheet paper feeders
Paper handling input, standard	100 sheet multipurpose Tray 1, 550 sheet input Tray 2, automatic duplex printing
Paper handling output, standard	250 sheet output bin
Paper trays, maximum	5
Paper trays, standard	2
Photo (product photo, jpg, 70x100)	Printing and Digital Imaging/CB515A_70x100.jpg
Plug and play	HP Smart Install
Power	Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 4 A

Print Cartridges/Bottle, Number	1 (black)
Print Technology	Laser
Print colors	No
Print languages	HP PCL 6, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Print quality black (normal)	Up to 600 x 600 dpi
Print resolution black (fine lines)	Up to 1200 x 1200 dpi
Print speed black (Landscape, A5)	Up to 65 ppm
Print speed duplex (A4)	Up to 34 ipm
Print speed footnote (A5)	[11]
Print technology	Laser
Printer Management	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Printer black pages (MPV black)	1600
Processor speed	1.2 GHz
Product long name specifications	HP LaserJet Enterprise M507dn, Black and white Printer for Business, Print, Two-sided printing
Product short name specifications	HP LaserJet Enterprise M507dn Black and white Printer, Ethernet Only; Duplex
Production CO2e (kg)	112.658
Recommended media weight (duplex)	60 to 120 g/m²
Recommended monthly page volume	2,000 to 7,500[4]
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	15 to 27°C
Safety	IEC 60950-1:2005+A1:2009+A2:2013 (International); EN60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.

Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.: badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Connection Inspector - helps ensure network connections to device are safe; Security management: Compatible with HP JetAdvantage Security Manager; HP Printer Security Plugin for Microsoft SCCM; Device Security Syslog Messages processed and accessable in ArcSight, Splunk, and McAfee(ESM) SIEMs
Standard input capacity (envelopes)	Up to 10 envelopes
Standard media sizes (duplex)	A4; Oficio; RA4
Standard output capacity (envelopes)	Up to 10 envelopes
Standard output capacity (transparencies)	Up to 75 sheets
Storage device and direct print support	Front-facing USB/Flash drive; USB printing
Storage temperature range	-20 to 40°C
Target user and print volume	For teams up to 15 users; Prints up to 7,500 pages/month
Technology logo 2	Publication logos/windows 10_logo_EMEA.jpg
Technology logo 3	Publication logos/Energy Star_NEW.jpg
Technology logo 4	Publication logos/MacOSX_Universal_new.jpg
Technology logo 5	Publication logos/USBhiColour_new.jpg
Top key features	Two-sided printing
Total CO2e (kg)	171.46 *(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)*
Transportation CO2e (kg)	4.225
Tray capacity	650
Typical electricity consumption (TEC) footnote	[4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

Typical electricity consumption (TEC) number	Blue Angel: 1.257 kWh/Week; Energy Star 3.0: 0.420 kWh/Week[7]
UNSPSC code	43212105
UPC number	(ABT) 192545078771; (ABU) 198415553829; (ABY) 192545078788; (ACQ) 192545078795; (B13) 192545078801; (B19) 192545078818; (BAZ) 192545078825
Warm-up time	150 sec
Web address for additional information	Solutions: http://www.hp.com/go/gsc; Fonts and IPDS Emulation: http://www.hp.com/go/laserjetfonts; HP Web Jetadmin: http://www.hp.com/go/wja; HP Universal Print Driver: http://www.hp.com/go/upd; HP Imaging & Printing Security Center: http://www.hp.com/go/ipsc; On Demand Cloud Solutions: http://www.hpjetadvantage.com/ondemand
What is in the box footnote	[1] In box cartridge yields 5,000 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.

---

[4] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

[6] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

[7] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

[8] In box cartridge yields 5,000 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Black and White Laser Toner Printer Cartridges

HP CF289YC Extra High Yield Black Contract Original LaserJet Toner Cartridge	**CF289YC ★**
HP CF289YC Extra High Yield Black Contract Original LaserJet Toner Cartridge	**CF289YC ★**
HP 89A Black Original LaserJet Toner Cartridge	CF289A
HP 89X High Yield Black Original LaserJet Toner Cartridge	CF289X
HP 89Y Extra High Yield Black Original LaserJet Toner Cartridge	CF289Y

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper Glossy 150 g/m2 A4 (210 x 297 mm) 150 sheets	CG965A
HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV80A

HP Business Papers for laser and inkjet

HP Professional Business Paper Glossy 180 g/m2 A4 (210 x 297 mm) 150 sheets	3VK91A

Accessories

Memory

★ : Recommended

DDR Memory

HP 1 GB 90-pin DDR3 DIMM	**G6W84A ★**

PC Drives and Storage

EIO Hard Drives

HP High-Performance Secure Hard Disk	**B5L29A ★**

Cables/Cable Kits/Cable Adapters

Port Cables and Cable Adapters

HP Internal USB Ports	**B5L28A ★**

Network Print Servers

External Print Servers

HP Jetdirect 2900nw Print Server	**J8031A ★**
HP Jetdirect 3000w NFC/Wireless Accessory	**J8030A ★**
HP Jetdirect 3100w BLE/NFC/Wireless Accessory	**3JN69A ★**

Internal Print Servers

HP Jetdirect LAN Accessory	**8FP31A ★**

Paper Handling

Input Trays

HP LaserJet 550-sheet Paper Tray	**F2A72A ★**

Cabinets and Stands

Printer Cabinets and Stands

HP LaserJet Printer Cabinet	**F2A73A ★**

Accessory Bundles

Data Security Accessories

HP Removable Hard Drive Enclosure	**2NR12A ★**

Printer Accessories

LaserJet Options

HP LaserJet 256GB SED Solid State Drive	D00BBA
HP LaserJet 512GB 2.5 inch SATA CCC/FIPS/TAA Solid State Drive	B18J0A

Services

Document & Printing

★ : Recommended

Support Services (for Document & Printing)

HP 3 year Next Business Day w/DMR Service for LaserJet Enterprise M507	**UB6Z2E ★**
HP 3 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise M507	**UJ1X4E ★**
HP 3 year Parts Exchange Service for LaserJet Enterprise M507	**UB7A1E ★**
HP 1 year Post Warranty NBD Onsite with Preferred Access and DMR Service for LaserJet Ent M507	UJ1X7PE
HP 1 year Post Warranty Next Business Day w/DMR Service for LaserJet Enterprise M507	UB7A4PE
HP 1 year Post Warranty Parts Exchange Service for LaserJet Enterprise M507	UB7B0PE
HP 4 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise M507	UJ1X5E
HP 4 year Next Business Day w/DMR Service for LaserJet Enterprise M507	UB6Z3E
HP 4 year Parts Exchange Service for LaserJet Enterprise M507	UB7A2E
HP 5 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise M507	UJ1X6E
HP 5 year Next Business Day w/DMR Service for LaserJet Enterprise M507	UB6Z4E
HP 5 year Parts Exchange Service for LaserJet Enterprise M507	UB7A3E
HP Installation Service with network configuration for Workgroup Printer (1 unit)	U9JT2E

Legacy Security Print Management Solutions

HP HID Mobile Access BLE MIFARE Card Reader	**35H11B ★**
HP HID Mobile Access Mifare DES Fire Keystroking Reader	**35H11A ★**
HP HIP1 Card Reader Accessory Kit	**5B248A ★**
HP SIM for HID iClass for HIP2 Reader	**Y7C07A ★**

Print Management Software Solutions - Security

HP Legic Secure USB Reader	**4QL32A ★**
HP USB Universal Card Reader	**X3D03A ★**

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements

accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (sa-en) – Nov 20, 2026 5:47 PM UTC+0000