HP LaserJet Pro MFP M428dw (W1A28A)



Overview

The HP LaserJet Pro MFP M428 – focus your time growing your business and staying ahead.

Winning in business means working smarter. The HP LaserJet Pro MFP M428 is designed to let you focus your time where it's most effective – growing your business and staying ahead of the competition.

Built to keep you – and your business – moving forward

Scan files directly to Microsoft® SharePoint, email, USB, and network folders.[1]

Simply designed to uncomplicate your day

Set up this MFP fast, and easily manage device settings to help increase overall printing efficiency.

HP's best-in-class security – detect and stop attacks[7]

A suite of embedded security features help protect your MFP from being an entry point for attacks.[6]

Sustainability is smart business

Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner cartridges.

Features

Enhanced workflows

Wi-Fi Dual-band

Enhanced security

Bluetooth Low-Energy for HP Roam for Business

New user interface

Energy efficient

---

[1] Some scan apps may require an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com

[6] To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription or accessory may be required. For more information, visit http://hp.com/go/roam.

[7] Based on HP review of 2019 published security features of HP in-class printers. HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect.

Specifications

Print Resolution Technologies	HP FastRes 1200, HP ProRes1200, Economode
Print quality black (best)	Fine Lines (1200 x 1200 dpi)
Print speed black (ISO, A4)	Up to 38 ppm (default) ; Up to 40 ppm (HP High Speed)
Print speed	Prints up to 38 ppm
Bottom margin (A4)	5 mm
Left margin (A4)	4 mm
Right margin (A4)	4 mm
Top margin (A4)	5 mm
Functions	Print, Copy, Scan, Email
Duplex printing	Automatic (default)
Duty cycle (monthly, A4)	Up to 80,000 pages
Printer smart software features	Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, HP ePrint, and Wi-Fi Direct Printing, ROAM enabled for easy printing, HP Auto-On/Auto-Off Technology, intuitive 6.86 cm (2.7 in) touchscreen control panel, scan/print from Cloud using apps on the control panel, Job Storage with PIN printing, print from USB, N-up printing, collation
Copier smart software features	Instant-on copy; Up to 999 multiple copies; Scan once print many; Collation; Reduce/enlarge from 25 to 400% (custom page size presets, binding margin, and two pages to one page); Fit to page; Brightness (lighter/darker); Quality (draft/normal/best); ID copy; Enhancements (optimise for content with presets: none, text, photo, mixed); Copy preview (scan glass only)
Scanner advanced features	Scan to cloud (Google Drive and DropBox); Scan to email with LDAP email address lookup; Scan to network folder; Scan to USB; Scan to Microsoft SharePoint®; Scan to computer with software; Quick Sets
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement cartridges	HP 59A Black LaserJet Toner Cartridge (3,000 pages) CF259A; HP 59X Black LaserJet Toner Cartridge (10,000 pages) CF259X
Supplies feature	HP JetIntelligence Cartridge
Connectivity, standard	1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE); 802.11b/g/n/2.4/5 GHZ Wi-Fi radio
Network capabilities	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
Wireless capability	Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy
Mobile printing capability	HP ePrint; Apple AirPrint™; Mobile Apps; Google Cloud Print™; Mopria™ certified; HP app; Wi-Fi® Direct Printing

Network protocols, supported	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
Software included	No software solutions are included in the Box, only on http://www.hp.com, http://www.123.hp.com/laserjet
Compatible Operating Systems	Windows Client OS (32/64-bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, for more information on the supported operating systems go to http://www.support.hp.com, enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) - User Guide, search for the Supported Operating Systems section, UPD PCL6/PS Printer Drivers, Supported Operating systems, for more information on the supported operating systems see http://www.hp.com/go/upd
Sustainability specifications	Mercury-free
Energy star certified	Yes
Ecolabels	Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified[12]
Blue Angel compliant	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Copy speed (black, normal quality, A4)	Up to 38 cpm
Copy speed black duplex (A4)	Up to 31 cpm
Digital sending standard features	Scan to email with LDAP email address lookup; Scan to network folder; Scan to USB; Scan to Microsoft SharePoint®; Scan to computer with software; Quick Sets
Faxing	No
Scan speed (normal, A4)	Up to 29 ppm (black and white), up to 20 ppm (colour)
Scan file format	PDF, JPG, TIFF
Scan input modes	Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA
Scan technology	Contact Image Sensor (CIS)
Scanner type	Flatbed, ADF
Display area (metric)	5.4 x 4.05 cm
Display	6.8 cm (2.7 in) intuitive colour touchscreen (CGD)
Dimensions (W x D x H)	420 x 390 x 323 mm *(without trays and covers not extended)*
Weight	12.6 kg
Power consumption	510 watts (Active Printing), 7.5 watts (Ready), 0.9 watts (Sleep), 0.9 watts (Auto Off/Wake on LAN, enabled at shipment), 0.06 watts (Auto Off/Manual On), 0.06 (Manual Off)[10]

Power supply type	Internal (Built-in) power supply
What's in the box	HP LaserJet Pro M428dw; Preinstalled HP 59A Black LaserJet Toner Cartridge (yield: 3,000 pages); Getting started guide; Support flyer; Warranty guide; Regulatory flyer; Power cord; USB cable; HP printer software is available at http://www.hp.com/support[13]
Manufacturer Warranty	One-year Bench/Depot Repair warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to http://www.hp.com/support to learn about HP award winning service and support options in your region. (wty code 4E; wty ID A033)

Additional specifications

Acoustic power emissions (active scan)	6.3 Bel(A) (Scanning with ADF running)
Acoustic power emissions (active, printing)	6.7 Bel(A) (Printing at 38 ppm)
Acoustic power emissions (ready)	Inaudible
Acoustic pressure emissions bystander (active scan)	48 dB(A) (Scanning with ADF running)
Acoustic pressure emissions bystander (active, printing)	53 dB(A)
Acoustic pressure emissions bystander (ready)	Inaudible
Additional information about HP	https://www.hp.com
Additional information about HP in the countries	http://www.hp.com/uk
Auto fax reduction supported	No
Automatic document feeder capacity	Standard, 50 sheets
Automatic paper sensor	No
Bit depth	24-bit
Business filter	cMPS
Cable included	Yes, 1 USB cable
Certifications and compliances	TUV and GS Mark (Germany), Eastern European approvals, CE Marking, UL listed
Color or black	Black and white
Color scanning	Yes
Compatible Network Operating Systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Upto Citrix Server 7.18 for more information see http://www.citrixready.citrix.com, Linux - for more information see http://www.developers.hp.com/hp-linux-imaging-and-printing, Unix - for more information see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/upd
Component type	Printer
Connection type	Wireless
Control panel	6.8 cm (2.7 in) Colour Touchscreen
Copier scaling (ADF)	25 to 400%

Copier settings	ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults
Copies, maximum	Up to 999 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black text)	Up to 600 x 600 dpi
Copy resolution (color text and graphics)	Up to 600 x 600 dpi
Datasheet photo 1	Publication photos/HP LaserJet Pro MFP M428dw W1A28A W1A31A Front.jpg
Datasheet photo 2	Publication photos/HP LaserJet Pro MFP M428dw W1A28A W1A31A Side.jpg
Datasheet photo 3	Publication photos/HP LaserJet Pro MFP M428dw_W1A28A_wap.jpg
Datasheet photo 4	Publication logos/2-sided_printing_thin_icon.jpg
Datasheet photo 5	Publication logos/Color_touchscreen_thin_icon.jpg
Distinctive ring detection supported	No
Downloadable software	From http://www.123.hp.com: HP Easy Start (Guided Software Install for Windows and Mac); From http://www.hp.com for Windows OS: Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support; From http://www.hp.com for Mac OS: HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin; For Mobile OS: iOS - for more information see http://www.hp.com/go/businessmobileprinting, Android - for more information see http://www.hp.com/go/businessmobileprinting; From http://www.hp.com for printer administrators: Printer Administrator Resource Kit (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows); SAP Print Drivers for more information see http://www.support.hp.com/us-en/document/c05051702, HP Web JetAdmin, HP JetAdvantage Security Manager, HP Roam, HPLIP; Linux Printer Driver for more information see http://www.hplipopensource.com/hplip-web/index.html, Unix Model Script Printer Driver for more information see http://www.hp.com/go/unixmodelscripts, ReadIris
Driver updates	Latest supported operating systems and Print drivers available at http://www.hp.com/support/ljM428MFP
Duplex ADF scanning	No
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	CISPR 32:2012/EN 55032:2012-Class B, CISPR 32:2015/EN 55032:2015-Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015

End of Life CO2e (kg)	16.39
Energy Usage CO2e (kg)	41.313
Engine life	200000
Enhanced scanning resolution	Up to 1200 x 1200 dpi
Envelope Feeder	No
Fax Auto Redial	No
Finished output handling	Sheetfeed
First copy out black (A4)	As fast as 7.2 sec
First copy out black (A4, sleep)	As fast as 9.5 sec
First page out black (A4, ready)	As fast as 6.3 sec
First page out black (A4, sleep)	As fast as 8.8 sec
Fonts and typefaces	84 scalable TrueType fonts
Input capacity	Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets)
Internal Storage	No
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10 envelopes
Maximum Memory	512 MB
Maximum dimensions (W x D x H)	430 x 634 x 325 mm
Maximum input capacity (sheets)	Up to 900 sheets (with Optional 550 sheet tray)
Maximum output capacity (sheets)	Up to 150 sheets
Maximum print area	207.4 x 347.1mm
Media size (ADF)	A4; Custom Sizes 102 x 152 to 216 x 356 mm
Media size, tray 1	Executive; A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; B6 (JIS); Statement
Media size, tray 2	Executive; A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; B6 (JIS); Statement
Media size, tray 3	Executive; A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; B6 (JIS); Statement
Media sizes supported	Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; B6 (JIS)
Media sizes supported, key	10 x 15 cm; A4; Envelopes

Media sizes, custom	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm
Media type and capacity, ADF	Sheets: 50 uncurled
Media type and capacity, tray 1	Sheets: 100; Envelopes: 10
Media type and capacity, tray 2	Sheets: 250
Media type and capacity, tray 3	Sheets: 550 (optional)
Media types	Paper (plain, EcoEFFICIENT, light, heavy, bond, coloured, preprinted, prepunched, recycled, rough); Envelopes; Labels
Media weight (tray 1)	60 to 200 g/m²
Media weight (tray 2)	60 to 120 g/m²
Media weight (tray 3)	60 to 120 g/m² (optional 550 sheet tray)
Media weight, supported	Tray 1: 60 to 200 g/m²; Tray 2: Optional 550 sheet; Tray 3: 60 to 120 g/m²
Media weights, supported ADF	50 to 120 g/m²
Memory	512 MB
Minimum System Requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser, for additional OS hardware requirements see http://www.microsoft.com
Minimum System Requirements for Macintosh	2 GB available hard disk space, Internet connection or USB port, for additional OS hardware requirements see http://www.apple.com
Model number	M428dw
Native scan file format	PDF; JPG
Number of users	3-10 Users
Operating humidity range	10 to 80% RH (non-condensing)
Operating temperature range	10 to 32.5°C
Output capacity	Up to 150 sheets
Package dimensions (W x D x H)	497 x 398 x 490 mm
Package weight	15.5 kg
Page yield (set-up/inbox cartridges)	~3000 pages black
Paper handling input, optional	Optional third 550 sheet tray
Paper handling input, standard	100 sheet tray 1, 250 sheet input tray 2; 50 sheet Automatic Document Feeder (ADF)
Paper handling output, standard	150 sheet output bin
Paper trays, maximum	3
Paper trays, standard	2
Photo (product photo, jpg, 70x100)	Printers and Multifunction/hp-laserjet-m5035-mfp-series_70x100.jpg
Plug and play	Auto Wireless Connect
Power	Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz)

Print Cartridges/Bottle, Number	1 (black)
Print Technology	Laser
Print colors	No
Print languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster
Print quality black (normal)	Normal (native 600 x 600 dpi, enhanced up to 4800 x 600 dpi)
Print resolution black (fine lines)	Fine Lines (1200 x 1200 dpi)
Print speed black (Landscape, A5)	Up to 63 ppm
Print speed black (Portrait, A5)	Up to 14 ppm
Print speed duplex (A4)	Up to 31 ipm
Print speed footnote number (A5)	[16]
Print technology	Laser
Printer Management	HP Printer Assistant, HP Utility (Mac), HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Printer black pages (MPV black)	1200
Processor speed	1200 MHz
Product long name specifications	HP LaserJet Pro MFP M428dw - print, copy, and scan; Scan to email/folder/ USB/Cloud; Up to 80,000 page duty cycle; 750-4,000 recommended monthly page volume; Gigabit Ethernet networking; Dual-band wireless networking; Bluetooth low-energy; Wi-Fi Direct; Auto-duplex printing
Product short name specifications	HP LaserJet Pro M428dw Wireless Multifunction Black and white Printer, Copier, Scanner; Duplex
Production CO2e (kg)	95.347
Recommended media weight (duplex)	60 to 120 g/m²
Recommended monthly page volume	750 to 4,000[4]
Recommended monthly scan volume	750 to 4000
Recommended monthly scan volume note	750 - 4,000
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	15 to 27°C
Resolution	Up to 1200 x 1200 dpi
Safety	IEC 60950-1:2005+A1:2009+A2:2013/EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013; IEC 60825-1:2014/EN 60825-1:2014 (Class 1 Laser/LED Product); IEC 62479:2010/EN 62479:2010

Scan resolution, hardware	Flatbed (Up to 1200 x 1200 dpi); ADF (Up to 300 x 300 dpi)
Scan resolution, optical	Up to 1200 x 1200 dpi
Scan size (ADF), maximum	216 x 356 mm
Scan size (ADF), minimum	102 x 152 mm
Scan size, maximum	216 x 297 mm
Security management	Secure Boot, secure firmware integrity, runtime code integrity, password protect EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2, IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1 & SNMPv2 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication, LDAP authentication and authorization, Firewall and ACL, control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, access control SNMPv3, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP), authentication via WEP, WPA/WPA2 Personal, WPA2-enterprise wired, encryption via AES or TKIP, Encrypted data storage, Secure data erase, automatic firmware updates, Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager, IPPS
Segment (filter)	Small office
Software scan file format	Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF
Standard media sizes (duplex)	A4; Oficio
Standard output capacity (envelopes)	Up to 10 envelopes
Storage device and direct print support	USB Printing; Wi-Fi Direct
Storage temperature range	-20 to 40°C
Target user and print volume	For teams up to 10 users; Prints up to 4,000 pages/month
Technology logo 2	Publication logos/windows 10_logo2.jpg
Technology logo 3	Publication logos/MacOSX_Universal_new.jpg
Technology logo 4	Publication logos/wifi certified.jpg
Technology logo 5	Publication logos/USBhiColour_new.jpg
Technology logo 6	Publication logos/AirPrint.jpg
Top key features	Scan to email
Total CO2e (kg)	157.626 *(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)*
Transportation CO2e (kg)	4.576
Twain version	Version 2.3

Typical electricity consumption (TEC) number	Blue Angel: 1.144 kWh/Week; Energy Star 3.0: 0.4125 kWh/Week[11]
UNSPSC code	43212110
UPC number	(ABT) 192018914803; (ABY) 192018914810; (ACQ) 192018914827; (B13) 192018914834; (B19) 192018914841; (BAZ) 192018914858; (BGJ) 192018914872
Warm-up time	As fast as 45 sec
Waste electrical and electronic weight	12.6 kg
Web address for additional information	http://www.hp.com/go/support

---

[4] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

[10] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.

[11] TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

[12] EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

[13] In box cartridge yield: 3,000 black pages based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage.

Accessories

Paper Handling

★ : Recommended

Input Trays

HP LaserJet Pro 550-sheet Feeder Tray	**D9P29A** ★

Services

Document & Printing

★ : Recommended

Support Services (for Document & Printing)

HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP M428 M429 M329	UB9S2PE
HP 1 year Post Warranty Return to Depot Service for LaserJet Pro MFP M428 M429 M329	UB9S5PE
HP 3 year Next Business Day Service for LaserJet Pro MFP M428 M429 M329	UB9R7E
HP 3 year Return to Depot Service for LaserJet Pro MFP M428 M429 M329	UB9S1E
HP 4 year Next Business Day Service for LaserJet Pro MFP M428 M429 M329	UB9R8E
HP 5 year Next Business Day Service for LaserJet Pro MFP M428 M429 M329	UB9R9E
HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)	U9JT1E

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Black and White Laser Toner Printer Cartridges

HP 59A Black Original LaserJet Toner Cartridge	CF259A
HP 59X High Yield Black Original LaserJet Toner Cartridge	CF259X

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper Glossy 150 g/m2 A4 (210 x 297 mm) 150 sheets	CG965A
HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV80A

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (sa-en) – Nov 19, 2026 3:53 PM UTC+0000