# HP Smart Tank 750 All-in-One (6UU47A)



## Overview

**Boost productivity with up to three years of Original HP Ink included in the box[2]**

Boost small business productivity with mobile setup, [1] two-sided printing, and smart-guided buttons, so you can connect, work, and print easily. Get outstanding quality and value – up to three years of Original HP Ink included in the box.[2]

### Seamless printing experience from start to finish

Use the guided, step-by-step videos to quickly set up your printer.[1]

### Fully loaded with savings

Get up to 18,000 black or 8,000 colour pages of Original HP Ink included in the box.[5]

### Your shortcut to maximum productivity

Speed through multi-page documents with automatic two-sided printing.

### Environmentally conscious printing

This printer is made from recycled printers and other electronics – more than 25% by weight of plastic.

# Features



Engineered for high-volume printing



Automatic two-sided printing



Your reliable connection



HP Smart app

---

*[1] Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at http://www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores.*

*[2] Based upon 200 pages per month of HP Smart Tank customers' usage. Actual yield varies considerably based on content of printed pages and other factors. Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Some ink from included bottles is used to start up the printer. For details see http://www.hp.com/go/learnaboutsupplies.*

*[5] Black and composite colour average per bottle (cyan/magenta/yellow). Three HP GT53XL black bottles included in the box print up to 6,000 test pages on average. Results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. An additional black ink bottle may be required to print 8,000 colour test pages. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies.*

## Specifications

| | |
|---|---|
| **Print quality black (best)** | Up to 1200 x 1200 rendered dpi |
| **Print quality color (best)** | Up to 4800 x 1200 optimized dpi color when printing from a computer and 1200 inp ut dpi |
| **Print speed black (ISO, A4)** | Up to 15 ppm |
| **Print Speed Color (ISO)** | Up to 9 ppm |
| **Print speed** | Print speed up to 15 ppm (black) and 9 ppm (color) |
| **Bottom margin (A4)** | 3.3 mm |
| **Left margin (A4)** | 3.3 mm |
| **Right margin (A4)** | 3.3 mm |
| **Top margin (A4)** | 3.3 mm |
| **Functions** | Print, Scan, Copy, ADF, Wireless |
| **Duplex printing** | Automatic |
| **Duty cycle (monthly, A4)** | Up to 5,000 pages |
| **Duty cycle (monthly, letter)** | Up to 5,000 pages |
| **Printer smart software features** | Duplex Printing |
| **Energy savings feature technology** | HP Auto-Off Technology |
| **Replacement cartridges** | HP GT53 90-ml Black Original Ink Bottle 1VV22AE; HP GT53XL 135-ml Black Original Ink Bottle 1VV21AE; HP GT52 Cyan Original Ink Bottle M0H54AE; HP GT52 Magenta Original Ink Bottle M0H55AE; HP GT52 Yellow Original Ink Bottle M0H56AE; HP GT51XL 135-ml Black Original Ink Bottle X4E40AE; HP GT53 90-ml Black Original Ink Bottle 1VV22AL; HP GT52 Cyan Original Ink Bottle M0H54AL; HP GT52 Magenta Original Ink Bottle M0H55AL; HP GT52 Yellow Original Ink Bottle M0H56AL; HP GT52 3-pack Cyan/Magenta/Yellow Original Ink Bottles X4E44AL; HP GT51 Black Original Ink Bottle M0H57AL; HP GT53 90-ml Black Original Ink Bottle 1VV22AA; HP GT53XL 135-ml Black Original Ink Bottle 1VV21AA; HP GT52 Cyan Original Ink Bottle M0H54AA; HP GT52 Magenta Original Ink Bottle M0H55AA; HP GT52 Yellow Original Ink Bottle M0H56AA. For more information about fill and yield see www.hp.com/go/learnaboutsupplies[6] |
| **Connectivity, standard** | Hi-Speed USB 2.0; Wi-Fi; LAN |
| **Network capabilities** | Yes, via built-in Ethernet; Wi-Fi |
| **Wireless capability** | Yes, 2.4/5G dual band Wi-Fi, Wi-Fi Direct |
| **Mobile printing capability** | Apple AirPrint; Chrome OS; HP Print Service Plugin (Android printing); HP Smart app; Mopria™ certified; Wi-Fi Direct Printing |
| **Software included** | HP Printer Software, available online |
| **Compatible Operating Systems** | Windows 11; Windows 10; Windows 7; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Chrome OS<br>*(Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer; macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur; 2 GB HD; Internet required)* |
| **Sustainability specifications** | 25% post-consumer recycled plastic; Recyclable through HP Planet Partners |
| **Energy star certified** | No |

| | |
|---|---|
| **Ecolabels** | EPEAT® registered; CECP; SEPA |
| **Scan speed (normal, A4)** | Up to 8 ipm (black); Up to 3.5 ipm (colour) |
| **Scan speed (normal, letter)** | Up to 8 ipm (200 ppi, mono); Up to 3.5 ipm (200 ppi, color) |
| **Scan file format** | JPG; PDF; PNG; TIFF |
| **Scan input modes** | Front Panel Copy; HP Software; EWS |
| **Scan technology** | Contact Image Sensor (CIS) |
| **Scanner type** | Flatbed, ADF |
| **Display** | Twisted Pneumatic Positive, Reflective, LCD 2.8 x 0.5 in (70 x 12 mm) |
| **Dimensions (W x D x H)** | 42.75 x 36.40 x 24.03 cm |
| **Dimensions (W x D x H)** | 16.83 x 14.33 x 9.46 in |
| **Weight** | 7.70 kg |
| **Weight** | 16.98 lb |
| **Power consumption** | 0.1 watts (off);1.10 watts (sleep)[2] |
| **Power supply type** | Internal |
| **What's in the box** | HP Smart Tank 750 All-in-One; 3 x HP GT53XL 135-ml Black Original Ink Bottle; HP GT52 Cyan Original Ink Bottle; HP GT52 Magenta Original Ink Bottle; HP GT52 Yellow Original Ink Bottle; Power cord; PHA; Setup guide; Reference guide; Ink caution flyer; Regulatory flyers; warranty flyers; For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies |
| **Manufacturer Warranty** | Up to 3 years extended warranty upon registration at http://www.hp.com/go/SmartTank3yearswarranty. User replaceable parts have separate warranty periods. |

## Additional specifications

| | |
|---|---|
| **Acoustic power emissions (active copy)** | 6.3 B(A) (copying at 9ppm with ADF running |
| **Acoustic power emissions (active, printing)** | 6.5 B(A) (printing at 10ppm) |
| **Acoustic pressure emissions** | 51.9 dBA (Mono) ;  47.9 dBA (Colour) |
| **Additional information about HP** | https://www.hp.com |
| **Additional information about HP in the countries** | https://www.hp.com/uk |
| **Automatic document feeder capacity** | Standard, 35 sheets |
| **Automatic paper sensor** | Yes |
| **Bit depth** | 24-bit |
| **Borderless printing** | Yes (up to 8.5 x 11 in, 210 x 297 mm) |
| **Business filter** | cMPS |
| **Cable included** | No, please purchase USB cable separately |
| **Camera phone description** | No |
| **Camera phone supported** | No |
| **Cartons per layer** | 8 |
| **Color copy capability** | Yes |
| **Color or black** | Color |
| **Color scanning** | Yes |
| **Compatible Network Operating Systems** | Windows 11; Windows 10; Windows 7; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Chrome OS |
| **Component type** | Printer |
| **Connection type** | Wireless |
| **Control panel** | Power On/Off, ID copy, Color Copy, Black Copy, Wi-Fi, Info, Cancel and Resume button |
| **Copier settings** | Number of Copies, Resize, Quality, Lighter/Darker, Papersize, Papertype, ID Copy |

| | |
|---|---|
| **Copies, maximum** | Up to 99 copies |
| **Copy reduce / enlarge settings** | 25 to 400% |
| **Copy resolution (black graphics)** | Up to 600 dpi |
| **Copy resolution (black text)** | Up to 600 dpi |
| **Copy resolution (color text and graphics)** | Up to 600 x 600 dpi |
| **Copy speed black (ISO)** | Up to 13 cpm |
| **Copy speed color (ISO)** | Up to 6 cpm |
| **Count of layers in pallet** | 6 |
| **Datasheet photo 1** | Publication photos/HP Smart Tank 750_6UU47A_Front Facing.jpg |
| **Datasheet photo 2** | Publication photos/HP Smart Tank 750_6UU47A_Side_view.jpg |
| **Dimensions with trays up (W x D x H)** | 427.54 x 364.00 x 240.25 mm |
| **Duty cycle note** | Duty cycle is the maximum number of pages that can be printed in a month, but this page volume is not recommended on an ongoing basis. |
| **Electromagnetic compatibility** | CISPR 32:2015/EN 55032:2015+A11:2020 Class B; CISPR24:2010+A1:2015/EN 55024:2010+A1:2015; EN55035:2017+A11:2020/CISPR35:2016; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; FCC CFR 47 Part 15 Subpart B; ICES-003 Issue 7:2020; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.2 |
| **End of Life CO2e (kg)** | 3.309 |
| **Energy Usage CO2e (kg)** | 9.853 |
| **Engine life** | 5000 |
| **Enhanced scanning resolution** | Up to 1200 dpi |
| **Envelope Feeder** | No |
| **File Format Supported** | PDF; BMP; PNG; TIF; JPG |
| **First page out black (A4, ready)** | As fast as 14 sec |
| **First page out color (A4, ready)** | As fast as 16 sec |
| **First page out footnote** | For details see http://www.hp.com/go/printerclaims |

| | |
|---|---|
| **Geographic availability** | AP EM, TW, EMEA EM, LA EM |
| **Hazard Text 3** | Contains Benzisothiazolinone. May produce an allergic reaction. Incorporates biocides: Benzisothiazolinone. |
| **Hazard product identifier 1** | HP 6ZA17A, 1VV24A |
| **Hazard product identifier 2** | HP 31 / 1VU26A, 1VU27A, 1VU28A |
| **Hazard text 1** | Contains Benzisothiazolinone and Mixture of Chloromethylisothiazolinone and Methylisothiazolinone. May produce an allergic reaction. Incorporates biocides: Benzisothiazolinone and Mixture of Chloromethylisothiazolinone and Methylisothiazolinone. |
| **Hazard text 2** | DANGER- Contains 5,5-Dimethylimidazolidine-2,4-dione, reaction products with oxirane. Can cause very long-lasting and diffuse contamination of water resources. Contains Benzisothiazolinone. May produce an allergic reaction. Incorporates biocides: Benzisothiazolinone. |
| **Ink Safety Information** | Avoid direct contact with liquid ink |
| **Ink Safety Instructions** | Always follow the information on the product label. |
| **Ink types** | Pigment-based (black); Dye-based (color) |
| **Input capacity** | Up to 250 sheets |
| **Levels of grayscale** | 256 |
| **Mac compatible** | Yes |
| **Maximum Input Capacity (envelopes)** | Up to 30 envelopes |
| **Maximum Memory** | 256 MB |
| **Maximum dimensions (W x D x H)** | 453.55 x 440.73 x 249.63 mm |
| **Maximum dimensions (W x D x H)** | 17.86 x 17.35 x 9.83 in |
| **Maximum input capacity (cards)** | Up to 30 cards |
| **Maximum input capacity (photo paper)** | Up to 50 sheets |
| **Maximum input capacity (sheets)** | Up to 250 sheets |
| **Maximum output capacity (cards)** | Up to 30 cards |
| **Maximum output capacity (envelopes)** | Up to 30 envelopes |

| | |
|---|---|
| **Maximum output capacity (photo paper)** | Up to 30 sheets |
| **Maximum output capacity (sheets)** | Up to 100 sheets |
| **Maximum print area** | 215.9 x 355.6 mm |
| **Media sizes supported** | A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki, Ofuku Hagaki) |
| **Media sizes supported** | Letter; Legal; Government Legal; Executive; Statement; 4 x 6 in; 5 x 7 in; 8 x 10 in; L; Photo 2L; Envelope( #10, Monarch, 5.5 bar); Card (4 x 6 in, 5 x 8 in) |
| **Media sizes supported, key** | 10 x 15 cm; A4; Envelopes |
| **Media sizes supported, key** | Envelopes; Legal; Letter; 4 x 6 in |
| **Media sizes, custom** | 88.9 x 127 mm to 215.9 x 355.6 mm |
| **Media sizes, custom** | 3.5 x 5 in to 8.5 x 14 in |
| **Media types** | Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Light/Recycled |
| **Media weight, recommended** | 60 to 105 g/m² |
| **Media weight, recommended** | 16 to 28 lb |
| **Media weight, supported** | Plain paper: 60 to 105 g/m²; Envelopes: 75 to 90 g/m²; Cards: up to 200 g/m²; Photo paper: up to 250 g/m² |
| **Media weight, supported** | Plain paper: 16 to 28 lb; Envelopes: 20 to 24 lb; Cards: up to 110 lb; Photo paper: up to 66 lb |
| **Memory** | 256 MB |
| **Minimum System Requirements** | Windows 11, Windows 10, 1 GHz processor, 2 GB SSD, Internet, Chrome OS |
| **Minimum System Requirements for Macintosh** | macOS Tahoe 26, macOS Sequoia 15, macOS Sonoma 14; 2 GB SSD; Internet |
| **Model number** | 750 |
| **Multitasking supported** | No |
| **Non-Operating Humidity Range** | 5 to 90% RH (non-condensing) |
| **Number of users** | 1-3 Users |
| **Operating altitude** | Up to 10,000 ft |
| **Operating humidity range** | 15 to 80% RH (non-condensing) |

| | |
|---|---|
| **Operating temperature range** | 5 to 40°C |
| **Operating temperature range** | 41 to 104°F |
| **Output capacity** | Up to 100 sheets |
| **Output file format** | BMP; JPEG; PDF; TIF |
| **Package dimensions (W x D x H)** | 484 x 284 x 410 mm |
| **Package dimensions (W x D x H)** | 19.06 x 11.18 x 16.14 in |
| **Package weight** | 10.70 kg |
| **Package weight** | 23.54 lb |
| **Page Yield in Draft Mode** | (670)~22,800 pages Black, ~9,600 pages Color,(730)~15,200 pages Black, ~9,600 pages Color, (ABT)~22,800 pages Black, ~9,600 pages Color,(AC8)~15,200 pages Black, ~9,600 pages Color, (ACJ)~15,200 pages Black, ~9,600 pages Color,(AK3)~7,600 pages Black, ~9,600 pages Color, (AKH)~15,200 pages Black, ~9,600 pages Color,(AKY)~15,200 pages Black, ~9,600 pages Color, (BEW)~22,800 pages Black, ~9,600 pages Color,(BG2)~7,600 pages Black, ~9,600 pages Color, (BGG)~7,600 pages Black, ~9,600 pages Color,(BH2)~7,600 pages Black, ~9,600 pages Color, (BHG)~22,800 pages Black, ~9,600 pages Color[8] |
| **Page Yield in Draft Mode Footnote** | Draft page yields are approximate and were measured using “Draft” print-quality settings in the Windows/Mac driver, based on HP Methodology from the simulation of continuous printing of ISO/IEC 24712 pages. Actual page yield varies significantly depending on content printed, ink levels maintained in all four reservoirs, and other factors. For more information about fill and yield, see https://hp.com/go/learnaboutsupplies . |
| **Pallet dimensions** | 48 x 40 x 102 in |
| **Pallet dimensions (W x D x H)** | 1220 x 1016 x 2590 mm |
| **Pallet weight** | 428 kg |
| **Pallet weight** | 942 lb |
| **Paper handling input, standard** | 250-sheet input tray |
| **Paper handling output, standard** | 100-sheet output tray |
| **Paper trays, maximum** | 1 |
| **Paper trays, standard** | 1 |
| **Photo (product photo, jpg, 70x100)** | Printers and Multifunction/CD028B_70x100.jpg |

| | |
|---|---|
| **Photo proofsheets supported** | No |
| **PictBridge description** | No |
| **PictBridge supported** | No |
| **Power** | Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) |
| **Print Cartridge/Bottle, Color(s)** | Black; Cyan; Magenta; Yellow |
| **Print Speed (Draft, A4 Memo) Footnote Number** | [7] |
| **Print Speed Black (Draft, A4 Memo)** | Up to 30 ppm |
| **Print Speed Color (Draft, A4 Memo)** | Up to 28 ppm |
| **Print Technology** | Ink |
| **Print colors** | Yes |
| **Print colors maximum** | 4 |
| **Print head nozzles** | 704 (Black), 672 (Tri-color) |
| **Print heads** | 2 (1 each black, tri-color) |
| **Print languages** | HP PCL 3 GUI |
| **Print speed black (ISO)** | Up to 15 ppm |
| **Print speed black (draft, A4)** | Up to 23 ppm |
| **Print speed color (ISO)** | Up to 9 ppm |
| **Print speed color (draft, A4)** | Up to 22 ppm |
| **Print technology** | HP Thermal Inkjet |
| **Printer black pages (MPV black)** | 135 |
| **Printer color pages (MPV color)** | 90 |
| **Printer drivers included** | HP PCL 3 GUI |
| **Processor speed** | 800 MHz |

| | |
|---|---|
| **Product logos** | Hi-speed USB certified; Mopria-certified; Wi-Fi certified; IPP Everywhere; AirPrint; Works with Apple iBeacon; App Store; Works with Android; Get it on google play; Works with Chromebook; Get it from Microsoft |
| **Product long name specifications** | HP Smart Tank 750 All-in-One, Color Printer for Home, Print, Scan, Copy, ADF, Wireless, 35-sheet ADF; Scan to PDF; Two-sided printing |
| **Product name (back)** | HP Smart Tank 750 series |
| **Product name (front)** | HP Smart Tank 750 series |
| **Product name (primary)** | HP Smart Tank 750 series |
| **Product name (secondary)** | HP Smart Tank 750 series |
| **Product short name specifications** | HP Smart Tank 750 Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner |
| **Production CO2e (kg)** | 48.267 |
| **Quantity per pallet** | 48 |
| **Recommended Macintosh system requirements** | macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur; 2 GB HD; Internet required |
| **Recommended monthly page volume** | 400 to 800 |
| **Recommended monthly page volume note** | HP recommends the number of pages printed not exceed the recommended monthly page volume for optimum device performance. |
| **Recommended operating humidity range** | 20 to 80% RH |
| **Recommended operating temperature range** | 15 to 30°C |
| **Recommended operating temperature range** | 59 to 86°F |
| **Safety** | IEC 60950-1 & IEC 62368-1 Ed. 2 compliant; Safety CSA NRTL; EU RED and EN 62368-1 Ed. 2 compliant; NEMKO GS approved; Mexico NOM-1-NYCE, Singapore "Safety Mark"; Russia EAC; China CCC |
| **Scan resolution, hardware** | Up to 1200 x 1200 dpi |
| **Scan resolution, optical** | Up to 1200 dpi |

| | |
|---|---|
| **Scan size (ADF), maximum** | 216 x 356 mm |
| **Scan size (ADF), maximum** | 8.5 x 14 in |
| **Scan size, maximum** | 216 x 297 mm |
| **Scan size, maximum** | 8.5 x 11.69 in |
| **Scanning options (ADF)** | Single-sided |
| **Segment (filter)** | Home and home office |
| **Send to email capability** | Yes |
| **Service & support features** | With services, software, solutions and support from HP Total Care, you can use, protect and enjoy your HP technology; one-year technical support; up to two years or 30,000 pages limited hardware warranty upon registration in www.hp.com/go/extendmywarranty whichever is earlier from the date of purchase; Offer for 2 years warranty expires after 60 days of printer purchase; user replaceable parts have separate warranty periods; access to 24/7 world-class support services through http://www.hp.com/support ; to improve your product experience, please take the time to register at http://www.register.hp.com . |
| **Service & support options** | Protect your investment—HP Total Care offers a variety of extended warranties and services, go to http://www.hp.com/support |
| **Standard input capacity (cards)** | Up to 30 cards |
| **Standard input capacity (legal)** | Up to 250 sheets |
| **Standard media sizes (duplex)** | A4; B5; Not supported for borderless photo |
| **Standard media sizes (duplex, imperial)** | Letter; Executive; Not supported for borderless photo |
| **Standard memory note** | Not upgradeable |
| **Standard output capacity (cards)** | Up to 30 cards |
| **Standard output capacity (envelopes)** | Up to 30 envelopes |
| **Standard output capacity (legal)** | Up to 50 sheets |
| **Storage altitude** | 15,000 ft |
| **Storage temperature range** | -40 to 60°C |
| **Storage temperature range** | -40 to 140°F |
| **Sub-brand name** | Smart Tank |

| | |
|---|---|
| **System requirements, recommended** | Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer. |
| **Target user and print volume** | For teams up to 3 users; Prints up to 800 pages/month |
| **Technology logo 2** | AHID/2b568718d1c03c3a2fa7ced5b263d50c1376b2a8 |
| **Technology logo 3** | AHID/7341217a846d594cd0e72df996225dad52afa953 |
| **Technology logo 4** | https://hp.widen.net/content/p1zlxvwosp/png/Publication%20logos_Windows7new_00210ce6-bb54-4d51-b3a2-adadf1e0040e.png?w=400&h=400&position=c&color=ffffff00&quality=80&u=dpmp26 |
| **Technology logo 5** | AHID/0e41ea2a916263d4c3403cc03016fcaae7311969 |
| **Technology logo 6** | Publication logos/Mopria logo TM new.jpg |
| **Technology logo 7** | AHID/6ccf9d4446c01c859534a2fb7659263b9b01ddf4 |
| **Telecom compliance (fax capability)** | EN 300 328 V2.2.2; EN 301 893 V2.1.1; EN 300 440 V2.1.1 |
| **Top key features** | 35-sheet ADF; Scan to PDF; Two-sided printing |
| **Total CO2e (kg)** | 64.025<br>*(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)* |
| **Transportation CO2e (kg)** | 2.596 |
| **Twain version** | Version 2.1 |
| **Typical electricity consumption (TEC) number** | 0.20 kWh/Week |
| **UNSPSC code** | 43212110 |
| **UPC number** | (670) 195908303114; (730) 198701537151; (ABT) 195908303121; (BEW) 195908303190; (BHG) 195908303237 |
| **Vertical alignment accuracy** | +/- 0.02 mm |
| **Vertical alignment accuracy** | +/- 0.0008 in |
| **Video action printing supported** | No |
| **Wireless technologies** | 802.11a/b/g/n/ac; Wi-Fi® |

*[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.*

*[6] Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://hp.com/go/learnaboutsupplies*

*[8]Draft page yields are approximate and were measured using “Draft” print-quality settings in the Windows/Mac driver, based on HP Methodology from the simulation of continuous printing of ISO/IEC 24712 pages. Actual page yield varies significantly depending on content printed, ink levels maintained in all four reservoirs, and other factors. For more information about fill and yield, see https://hp.com/go/learnaboutsupplies .*

---

# Ink/Toner/Paper/Printer Supplies

## Ink Supplies

★ : Recommended

### HP Ink Bottles

| | |
|---|---|
| HP 31 70-ml Cyan Original Ink Bottle | **1VU26AE ★** |
| HP 31 70-ml Magenta Original Ink Bottle | **1VU27AE ★** |
| HP 31 70-ml Yellow Original Ink Bottle | **1VU28AE ★** |
| HP 32XL 135-ml Black Original Ink Bottle | **1VV24AE ★** |
| HP GT52 Cyan Original Ink Bottle | M0H54AE |
| HP GT52 Magenta Original Ink Bottle | M0H55AE |
| HP GT52 Yellow Original Ink Bottle | M0H56AE |
| HP GT53XL 135-ml Black Original Ink Bottle | 1VV21AE |

### HP Inkjet Printer Cartridges and Ink Supplies

| | |
|---|---|
| HP 6ZA17AE Black Printhead | 6ZA17AE |
| HP Inktank Tri-Color Printhead | 3YP17AE |

## HP Photo Papers

### HP Photo Papers for inkjet

| | |
|---|---|
| HP Matte Photo Paper 180 g/m2 10 x 15 cm (101 x 152 mm) 25 sheets | 7HF70A |

## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Consumer Care Pack Services

| | |
|---|---|
| HP 3 Year Return to Depot for SmartTank Printer - M SVC | UA5C2E |

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (sa-en) – Nov 19, 2026 4:42 PM UTC+0000