HP OfficeJet Pro 9123 All-in-One Printer (403W0C)



Overview

Print for your business like a Pro.

Say hello to the professional colour inkjet printer for your growing business from the World's #1 Printer Company, paired with the easiest-to-use print app. From budgets to reports, enjoy easy cloud sharing and printing across multiple devices.[1,2]

Empower your team with a productivity powerhouse

Always ready for high volumes, get an HP OfficeJet Pro printer equipped with a 250-page input tray.

Driving innovation with 40% recycled plastic[5]

Choose printers made with at least 40% recycled plastic.[5]

Our best technology to stay connected and secure[3]

Stay connected with our most reliable Wi-Fi® - dual-band, self-healing - that automatically reconnects.[3]

---

[1] Based on 2022 Q4 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2022 Q4 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

[2] Compared to OEM printing apps for the majority of top-selling, network-capable inkjet/laser printers and all-in-ones for the home and office, priced ≤$450 USD. Printers selected by market share as reported by IDC Quarterly Hardcopy Peripherals Tracker – Final Historical CYQ1 2023. Claim based on research of printer manufacturer's print apps and Keypoint Intelligence hands-on testing and study commissioned by HP, July 2023. For details, please see: keypointintelligence.com/HPSmartapp. Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.

[3] HP OfficeJet Pro 9100 printer series has self-healing Wi-Fi and HP Wolf Pro Security, HP's best and most reliable technologies to stay connected and secure. Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations

only. Learn more at www.hp.com/go/mobileprinting. HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.

[5] Percentage of recycled plastic is calculated by plastic total weight.

Specifications

Print Resolution Technologies	HP Thermal Inkjet
Print quality black (best)	1200 x 1200 rendered dpi
Print quality color (best)	Up to 4800 x 1200 optimized dpi on HP Advance Photo Paper 1200 x 1200 dpi input
Print speed black (ISO, A4)	Up to 22 ppm
Print speed black (ISO, letter)	Up to 22 ppm
Print Speed Color (ISO)	Up to 18 ppm
Print speed color (ISO)	Up to 18 ppm
Print speed	Print speed up to 22 ppm (black) and 18 ppm (color)
Bottom margin (A4)	3.3 mm
Left margin (A4)	3.3 mm
Right margin (A4)	3.3 mm
Top margin (A4)	3.3 mm
Functions	Print, copy, scan, fax
Duplex printing	Automatic
Duty cycle (monthly, A4)	Up to 25,000
Duty cycle (monthly, letter)	Up to 25,000[7]
Printer smart software features	Orientation: Portrait/Landscape; Print on Both Sides: None/Flip on Long Edge/Flip on Short Edge; Page Order: Front to Back/Back to Front; Pages per Sheet: 1, 2, 4, 6, 9, 16; Quality Settings: Draft/Normal/Best; Printing Shortcuts; Print in Grayscale: Off/High Quality Grayscale/Black Ink Only; Pages per Sheet Layout: Right then Down/Down then Right/Left then Down/Down then Left; Print in Max DPI: No/Yes; HP Real Life Technologies: Off/On; Booklet: None/Booklet-Left Binding/Booklet-Right Binding; Pages to Print: Print All Pages/Print Odd Pages Only/Print Even Pages Only; Borderless Printing: Off/On; Page Borders: Off/On
Copier smart software features	Two-Sided; Lighter/Darker; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Enhancements
Scanner advanced features	OCR (Optical Character Recognition); Smart Tasks shortcuts: 1-click customizable scan to cloud destinations, email, and print, create editable, searchable documents by scanning from phone or printer; Smart Tasks destinations: Dropbox, Google Drive, One drive, email recipients, print
Energy savings feature technology	Schedule On and Schedule Off; HP Auto-On/Auto-Off Technology; HP Auto-Off Technology

Replacement cartridges	HP 938 Black Original Ink Cartridge (~1,250 pages) 4S6X8P; HP 938 Cyan Original Ink Cartridge (~800 pages) 4S6X5P; HP 938 Magenta Original Ink Cartridge (~800 pages) 4S6X6P; HP 938 Yellow Original Ink Cartridge (~800 pages) 4S6X7P. HP EvoMore planned to be available April 2024: HP 938e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6Y2P; HP 938e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6X9P; HP 938e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6Y0P; HP 938e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6Y1P. Actual yield varies considerably based on content of printed pages and other factors. For details, see https://www.hp.com/go/learnaboutsupplies
Connectivity, standard	1 Ethernet; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11 a/b/g/n/ac (dual band); 2 RJ-11 Fax/Modem port/phone line
Modem	Synaptics Troy modem; data rate up to 33.6 kbps
Network capabilities	Yes, via built-in Ethernet; Wireless 802.11a/b/g/n/ac
Wireless capability	Yes, with built-in dual-band Wi-Fi 802.11 a/b/g/n/ac and a self-heal solution
Mobile printing capability	Chrome OS; HP app; Apple AirPrint™; Wi-Fi® Direct Printing; Mopria™ certified
Network protocols, supported	Supported Network Protocols configurations (IPv4, IPv6); DHCPv4, DHCPv6; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; SMTP client; LLMNR; Bonjour/mDNS; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR/LPD; Port9100; DNS Resolver; SNMPv1/v2; Web Services Discovery; Web Services Print; Syslog; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP) & 802.1 Wired
Software included	HP Printer Software
Compatible Operating Systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS *(Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, linux (for more information see http://developers.hp.com/hp-linux-imaging-and-printing))*
Technical features	ADF; Automatic two-sided printing; Automatic two-sided scanning; Borderless Printing; Wireless; Wireless Direct; AirPrint; Touchscreen; Self-healing WiFi; HP Printables
Sustainability specifications	Recyclable through HP Planet Partners
Energy star certified	No
Ecolabels	IT ECO Declaration; EPEAT® registered
Copy speed black (best, A4)	Up to 5 cpm
Copy speed black (best, letter)	Up to 5 cpm
Copy speed color (best, A4)	Up to 4 cpm
Copy speed color (best, letter)	Up to 4 cpm
Digital sending standard features	Scan-to E-mail; Scan to network folder; Scan to SharePoint; Scan to thumb drive
Fax Resolution Black (best)	300 x 300 dpi
Faxing	Yes, color

Scan speed (normal, A4)	Up to 8 ipm (200 ppi, b&w); Up to 8 ipm (200 ppi, color)
Scan speed (normal, letter)	Up to 8 ipm (200 ppi, b&w); Up to 8 ipm (200 ppi, color)
Scan file format	JPG, BMP, TIFF, PDF, RTF, TXT, PNG
Scan input modes	Front-panel scan, copy, HP Software, EWS, Mobile apps
Scan technology	Contact Image Sensor (CIS)
Scanner type	Easy slide-off glass; Dual pass 2-sided ADF
Display	2.7" (6.86 cm) Capacitive Touchscreen CGD
Dimensions (W x D x H)	439.3 x 342.5 x 278 mm (Minimum Storage Mode) *(Dimensions vary as per configuration)*
Dimensions (W x D x H)	17.3 x 13.48 x 10.94 in (Minimum Storage Mode)
Weight	~ 9.29 kg *(Weight varies as per configuration)*
Weight	~ 20.48 lb *(Weight varies as per configuration)*
Power consumption	5.06 watts (ready), 1.22 watts (sleep), 0.14 watts (manual-Off)[3] *(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)*
Power supply type	Internal (Built-in) Universal Power Supply
What's in the box	HP OfficeJet Pro 9123 All-in-One Printer; HP 938 Setup Black Ink Cartridge; HP 938 Setup Cyan Ink Cartridge; HP 938 Setup Magenta Ink Cartridge; HP 938 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]
Manufacturer Warranty	Standard one-year HP commercial hardware warranty. Three-year HP commercial hardware warranty after registration within 60 days of purchase (see www.hp.com/eu/3yearwarranty). Warranty and support options vary by product, country and local legal requirements.

Additional specifications

Acoustic power emissions (active, printing)	6.8 B(A) (printing at 20ppm)
Acoustic pressure emissions	61 dB(A) (printing at 20ppm)
Additional information about HP	https://www.hp.com
Additional information about HP in the countries	https://www.hp.com/uk
Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 35 sheets
Automatic paper sensor	No
Bit depth	24-bit
Borderless printing	Yes, on photo paper only, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)
Cable included	No, please purchase USB cable separately
Camera phone supported	Yes
Cartons per layer	AMS/AP :6; EMEA: 6
Color	Cement
Color copy capability	Yes
Color or black	Color
Color scanning	Yes
Compatible Network Operating Systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS
Compliance alliances	Wi-Fi Alliances; Bluetooth SIG Certification; Mopria Certification.
Connection type	Wireless
Control panel	2.7" (6.86 cm) touchscreen control panel with CGD (color graphic display); 3 buttons: (home, help, back)
Copier settings	Number of Copies; Two-Sided; Lighter/Darker; HP Copy Fix; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Tray Select; Enhancements
Copies, maximum	Up to 99 copies
Copy Speed Black (maximum, A4)	Up to 28 cpm
Copy Speed Color (maximum, A4)	Up to 21 cpm
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black graphics)	Up to 600 dpi
Copy resolution (black text)	Up to 600 dpi
Copy resolution (color text and graphics)	Up to 600 dpi

Copy speed black (ISO)	Up to 21 cpm
Copy speed black (draft, letter)	Up to 28 cpm
Copy speed color (ISO)	Up to 14 cpm
Copy speed color (draft, letter)	Up to 21 cpm
Count of layers in pallet	5
Datasheet photo 1	AHID/27c3434a1e6914177e5fd76ccf6fc95798a047f5
Datasheet photo 2	AHID/99cf6c51e1a7c258a9eba2a07433901efb4eb548
Dimensions with trays up (W x D x H)	439.3 x 382.5 x 278 mm (Input Tray A4 Ready)
Distinctive ring detection supported	Yes
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Color InkJet devices.
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	CISPR 32:2015 + AMD1:2019 / EN 55032:2015 + A11:2020 Class B; CISPR 24:2010 / EN 55024:2010; CISPR 35:2016 / EN 55035:2017+A11:2020; EN 61000-3-2:2014 / IEC 61000-3-2:2014; EN 61000-3-3:2013 / IEC 61000-3-3:2013; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B; VCCI-CISPR 32:2016 Class B
End of Life CO2e (kg)	3.796
Energy Usage CO2e (kg)	15.887
Enhanced scanning resolution	Up to 1200 dpi
Envelope Feeder	No
Fax Auto Redial	Yes
Fax Broadcast Locations	20
Fax Memory Note	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Fax Modem Speed	Synaptics Troy modem; data rate up to 33.6 kbps
Fax PC Interface Supported	Yes, HP Software support provided
Fax Polling	No
Fax Remote Retrieval	No
Fax Speed Dials, Maximum Number	Not Supported
Fax Transmission Speed	4 sec per page
Fax Transmission Speed Note	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Fax delayed sending	Yes
Fax forwarding	Yes (black only)
Fax memory	Up to 100 pages

Fax memory	Up to 100 pages
Fax phone TAM interface supported	No
Fax resolution color (fine)	200 x 200 dpi
Fax resolution color (standard)	200 x 200 dpi
Fax telephone mode supported	No
Fax transmission speed (letter)	4 sec per page
Faxing options (ADF)	Two-sided
File Format Supported	PDF; TIFF; JPEG
Finished output handling	Sheet Feed
First copy out black (letter)	As fast as 8 sec
First copy out color (letter)	As fast as 10 sec
First page out black (A4, ready)	As fast as 10 sec
First page out black (letter, ready)	As fast as 10 sec
First page out color (A4, ready)	As fast as 11 sec
First page out color (letter, ready)	As fast as 11 sec
Geographic availability	WW
HP Real Life technologies™	Default=OFF
Image scaling or enlargement range	25 to 400%
Ink types	Pigment-based (black and color)
Input capacity	Up to 250 sheets
Internal Storage	No Hard Disk
Junk fax barrier	Yes
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 30 envelopes
Maximum Memory	512 MB
Maximum dimensions (W x D x H)	439.3 x 519.8 x 278 mm (Output Tray Extend)
Maximum dimensions (W x D x H)	17.3 x 20.46 x 10.94 in (Output Tray Extend)
Maximum input capacity (10x15cm photos)	Up to 50 sheets
Maximum input capacity (4x6 photo)	Up to 50 sheets
Maximum input capacity (cards)	Up to 50 cards
Maximum input capacity (labels)	Up to 50 sheets

Maximum input capacity (photo paper)	Up to 50 sheets
Maximum input capacity (sheets)	Up to 250 sheets
Maximum output capacity (cards)	Up to 30 cards
Maximum output capacity (envelopes)	Up to 10 envelopes
Maximum output capacity (labels)	Up to 30 sheets
Maximum output capacity (photo paper)	Up to 30 sheets
Maximum output capacity (sheets)	Up to 60 sheets
Maximum print area	216 x 356 mm (Legal)
Media sizes supported	A4, A5, A6, B5(JIS), Card (A4, Hagaki); Photo (13 x 18 cm, 10 x 15 cm); Envelope (A2, C5, C6, DL. Chou #3, Chou #4); 8.5 x 13 in
Media sizes supported	Letter; Legal; Government Legal; Executive; Statement; 3 x 5 in; 4 x 6 in; 5 x 7 in; 13 x 18 cm; 8 x 10 in; 10 x 15 cm; L; Photo 2L; Envelope(#10, Monarch, 5.5 bar); Card (3 x 5 in, 4 x 6 in, 5 x 8 in)
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes, custom	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm.
Media sizes, custom	Tray 1: 3 x 5 to 8.5 x 14; 5 x 8.3 to 8.5 x 14 in
Media types	Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Thick Plain Paper, Light/Recycled Plain Paper, HP Tri-fold Brochure Paper, Glossy
Media weight, recommended	60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to 90 g/m² (envelope); 163 to 200 g/m² (card)
Media weight, recommended	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)
Media weight, supported	60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to 90 g/m² (envelope); 163 to 200 g/m² (card)
Media weight, supported	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)
Memory	512 MB
Minimum System Requirements	Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge,
Minimum System Requirements for Macintosh	macOS 11 BigSur, macOS 12 Monterey, macOS 13 Ventura, 2 GB HD, Internet Required
Model number	9123
Multitasking supported	Yes
Number of users	1-5 Users
Operating altitude	3,000 m

Operating altitude	10,000 ft
Operating humidity range	20 to 80% RH
Operating temperature range	5 to 40°C
Operating temperature range	41 to 104°F
Orderable product number	403W0C#613 403W0C#ACQ 403W0C#BHG
Orderable supplies	HP 936 Black Original Ink Cartridge 4S6V2LN, HP 936 Cyan Original Ink Cartridge 4S6U9LN; HP 936 Magenta Original Ink Cartridge 4S6V0LN; HP 936 Yellow Original Ink Cartridge 4S6V1LN; HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge 4S6V5LN
Output capacity	Up to 60 sheets
Output file format	PDF; TIFF; JPEG (scan to Thumbdrive)
Package dimensions (W x D x H)	487 x 325 x 409 mm
Package dimensions (W x D x H)	19.17 x 12.80 x 16.10 in
Package weight	12.11kg
Package weight	NA/EMEA: 26.64 lb ; LA/AP : 24.97 lb
Page yield (set-up/inbox cartridges)	~800 pages black, ~420 pages cyan, magenta, yellow composite
Pallet dimensions	LA: 48 x 40 x 101.73 in; NA: 48 x 40 x 85.51 in; EMEA : 47.24 x 39.37 x 86.65 ; AP : 48 x 40 x 86.5 in
Pallet dimensions (W x D x H)	1200 x 1000 x 2200
Pallet weight	446 kg
Pallet weight	LA: 1093 lb; NA: 981 lb; EMEA: 981 lb; AP: 922lb
Paper handling input, standard	250-sheet input tray; 35-sheet ADF
Paper handling output, standard	60-sheet output tray
Paper trays, maximum	1
Paper trays, standard	1
Plug and play	Auto Wireless Connect; HP Smart Install
Power	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz
Print Cartridge/Bottle, Color(s)	Black, cyan, magenta, yellow
Print Cartridges/Bottle, Number	4 (1 each black, cyan, magenta, yellow)
Print Technology	Ink
Print colors	Yes
Print colors maximum	4
Print head nozzles	Total Print Head nozzles: 6272
Print heads	4 (1 each black, cyan, magenta, yellow)
Print languages	HP PCL3 GUI

Print speed black (ISO)	Up to 22 ppm
Print speed black (best, A4)	Up to 5 ppm
Print speed black (best, letter)	Up to 5 ppm
Print speed black (draft, A4)	Up to 32 ppm
Print speed black (draft, letter)	Up to 32 ppm
Print speed color (ISO)	Up to 18 ppm
Print speed color (draft, A4)	Up to 32 ppm
Print speed color (draft, letter)	Up to 32 ppm
Print speed color (normal, 10x15 photo)	As fast as 39 sec
Print speed color (normal, 4x6 photo)	As fast as 39 sec
Print speed duplex (A4)	Up to 14 ipm
Print speed duplex (A4)	Up to 12 ipm
Print speed duplex (letter)	Up to 14 ipm
Print speed duplex (letter)	Up to 12 ipm
Print technology	HP Thermal Inkjet
Printer Management	Embedded Web Server
Printer drivers included	Windows HP Driver (Pcl3), Linux, UNIX, SAP
Processor speed	1.2 GHz
Product color	Cement
Product logos	Energy Star; "Works with Windows 10" logo; “Wireless; Print; Scan; Copy”; AirPrint™; 2-sided print; 4 individual inks; Mopria™-certified, WiFi certified, MFi, Works with Apple iBeacon, Download on the App Store, Get it on Google Play, Get it from Microsoft, Bluetooth Smart
Product long name specifications	HP OfficeJet Pro 9123 All-in-One Printer, Color Printer for Small medium business, Print, copy, scan, fax, Wireless; Automatic document feeder; Two-sided printing; Two-sided scanning; Fax; Touchscreen; Smart Advance Scan
Product name (back)	[403W0C] HP OfficeJet Pro 9123 All-in-One Printer
Product name (front)	HP OfficeJet Pro 9120 All-in-One Printer
Product name (primary)	HP OfficeJet Pro 9120 All-in-One Printer
Product name (secondary)	HP OfficeJet Pro 9120 All-in-One Printer
Product short name specifications	HP OfficeJet Pro 9123 Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner
Production CO2e (kg)	65.034
Quantity per pallet	35
Recommended Macintosh system requirements	macOS 11 BigSur, macOS 12 Monterey, macOS 13 Ventura, 2 GB HD, Internet Required

Recommended monthly page volume	Up to 1500
Recommended operating humidity range	25 to 75% RH
Recommended operating temperature range	15 to 32°C
Recommended operating temperature range	59 to 90°F
Resolution (black and white, standard mode)	200 x 100 dpi
Resolution (black photo grayscale)	No Supported
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013; IEC 62368-1:2014; EN 62368-1:2014 +A11:2017; EN 62311:2008; EN 62479:2010; German GS; China CCC; Taiwan BSMI.
Scan resolution, hardware	Up to 1200 x 1200 dpi
Scan resolution, optical	Up to 1200 dpi
Scan size (ADF), maximum	215.9 x 355.6 mm
Scan size (ADF), maximum	8.5 x 14 in
Scan size (ADF), minimum	127 x 127 mm
Scan size (ADF), minimum	5 x 5 in
Scan size, maximum	215.9 x 297 mm
Scan size, maximum	8.5 x 11.7 in
Scan speed duplex (normal, A4)	Up to 4 ipm (200 ppi, b&w); Up to 4 ipm (200 ppi, color)
Scan speed duplex (normal, letter)	Up to 4 ipm (200 ppi, b&w); Up to 4 ipm (200 ppi, color)
Security management	SSL/TLS (HTTPS); IPP over TLS; WPA2-Enterprise; WPA2-Personal; WPA3; Certificates configuration; Password protect EWS; Signed firmware;
Segment (filter)	Small medium business
Send to email capability	Yes
Service & support options	With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support.
Standard input capacity (cards)	Up to 50 cards
Standard input capacity (envelopes)	Up to 30 sheets
Standard input capacity (legal)	Up to 250 sheets
Standard media sizes (duplex)	A4; B5; Not supported for borderless photo
Standard media sizes (duplex, imperial)	Letter; executive; Not supported for borderless photo
Standard output capacity (cards)	Up to 30 cards

Standard output capacity (envelopes)	Up to 10 envelopes
Standard output capacity (labels)	Up to 30 sheets
Standard output capacity (legal)	Up to 60 sheets
Storage altitude	4,500 m
Storage altitude	15,000 ft
Storage device and direct print support	Storage devices not supported
Storage temperature range	-40 to 60°C
Storage temperature range	-40 to 140°F
System requirements, recommended	Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge,
Target user and print volume	Prints up to 1,500 pages/month; For teams up to 5 users
Telecom compliance (fax capability)	USA: TIA-968-B-3, TIA-1096-A; Canada: IC CS-03 Part 1 Issue 9 Am5, Mar 2016 and IC CS-03, Part 8 Issue 9 Am5, Mar 2016; EU: ES 203 021-2, ES 203 021-3; EU: Radio Equipment Directive 2014/53/EU; Mexico (SCT); Brazil (ANATEL); Argentina (CNC); South Africa (ICASA)
Telephone handset supported	No
Top key features	Wireless; Automatic document feeder; Two-sided printing; Two-sided scanning; Fax; Touchscreen; Smart Advance Scan
Total CO2e (kg)	87.779 *(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)*
Transportation CO2e (kg)	3.062
Twain version	Version 2.4
UNSPSC code	43212104
UPC number	196786895739
Web solutions	Wolf Pro Security, Scan to Email, HP app
Wireless	802.11a/b/g/n/ac 1x1 (2.4/5GHz) with BT5.0
Wireless technologies	802.11a/b/g/n/ac 1x1 (2.4/5GHz) with BLE

---

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[7] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement

---

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Consumer Care Pack Services

HP 3 Year Return to Depot for Officejet - H SVC	UG279E

Ink/Toner/Paper/Printer Supplies

Ink Supplies

★ : Recommended

HP Inkjet Printer Cartridges and Ink Supplies

HP 937 CMYK Original Ink Cartridge 4-Pack	6C400NE
HP 938 Black Original Ink Cartridge	4S6X8PE
HP 938 Cyan Original Ink Cartridge	4S6X5PE
HP 938 Magenta Original Ink Cartridge	4S6X6PE
HP 938 Yellow Original Ink Cartridge	4S6X7PE

HP EvoMore Ink Cartridges

HP 938e EvoMore Black Original Ink Cartridge	4S6Y2PE
HP 938e EvoMore Cyan Original Ink Cartridge	4S6X9PE
HP 938e EvoMore Magenta Original Ink Cartridge	4S6Y0PE
HP 938e EvoMore Yellow Original Ink Cartridge	4S6Y1PE

HP Photo Papers

HP Photo Papers for inkjet

HP Matte Photo Paper 180 g/m2 10 x 15 cm (101 x 152 mm) 25 sheets	7HF70A

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.