

# HP Color LaserJet Pro 3203dw (499N4A)



## Overview

Designed for business work teams that need professional performance with fast, high-quality two-sided colour printing, laser productivity, and award-winning reliability in a space-saving design. [11]

### Professional colour and speed

Experience high-speed, automatic, two-sided color printing up to 26 pages per minute (Letter) / 25 pages per minute (A4). [1]

### Pro level security to help protect your business

Safeguard your business with proactive, embedded security ready out of the box and tamper-resistant toner. [12]

### Peace-of-mind with award-winning reliability [11]

Performance you can count on page after page with award-winning reliability. [11]

### Compact and energy efficient design

Designed in a compact size with energy saving auto-on/auto-off technology to optimise printer energy use.

## Features



Business team solution



Fast two-sided colour printing<sup>[1]</sup>



True-to-life colours<sup>[8]</sup>



Compact Design



Advanced productivity features<sup>[18]</sup><sup>[18]</sup>



HP Web Jetadmin<sup>[5]</sup><sup>[5]</sup>

---

*[1] Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.*

*[5] HP Web Jetadmin is available for download at no additional charge at <https://www.hp.com/go/webjetadmin>*

*[8] Standard print mode for HP Color LaserJet Pro series with HP TerraJet Toner Cartridges compared to predecessors. See <https://www.hp.com/TerraJet/colors>*

*[11] Buyers Lab (BLI) 2022-2024 Most Reliable A4 Brand Award based on devices tested by Keypoint Intelligence from 2017 to 2021. See <https://www.keypointintelligence.com/view-award?region=&id=135871174680>*

*[12] HP office-class printing systems are select Managed and Enterprise devices with FutureSmart firmware 4.5 and up, Pro devices, LaserJet models 200 and up, with respective Original HP Toner, PageWide and Ink Cartridges. Does not include HP integrated printhead cartridges. Digital supply-chain tracking, hardware, chips and packaging security features vary locally by SKU. See <https://www.hp.com/cartridgesecurity>*

*[18] HP account required for full functionality.*

## Specifications

|  |   |
|--|---|
| <b>Print quality black (best)</b>        | Up to 600 x 600 dpi   |
| <b>Print quality color (best)</b>        | Up to 600 x 600 dpi   |
| <b>Print speed black (ISO, A4)</b>       | Up to 25 ppm  |
| <b>Print speed black (ISO, letter)</b>   | Up to 26 ppm  |
| <b>Print Speed Color (ISO)</b>           | Up to 25 ppm  |
| <b>Print speed color (ISO)</b>           | Up to 26 ppm  |
| <b>Print speed</b>                       | Print speed up to 25 ppm (black) and 25 ppm (colour)  |
| <b>Bottom margin (A4)</b>                | 5 mm  |
| <b>Left margin (A4)</b>                  | 5 mm  |
| <b>Right margin (A4)</b>                 | 5 mm  |
| <b>Top margin (A4)</b>                   | 5 mm  |
| <b>Functions</b>                         | Print   |
| <b>Duplex printing</b>                   | Automatic   |
| <b>Duty cycle (monthly, A4)</b>          | Up to 40,000 pages  |
| <b>Duty cycle (monthly, letter)</b>      | Up to 40,000 pages  |
| <b>Energy savings feature technology</b> | HP Auto-On/Auto-Off Technology  |
| <b>Replacement cartridges</b>            | HP 222A Black Original LaserJet Toner Cartridge (~1,300 pages) W2220A; HP 222A Cyan Original LaserJet Toner Cartridge (~1,200 pages) W2221A; HP 222A Yellow Original LaserJet Toner Cartridge (~1,200 pages) W2222A; HP 222A Magenta Original LaserJet Toner Cartridge (~1,200 pages) W2223A; HP 222X High Yield Black Original LaserJet Toner Cartridge (~3,200 pages) W2220X; HP 222X High Yield Cyan Original LaserJet Toner Cartridge (~2,500 pages) W2221X; HP 222X High Yield Yellow Original LaserJet Toner Cartridge (~2,500 pages) W2222X; HP 222X High Yield Magenta Original LaserJet Toner Cartridge (~2,500 pages) W2223X <sup>[3]</sup> |
| <b>Supplies feature</b>                  | HP TerraJet Cartridge   |
| <b>Connectivity, standard</b>            | 1 Hi-Speed USB 2.0 (device); 1 Wi-Fi 802.11ac (dual band); Auto-crossover Ethernet; 1 Gigabit Ethernet 10/100TX network   |
| <b>Network capabilities</b>              | Built-in 10/100 Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X   |
| <b>Wireless capability</b>               | Built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct   |
| <b>Mobile printing capability</b>        | Apple AirPrint™; Mobile Apps; Mopria™ certified; HP app; Wi-Fi® Direct Printing   |
| <b>Network protocols, supported</b>      | TCP/IP; IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/ DHCP/ AutoIP; WINS; SNMP v 1/2/3; HTTP/HTTPS  |
| <b>Software included</b>                 | HP Printer Software downloadable from <a href="http://www.hp.com/hp-app">www.hp.com/hp-app</a>  |

|                                      |   |
|--------------------------------------|---|
| <b>Compatible Operating Systems</b>  | Windows 11; Windows 10; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Linux <sup>[6]</sup><br><i>([6] Windows Server 2016, Windows Server 2019, Windows Server 2022, Linux (For more information see <a href="https://www.developers.hp.com/hp-linux-imaging-and-printing">https://www.developers.hp.com/hp-linux-imaging-and-printing</a> ))</i>       |
| <b>Technical features</b>            | Automatic 2-sided printing; Cloud-based fleet management; Compact size; Network printing; ENERGY STAR®; HP Auto-on/Auto-off; TerraJet Toner; Professional print quality; WiFi Direct; Fast first page out; Walk-up USB  |
| <b>Sustainability specifications</b> | Contains post-consumer recycled plastic   |
| <b>Energy star certified</b>         | No  |
| <b>Blue Angel compliant</b>          | No, please refer to the ECI (Ecolabel Comparison Information) document  |
| <b>Display area (imperial)</b>       | 1.80 x 1.03 in  |
| <b>Display area (metric)</b>         | 4.6 x 2.6 cm  |
| <b>Display</b>                       | 2" diagonal DFSTN-backlit (200 x 114)   |
| <b>Dimensions (W x D x H)</b>        | 390 x 419.12 x 254.19 mm<br><i>([4] End to End Dimensions when printer is set up and on standby)</i>  |
| <b>Dimensions (W x D x H)</b>        | 15.35 x 16.5 x 10.01 in<br><i>([4] End to End Dimensions when printer is set up and on standby)</i>   |
| <b>Weight</b>                        | 13.8 kg <sup>[7]</sup><br><i>([7] Product Weight Inclusive of Starter Supplies)</i>   |
| <b>Weight</b>                        | 30.42 lb<br><i>([7] Product Weight Inclusive of Starter Supplies)</i>   |
| <b>Power consumption</b>             | 415 watts (Printing), 6.1 watts (Ready), 0.63 watts (Sleep), 0.05 watts (Auto-Off), 0.05 watts (Manual-Off) <sup>[1]</sup><br><i>([1] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.)</i> |
| <b>Power supply type</b>             | Internal (Built-in) power supply  |
| <b>What's in the box</b>             | HP Color LaserJet Pro 3203dw; Power cord; Toner cartridge; User Guide; Flyers; 1 USB cable <sup>[2]</sup>   |
| <b>Manufacturer Warranty</b>         | One-year limited warranty. For more information please visit us at <a href="https://www.support.hp.com">https://www.support.hp.com</a> <sup>[12]</sup> . 3-year HP commercial warranty at no extra cost (register within first 60 days at <a href="https://www.hp.com/eu/3yearwarranty">https://www.hp.com/eu/3yearwarranty</a> ).  |

## Additional specifications

|   |   |
|---|---|
| <b>Acoustic power emissions (active, printing)</b>              | 6.2 B(A)  |
| <b>Acoustic power emissions (ready)</b>                         | 2.3 B(A)  |
| <b>Acoustic power note</b>                                      | [12] Configuration tested: base model, simplex printing, A4 paper at an average of 25 ppm   |
| <b>Acoustic pressure emissions bystander (active, printing)</b> | 51 dB(A)  |
| <b>Acoustic pressure emissions bystander (ready)</b>            | 16 dB(A)  |
| <b>Additional information about HP</b>                          | <a href="https://www.hp.com">https://www.hp.com</a>   |
| <b>Additional information about HP in the countries</b>         | <a href="https://www.hp.com/uk">https://www.hp.com/uk</a>   |
| <b>Automatic paper sensor</b>                                   | No  |
| <b>Cable included</b>   | Yes, 1 USB; 1 USB PC to Printer   |
| <b>Cartons per layer</b>  | 7   |
| <b>Certifications and compliances</b>                           | RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Indonesia, Singapore, Philippines, etc. |
| <b>Color or black</b>   | Color   |
| <b>Compatible Network Operating Systems</b>                     | Windows 11; Windows 10; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Linux   |
| <b>Configurable items</b>                                       | HP Color LaserJet Pro 3201-3204,3288  |
| <b>Connection type</b>  | Wireless  |
| <b>Control panel</b>  | 2" MGD display; 4 buttons (Back, Home, Cancel and OK); 1 directional pad (Up, Down, Left and Right)   |
| <b>Count of layers in pallet</b>                                | 4   |
| <b>Datasheet photo 1</b>  | AHID/982014c766bdc0a2410201b1ea20569fca349430   |
| <b>Datasheet photo 2</b>  | AHID/577a7f938031fb8dc64291e241e239b24b9c3f5f   |
| <b>Datasheet photo 3</b>  | Publication photos/Zelus_3200_sy.png  |
| <b>Datasheet photo 4</b>  | AHID/369b08f36452cff14239cc16a8579c6f5876c2ef   |
| <b>Datasheet photo 5</b>  | AHID/f9d9b2f50eca93fa453fb45383abf9d10f9b0835   |
| <b>Downloadable software</b>                                    | HP Easy Start, HP Printer Software  |
| <b>Driver updates</b>   | From Windows Update or HP Support Page  |
| <b>Dynamic security</b>   | Dynamic security enabled printer  |

**Electromagnetic compatibility** EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other Telecom approvals as required by individual countries

|   |  |
|---|--|
| <b>End of Life CO2e (kg)</b>                | 18   |
| <b>Energy Usage CO2e (kg)</b>               | 71   |
| <b>Envelope Feeder</b>                      | No   |
| <b>Finished output handling</b>             | Sheet Feed; Stacking   |
| <b>First page out black (A4, ready)</b>     | As fast as 10.9 sec  |
| <b>First page out black (A4, sleep)</b>     | As fast as 11.0 sec  |
| <b>First page out black (letter, ready)</b> | As fast as 10.8 sec  |
| <b>First page out black (letter, sleep)</b> | As fast as 10.9 sec  |
| <b>First page out color (A4, ready)</b>     | As fast as 11.0 sec  |
| <b>First page out color (A4, sleep)</b>     | As fast as 11.1 sec  |
| <b>First page out color (letter, ready)</b> | As fast as 10.9 sec  |
| <b>First page out color (letter, sleep)</b> | As fast as 11.0 sec  |
| <b>First page out footnote</b>              | [10] Measured using ISO/IEC 17629. For more information see <a href="https://www.hp.com/go/printerclaims">https://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity. |
| <b>Fonts and typefaces</b>                  | 111 Scalable TrueType Fonts  |
| <b>Input capacity</b>                       | Up to 250 sheets (25mm stack height) in Tray 2   |
| <b>Mac compatible</b>                       | Yes  |
| <b>Maximum Input Capacity (envelopes)</b>   | Up to 10 envelopes   |
| <b>Maximum Memory</b>                       | 256 MB   |
| <b>Maximum dimensions (W x D x H)</b>       | 390 x 472 x 266 mm   |
| <b>Maximum dimensions (W x D x H)</b>       | 15.35 x 18.58 x 10.47 in   |
| <b>Maximum input capacity (sheets)</b>      | Up to 251 sheets   |
| <b>Maximum metric depth</b>                 | ~472mm, assumes LGL Input Tray Extended  |
| <b>Maximum metric height</b>                | ~255mm, just the product height  |
| <b>Maximum metric width</b>                 | ~390mm, just the product width   |
| <b>Maximum output capacity (sheets)</b>     | Up to 100 sheets @ 75gsm ( or Up to 15mm stack)  |
| <b>Maximum print area</b>                   | 216 x 356 mm   |
| <b>Media size, tray 1</b>                   | Letter; Legal; Executive; 8.5 x 13; 4 x 6; 5 x 8; A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; 16K 216 x 340 mm; 16K 95 x 270 mm; 16K 184 x 260 mm; 16K 197 x 273 mm; Postcard; Envelope #10; Envelope M; Envelope B5; Envelope C5; Envelope DL; A5-R; Custom         |

|  |  |
|--|--|
| <b>Media size, tray 2</b>                        | Letter; Legal; Executive; 8.5 x 13; 4 x 6; 5 x 8; A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; 16K 216 x 340 mm; 16K 95 x 270 mm; 16K 184 x 260 mm; 16K 197 x 273 mm; Postcard; Envelope #10; Envelope M; Envelope B5; Envelope C5; Envelope DL; A5-R; Custom |
| <b>Media sizes supported</b>                     | A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio 216 x 340 mm; 16K 195 x 270 mm; 16K 184 x 260 mm; 16K 197 x 273 mm; Postcard (JIS); Envelope B5; Envelope C5; Envelope DL; A5-R   |
| <b>Media sizes supported</b>                     | 102 x 127 mm to 216 x 356 mm   |
| <b>Media sizes supported, key</b>                | 4 x 6 in; Letter; Legal; Envelopes   |
| <b>Media sizes supported, key</b>                | 10 x 15 cm; A4; Envelopes  |
| <b>Media sizes, custom</b>                       | 76 x 127 mm to 216 x 356 mm  |
| <b>Media sizes, custom</b>                       | 3 x 5 in to 8.5 x 14 in  |
| <b>Media type and capacity, tray 1</b>           | 1 sheet for all media type   |
| <b>Media type and capacity, tray 2</b>           | Sheets: Up to 250; Transparencies: Up to 10mm; Envelope: Up to 10  |
| <b>Media types</b>                               | Paper (bond, brochure, colored, glossy, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock  |
| <b>Media weight (tray 1)</b>                     | 60 to 163 g/m <sup>2</sup> Paper; Up to 176 g/m <sup>2</sup> with postcards; Up to 200g/m <sup>2</sup> Glossy Papers   |
| <b>Media weight (tray 2)</b>                     | 60 to 163 g/m <sup>2</sup> Paper; Up to 176 g/m <sup>2</sup> with postcards; Up to 200g/m <sup>2</sup> Glossy Papers   |
| <b>Media weight, supported</b>                   | 60 to 163 g/m <sup>2</sup> Paper; Up to 176 g/m <sup>2</sup> with postcards; Up to 200g/m <sup>2</sup> Glossy Papers   |
| <b>Media weight, supported</b>                   | 16 to 43 lb Paper (Bond); Up to 47 lb (Bond) with postcards; Up to 52 lb (Bond) Glossy Papers  |
| <b>Memory</b>                                    | 256 MB   |
| <b>Metric depth</b>                              | ~420mm, just product depth only  |
| <b>Metric height</b>                             | ~255mm, just product height  |
| <b>Metric width</b>                              | ~390mm, just product width   |
| <b>Minimum System Requirements</b>               | Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection  |
| <b>Minimum System Requirements for Macintosh</b> | Apple® macOS 12.0 Monterey; macOS 13.0 Ventura; macOS v14 Sonoma; 2GB HD; Internet required  |
| <b>Model number</b>                              | 3203dw   |
| <b>Number of users</b>                           | 3-10 Users   |
| <b>Operating humidity range</b>                  | 10 to 80% RH   |
| <b>Operating temperature range</b>               | 59 to 86°F   |
| <b>Operating temperature range</b>               | 15 to 30°C   |
| <b>Output capacity</b>                           | Up to 100 sheets @ 75gsm ( or Up to 15mm stack)  |
| <b>Package dimensions (W x D x H)</b>            | 497 x 331 x 510 mm   |
| <b>Package dimensions (W x D x H)</b>            | 19.57 x 13.03 x 20.08 in   |

|   |  |
|---|--|
| <b>Package weight</b>                       | 37.3 lb  |
| <b>Package weight</b>                       | 16.9 kg  |
| <b>Page yield (set-up/inbox cartridges)</b> | 4 preinstalled HP LaserJet Introductory Toner cartridges (~600 pages black, ~500 pages cyan, magenta, yellow composite yield)  |
| <b>Pallet dimensions</b>                    | 47.24 x 39.37 x 80.35 in   |
| <b>Pallet dimensions (W x D x H)</b>        | 1200 x 1000 x 2041 mm  |
| <b>Pallet weight</b>                        | 1045.4 lb  |
| <b>Pallet weight</b>                        | 474.2 kg   |
| <b>Paper handling input, standard</b>       | 250 sheets Main Input Tray; 1 sheet Priority Feed Tray   |
| <b>Paper handling output, standard</b>      | 100 sheets Output Tray   |
| <b>Paper trays, maximum</b>                 | 2  |
| <b>Paper trays, standard</b>                | 2  |
| <b>Photo (product photo, jpg, 70x100)</b>   | Printers and Multifunction/hp-laserjet-m1319-mfp-series_70x100.jpg   |
| <b>Power</b>                                | 220-volt input voltage: 220 – 240V ( $\pm 10\%$ ) @ 50Hz $\pm 3$ Hz, 60Hz $\pm 3$ Hz; 110-volt input voltage: 110 – 127V ( $\pm 10\%$ ) @ 50Hz $\pm 3$ Hz, 60Hz $\pm 3$ Hz (Not dual voltage, product varies by part number with # Option code identifier)   |
| <b>Print Cartridges/Bottle, Number</b>      | 4 (1 each black, cyan, magenta, yellow)  |
| <b>Print Technology</b>                     | Laser  |
| <b>Print colors</b>                         | Yes  |
| <b>Print languages</b>                      | HP PCL6, PostScript, HP PCL5, PDF, URF, PWG-Raster, JPEG   |
| <b>Print quality black (normal)</b>         | 600 x 600 dpi  |
| <b>Print resolution color (normal)</b>      | 600 x 600 dpi  |
| <b>Print speed black (Landscape, A5)</b>    | Up to 43 ppm   |
| <b>Print speed black (Portrait, A5)</b>     | Up to 5 ppm  |
| <b>Print speed color (Portrait, A5)</b>     | Up to 5 ppm  |
| <b>Print speed duplex (A4)</b>              | Up to 15 ipm   |
| <b>Print speed duplex (A4)</b>              | Up to 15 ipm   |
| <b>Print speed duplex (letter)</b>          | Up to 15.5 ipm   |
| <b>Print speed duplex (letter)</b>          | Up to 15.5 ipm   |
| <b>Print speed footnote (A5)</b>            | [9] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <a href="https://www.hp.com/go/printerclaims">https://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity. |
| <b>Print speed footnote number (A5)</b>     | [9]  |
| <b>Print technology</b>                     | Laser  |
| <b>Printer Management</b>                   | HP Web Jetadmin  |

|  |  |
|--|--|
| <b>Processor speed</b>                           | 1.2 GHz  |
| <b>Product long name specifications</b>          | HP Color LaserJet Pro 3203dw, Color Printer for Small medium business, Print, Wireless; Print from phone or tablet; Two-sided printing; TerraJet cartridge   |
| <b>Product short name specifications</b>         | HP LaserJet Pro 3203dw Wireless Multifunction Color Printer, Duplex  |
| <b>Production CO2e (kg)</b>                      | 146  |
| <b>Quantity per pallet</b>                       | 28   |
| <b>Recommended monthly page volume</b>           | 150 to 2,500 <sup>[11]</sup>   |
| <b>Recommended monthly page volume note</b>      | [11] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.   |
| <b>Recommended operating humidity range</b>      | 30 to 70% RH   |
| <b>Recommended operating temperature range</b>   | 59 to 80.6°F   |
| <b>Recommended operating temperature range</b>   | 15 to 27°C   |
| <b>Replacement cartridges footnote</b>           | [3] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="https://www.hp.com/go/toneryield">https://www.hp.com/go/toneryield</a>   |
| <b>Safety</b>                                    | IEC 60950-1:2005 +A1:2009 +A2:2013; IEC 62368-1:2014; EN 62368-1:2014 +A11:2017; IEC 62368-1:2018; EN IEC 62368-1:2020 +A11:2020; EN 60825-1:2014+A11:2021; IEC 60825-1:2014; EN 62479:2010; IEC 62479:2010; CSA C22.2 62368-1:19 3rd Ed; CSA C22.2 62368-1-14 2nd Ed; UL62368-1 2nd Ed; UL62368-1 3rd Ed, Complies with FDA performance standards for laser products except for conformance with IEC 60825-1 Ed.3.,as described in Laser Notice No. 56, dated May 8, 2019; Other safety approvals as required by individual countries |
| <b>Security management</b>                       | Device Unique Password, Enable/Disable USB Ports, EWS Session Timeout, Access Control for Device Features, Remote Scan Enable/Disable  |
| <b>Segment (filter)</b>                          | Small medium business  |
| <b>Standard media sizes (duplex)</b>             | A4; A5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio; Oficio (216 x 340 mm); A5R; B5 (JIS)   |
| <b>Standard media sizes (duplex, imperial)</b>   | Letter; Legal; Executive; Oficio (8.5 x 13 in); 16k; 8.5 x 13 in; A4; B5(JIS)  |
| <b>Standard output capacity (envelopes)</b>      | Up to 10 envelopes   |
| <b>Standard output capacity (transparencies)</b> | Up to 10 mm stack  |
| <b>Storage</b>                                   | 0.512GByte (4Gbits) NAND Flash   |
| <b>Storage device and direct print support</b>   | Wi-Fi Direct; Print  |
| <b>Storage temperature range</b>                 | -4 to 140°F  |

|   |  |
|---|--|
| <b>Storage temperature range</b>                      | -20 to 60°C  |
| <b>Target user and print volume</b>                   | For teams up to 7 users; Prints up to 2,500 pages/month  |
| <b>Tariff numbers</b>                                 | 8443321010   |
| <b>Technology logo 2</b>                              | AHID/461085c1b740909bae1c0b88638e669f7e1c8782  |
| <b>Technology logo 3</b>                              | AHID/0e41ea2a916263d4c3403cc03016fcaae7311969  |
| <b>Technology logo 4</b>                              | AHID/6ccf9d4446c01c859534a2fb7659263b9b01ddf4  |
| <b>Technology logo 5</b>                              | Publication logos/Mopria wyh.jpg   |
| <b>Technology logo 6</b>                              | AHID/7dd3918e9ff935d45aab890d745b678a5e8bb273  |
| <b>Telecom compliance (fax capability)</b>            | Wireless: EU RED 2014/53/EU; EN 301 489-1 V2.2.3 / EN 301 489-17: V3.2.4; EN 300 328: V2.2.2 / EN301 893 V2.1.1/ EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Subpart B, Class B / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC62311:2020; EN62311:2008; Other Telecom approvals as required by individual countries  |
| <b>Top key features</b>                               | Wireless; Print from phone or tablet; Two-sided printing; TerraJet cartridge   |
| <b>Total CO2e (kg)</b>                                | 240<br><i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 &amp; ISO 14044. Individual values may not sum to total due to rounding.)</i> |
| <b>Transportation CO2e (kg)</b>                       | 5  |
| <b>Typical electricity consumption (TEC) footnote</b> | [5] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.  |
| <b>Typical electricity consumption (TEC) number</b>   | 0.272 kWh/week (Energy Star) <sup>[5]</sup>  |
| <b>UNSPSC code</b>                                    | 43212105   |
| <b>UPC number</b>                                     | (AB0) 196786387968; (ACJ) 196786388040; (ACQ) 196786388071; (B13) 196786388125; (B19) 196786388149; (BBU) 196786388170   |
| <b>Warm-up time</b>                                   | As fast as 55 sec  |
| <b>What is in the box footnote</b>                    | [2] For yield information on the cartridge(s) included with your printer, see <a href="https://www.hp.com/go/toneryield">https://www.hp.com/go/toneryield</a> . Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.   |

[1] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.

[2] For yield information on the cartridge(s) included with your printer, see <https://www.hp.com/go/toneryield> . Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

*[3] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <https://www.hp.com/go/toneryield> .*

*[5] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.*

*[6] Windows Server 2016, Windows Server 2019, Windows Server 2022, Linux (For more information see <https://www.developers.hp.com/hp-linux-imaging-and-printing> )*

*[7] Product Weight Inclusive of Starter Supplies*

*[11] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.*

---

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP TerraJet Toner Cartridges

|  |        |
|--|--------|
| HP 222A Black Original LaserJet Toner Cartridge              | W2220A |
| HP 222A Cyan Original LaserJet Toner Cartridge               | W2221A |
| HP 222A Magenta Original LaserJet Toner Cartridge            | W2223A |
| HP 222A Yellow Original LaserJet Toner Cartridge             | W2222A |
| HP 222X High Yield Black Original LaserJet Toner Cartridge   | W2220X |
| HP 222X High Yield Cyan Original LaserJet Toner Cartridge    | W2221X |
| HP 222X High Yield Magenta Original LaserJet Toner Cartridge | W2223X |
| HP 222X High Yield Yellow Original LaserJet Toner Cartridge  | W2222X |

## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Consumer Care Pack Services

HP 3 Year Return to Depot for Laserjet - H SVC

UH764E

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (sa-en) – Jun 19, 2026 2:54 PM UTC+0000