



# HP OfficeJet Pro 8123 All-in-One Printer (405W0C)

## Overview

### Print at home like a Pro.



Say hello to the professional colour inkjet printer for your home office from the World's #1 Printer Company, paired with the easiest-to-use print app. From notes to presentations, enjoy easy printing designed to make you succeed at work.[1,2]

### Reliable technology uniquely built to work at home

Say goodbye to noisy printing and stay focused on your work with quiet mode.

### Driving innovation with 45% recycled plastic[5]

Choose printers made with at least 45% recycled plastic.[5]

### Print from your couch with the best print app[2]

Print, scan, copy, or fax right from your smartphone with the best and easiest-to-use print app.[2]

---

[1] Based on 2022 Q4 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2022 Q4 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

[2] Compared to OEM printing apps for the majority of top-selling, network-capable inkjet/laser printers and all-in-ones for the home and office, priced ≤\$450 USD. Printers selected by market share as reported by IDC Quarterly Hardcopy Peripherals Tracker – Final Historical CYQ1 2023. Claim based on research of printer manufacturer's print apps and Keypoint Intelligence hands-on testing and study commissioned by HP, July 2023. For details, please see: [keypointintelligence.com/HPSmartapp](https://keypointintelligence.com/HPSmartapp). Requires HP app download available at [www.hp.com/go/mobileprinting](https://www.hp.com/go/mobileprinting). Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only via mobile app. List of supported operating systems available in app stores. See details at [www.hpsmart.com](https://www.hpsmart.com).

[5] Percentage of recycled plastic is calculated by plastic total weight.

## Specifications

<b>Print Resolution Technologies</b>	HP Thermal Inkjet
<b>Print quality black (best)</b>	1200 x 1200 rendered dpi
<b>Print quality color (best)</b>	Up to 4800 x 1200 optimized dpi on HP Advance Photo Paper 1200 x 1200 dpi input
<b>Print speed black (ISO, A4)</b>	Up to 20 ppm
<b>Print speed black (ISO, letter)</b>	Up to 20 ppm
<b>Print Speed Color (ISO)</b>	Up to 10 ppm
<b>Print speed color (ISO)</b>	Up to 10 ppm
<b>Print speed</b>	Print speed up to 20 ppm (black) and 10 ppm (color)
<b>Bottom margin (A4)</b>	2.9 mm
<b>Left margin (A4)</b>	2.9 mm
<b>Right margin (A4)</b>	2.9 mm
<b>Top margin (A4)</b>	2.9 mm
<b>Functions</b>	Print, copy, scan
<b>Duplex printing</b>	Automatic (standard)
<b>Duty cycle (monthly, A4)</b>	Up to 20,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 20,000 pages <sup>[7]</sup>
<b>Printer smart software features</b>	Color Mode: Color/Grayscale using black only/Grayscale using CMYK black; Two-sided Printing: Nnone/Flip on Long Edge/Flip on Short Edge; Pages per Sheet: 1,2,4,6,9,16; Pages per Sheet Layout: Right, then Down/Down, then Right/Left, then Down/Down, then Left; Page Border: On/Off; Print Quality: Normal/Draft/Best/Maximum dpi; Copy count; Collate; Orientation: Portrait/Landscape; Paper Size; Paper Source; Media Type; Booklet Printing: Off/Left binding/Right binding; Watermarks; Page Order: Front to Back/Back to Front; HP EasyColor: Off/Conservative/Automatic; Borderless Printing: Off/On; Presets
<b>Copier smart software features</b>	Two-Sided; Lighter/Darker; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Enhancements
<b>Scanner advanced features</b>	Smart Tasks shortcuts: 1-click customizable scan to cloud destinations, email, and print; Smart Tasks destinations: Dropbox, Google Drive, OneDrive, email recipients
<b>Fax smart software features</b>	Mobile Fax using HP app
<b>Energy savings feature technology</b>	Schedule On and Schedule Off; HP Auto-On/Auto-Off Technology

<b>Replacement cartridges</b>	HP 925 Black Original Ink Cartridge (~500 pages) 4K0V9PA; HP 925 Cyan Original Ink Cartridge (~400 pages) 4K0V6PA; HP 925 Magenta Original Ink Cartridge (~400 pages) 4K0V7PA; HP 925 Yellow Original Ink Cartridge (~400 pages) 4K0V8PA; HP EvoMore planned to be available April 2024: HP 925e EvoMore Black Original Ink Cartridge (~1,000 pages) 4K0W3PA; HP 925e EvoMore Cyan Original Ink Cartridge (~800 pages) 4K0W0PA; HP 925e EvoMore Magenta Original Ink Cartridge (~800 pages) 4K0W1PA; HP 925e EvoMore Yellow Original Ink Cartridge (~800 pages) 4K0W2PA Actual yield varies considerably based on content of printed pages and other factors. For details, see <a href="https://www.hp.com/go/learnaboutsupplies">https://www.hp.com/go/learnaboutsupplies</a>
<b>Connectivity, standard</b>	1 Ethernet; 1 Hi-Speed USB 2.0 (device); 1 Wi-Fi 802.11 a/b/g/n/ac (dual band)
<b>Network capabilities</b>	Yes, via built-in Ethernet; Wireless 802.11 a/b/g/n/ac
<b>Wireless capability</b>	Yes, with built-in dual-band Wi-Fi 802.11 a/b/g/n/ac and a self-heal solution
<b>Mobile printing capability</b>	Chrome OS; HP app; Apple AirPrint™; Wi-Fi® Direct Printing; Mopria™ certified
<b>Network protocols, supported</b>	Supported Network Protocols configurations (IPv4, IPv6); DHCPv4, DHCPv6; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; LLMNR; Bonjour/mdNS; LP/ APIPA (Auto IP); NetBIOS/WINS; Port9100; DNS Resolver; SNMPv1/v2; Web Services Discovery; Web Services Print; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP) & 802.1x Wired
<b>Software included</b>	HP Printer Software
<b>Compatible Operating Systems</b>	Windows 11; Windows 10; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS <i>(Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit; Linux (For more information see <a href="http://developers.hp.com/hp-linux-imaging-and-printing">http://developers.hp.com/hp-linux-imaging-and-printing</a>))</i>
<b>Technical features</b>	ADF; Automatic two-sided printing; Wireless; Wireless Direct; Touchscreen; HP Printables; Self-healing WiFi
<b>Sustainability specifications</b>	Contains ocean-bound recycled plastic; Recyclable through HP Planet Partners; FSC Certified Packaging
<b>Energy star certified</b>	No
<b>Blue Angel compliant</b>	No, please refer to the ECI (Ecolabel Comparison Information) document
<b>Copy speed black (best, A4)</b>	Up to 3 cpm
<b>Copy speed black (best, letter)</b>	Up to 3 cpm
<b>Copy speed color (best, A4)</b>	Up to 2 cpm
<b>Copy speed color (best, letter)</b>	Up to 2 cpm
<b>Digital sending standard features</b>	Scan to Email; Scan to Computer
<b>Scan speed (normal, A4)</b>	Up to 8 ppm (200 ppi, b&w), up to 3.5 ppm (200 ppi, color)
<b>Scan speed (normal, letter)</b>	Up to 8 ppm (200 ppi, b&w), up to 3.5 ppm (200 ppi, color)
<b>Scan file format</b>	JPG, BMP, TIFF, PDF, RTF, TXT, PNG
<b>Scan input modes</b>	Front-panel scan, copy, HP Software, EWS, Mobile apps
<b>Scan technology</b>	Contact Image Sensor (CIS)

<b>Scanner type</b>	Flatbed, 1-sided ADF
<b>Display</b>	2.7" (6.86 cm) Capacitive Touchscreen CGD
<b>Dimensions (W x D x H)</b>	460 x 337.5 x 233 mm
<b>Dimensions (W x D x H)</b>	18.11 x 13.29 x 9.17 in
<b>Weight</b>	8.0 kg
<b>Weight</b>	17.6 lb
<b>Power consumption</b>	4.07 watts (ready), 1.02 watts (sleep), 0.11 watts (manual-off) <sup>[3]</sup>
<b>Power supply type</b>	Internal (Built-in) Universal Power Supply
<b>What's in the box</b>	HP OfficeJet Pro 8123 All-in-One Printer; HP 925 Setup Black Ink Cartridge; HP 925 Setup Cyan Ink Cartridge; HP 925 Setup Magenta Ink Cartridge; HP 925 Setup Yellow Ink Cartridge; Power Cord; Regulatory Flyer; Ink Caution Flyer; Setup Poster; Reference Guide <sup>[8]</sup>
<b>Manufacturer Warranty</b>	Standard one-year HP commercial hardware warranty. Three-year HP commercial hardware warranty after registration within 60 days of purchase (see <a href="http://www.hp.com/eu/3yearwarranty">www.hp.com/eu/3yearwarranty</a> ). Warranty and support options vary by product, country and local legal requirements.

## Additional specifications

<b>Acoustic power emissions (active, printing)</b>	6.6 B(A) (printing at 16ppm)
<b>Acoustic pressure emissions</b>	60 dB(A) (printing at 16ppm)
<b>Additional information about HP</b>	<a href="https://www.hp.com">https://www.hp.com</a>
<b>Additional information about HP in the countries</b>	<a href="https://www.hp.com/uk">https://www.hp.com/uk</a>
<b>Automatic document feeder capacity</b>	Standard, 35 sheets
<b>Automatic paper sensor</b>	No
<b>Bit depth</b>	24-bit
<b>Borderless printing</b>	Yes, on Photo & brochure only (up to 8.5 x 11 in US Letter, 210x297 mm in A4)
<b>Cable included</b>	No, please purchase USB cable separately
<b>Camera phone supported</b>	Yes
<b>Cartons per layer</b>	AMS/AP: 8; EMEA: 6
<b>Color</b>	Light cement
<b>Color copy capability</b>	Yes
<b>Color or black</b>	Color
<b>Color scanning</b>	Yes
<b>Compatible Network Operating Systems</b>	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS
<b>Compliance alliances</b>	Digital compliance alliances: Wi-Fi Alliance; BT Sig; Mopria.
<b>Connection type</b>	Wireless
<b>Control panel</b>	2.7" (6.86 cm) touchscreen control panel with CGD (color graphic display); 3 buttons: (home, help, back)
<b>Copier settings</b>	Number of Copies; Sided; Lighter/Darker; Resize; Quality; Paper Size; Paper Type; Collate
<b>Copies, maximum</b>	Up to 99 copies
<b>Copy Speed Black (maximum, A4)</b>	Up to 25 cpm
<b>Copy Speed Color (maximum, A4)</b>	Up to 17 cpm
<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (black graphics)</b>	Up to 600 dpi
<b>Copy resolution (black text)</b>	Up to 600 dpi
<b>Copy resolution (color text and graphics)</b>	Up to 600 dpi
<b>Copy speed black (ISO)</b>	Up to 12 cpm

<b>Copy speed color (ISO)</b>	Up to 6 cpm
<b>Copy speed color (draft, letter)</b>	Up to 17 cpm
<b>Count of layers in pallet</b>	AMS: 6; EMEA/AP: 5
<b>Datasheet photo 1</b>	AHID/fda107ef337f854e561cea0d917a64eb71978784
<b>Datasheet photo 2</b>	AHID/423293d519404f12edf84e8b746939a774d27db5
<b>Dimensions with trays up (W x D x H)</b>	460 x 375.8 x 233 mm
<b>Duty cycle note</b>	Duty cycle is the maximum number of pages that can be printed in a month, but this page volume is not recommended on an ongoing basis.
<b>Dynamic security</b>	Dynamic security enabled printer
<b>Electromagnetic compatibility</b>	CISPR 32:2015 / EN 55032:2015 Class B; CISPR 24:2010 / EN 55024:2010; CISPR 35:2016 / EN 55035:2017+A11:2020; EN 61000-3-2:2014 / IEC 61000-3-2:2014; EN 61000-3-3:2013 / IEC 61000-3-3:2013; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15 Class B ICES-003, Issue 7; Class B VCCI V-3:2015.
<b>End of Life CO2e (kg)</b>	3
<b>Energy Usage CO2e (kg)</b>	11
<b>Enhanced scanning resolution</b>	Up to 1200 dpi
<b>Envelope Feeder</b>	No
<b>Fax Memory Note</b>	NA
<b>File Format Supported</b>	PDF; TIFF; JPEG
<b>Finished output handling</b>	Sheet feed
<b>First copy out black (letter)</b>	As fast as 13 sec
<b>First copy out color (letter)</b>	As fast as 19 sec
<b>First page out black (A4, ready)</b>	As fast as 15 sec
<b>First page out black (letter, ready)</b>	As fast as 15 sec
<b>First page out color (A4, ready)</b>	As fast as 18 sec
<b>First page out color (letter, ready)</b>	As fast as 18 sec
<b>Geographic availability</b>	NA, EMEA, APJ
<b>Image scaling or enlargement range</b>	25 to 400%
<b>Ink types</b>	Pigment-based (black and color)
<b>Input capacity</b>	Up to 225 sheets
<b>Internal Storage</b>	N.A.
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 10 envelopes
<b>Maximum Memory</b>	512 MB DDR3 SDRAM

<b>Maximum dimensions (W x D x H)</b>	18.11 x 20.28 x 9.17 in
<b>Maximum dimensions (W x D x H)</b>	460 x 515 x 233 mm
<b>Maximum input capacity (10x15cm photos)</b>	Up to 60 sheets
<b>Maximum input capacity (4x6 photo)</b>	Up to 60 sheets
<b>Maximum input capacity (cards)</b>	Up to 60 sheets
<b>Maximum input capacity (photo paper)</b>	Up to 60 sheets
<b>Maximum input capacity (sheets)</b>	Up to 225 sheets
<b>Maximum output capacity (cards)</b>	Up to 10 sheets
<b>Maximum output capacity (envelopes)</b>	Up to 10 envelopes
<b>Maximum output capacity (photo paper)</b>	Up to 10 sheets
<b>Maximum output capacity (sheets)</b>	Up to 60 sheets
<b>Maximum print area</b>	210 x 297 mm
<b>Media sizes supported</b>	Letter; Legal; Government Legal; Executive; Statement; 4 x 6 in; 5x5 in; 5 x 7 in; 13 x 18 cm; 8 x 10 in; 10 x 15 cm; L; Photo 2L; Envelope( #10, Monarch, 5.5 bar); Card (4 x 6 in, 5 x 8 in)
<b>Media sizes supported</b>	A4, A5, A6, B5(JIS), Card (A4, Hagaki); Photo (13 x 18 cm, 10 x 15 cm); Envelope (A2, C5, C6, DL, Chou #3, Chou #4); 8.5 x 13 in
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; Envelopes
<b>Media sizes supported, key</b>	10 x 15 cm; A4; Envelopes
<b>Media sizes, custom</b>	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm
<b>Media sizes, custom</b>	Tray 1: 3 x 5 to 8.5 x 14 in
<b>Media types</b>	Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Thick Plain Paper, Light/Recycled Plain Paper, HP Tri-fold Brochure Paper, Glossy
<b>Media weight, recommended</b>	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)
<b>Media weight, recommended</b>	60 to 105 g/m <sup>2</sup> (plain); 220 to 280 g/m <sup>2</sup> (photo); 75 to 90 g/m <sup>2</sup> (envelope); 163 to 200 g/m <sup>2</sup> (card)
<b>Media weight, supported</b>	60 to 105 g/m <sup>2</sup> (plain); 220 to 280 g/m <sup>2</sup> (photo); 75 to 90 g/m <sup>2</sup> (envelope); 163 to 200 g/m <sup>2</sup> (card)
<b>Media weight, supported</b>	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)
<b>Memory</b>	256 MB
<b>Minimum System Requirements</b>	Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge

<b>Minimum System Requirements for Macintosh</b>	Apple® macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura; 2 GB HD; Internet required
<b>Model number</b>	8123
<b>Multitasking supported</b>	Yes
<b>Number of users</b>	1-5 Users
<b>Operating altitude</b>	10,000 ft
<b>Operating altitude</b>	3000 m
<b>Operating humidity range</b>	20 to 80% RH
<b>Operating temperature range</b>	41 to 104°F
<b>Operating temperature range</b>	5 to 40°C
<b>Orderable supplies</b>	HP 925 Black Original Ink Cartridge 4KOV9PA; HP 925 Cyan Original Ink Cartridge 4KOV6PA; HP 925 Magenta Original Ink Cartridge 4KOV7PA; HP 925 Yellow Original Ink Cartridge 4KOV8PA; HP EvoMore planned to be available April 2024: HP 925e EvoMore Black Original Ink Cartridge 4KOW3PA; HP 925e EvoMore Cyan Original Ink Cartridge 4KOW0PA; HP 925e EvoMore Magenta Original Ink Cartridge 4KOW1PA; HP 925e EvoMore Yellow Original Ink Cartridge 4KOW2PA
<b>Output capacity</b>	Up to 60 sheets
<b>Output file format</b>	JPEG,PNG,TIFF
<b>Package dimensions (W x D x H)</b>	19.92 x 11.73 x 16.06 in
<b>Package dimensions (W x D x H)</b>	506 x 298 x 408 mm
<b>Package weight</b>	22.44 lb
<b>Package weight</b>	10.21 kg
<b>Page yield (set-up/inbox cartridges)</b>	~255 pages black, ~270 pages cyan, magenta, yellow composite
<b>Pallet dimensions</b>	AMS: 48 x 40 x 101.46 in; EMEA: 47.24 x 39.37 x 86.46 in; AP: 48 x 40 x 86.30 in
<b>Pallet dimensions (W x D x H)</b>	1200 x 1000 x 2196 mm
<b>Pallet weight</b>	AMS: 1147 lb; EMEA: 735 lb; AP: 964 lb
<b>Pallet weight</b>	334 kg
<b>Paper handling input, standard</b>	225-sheet input tray, 35-sheet ADF
<b>Paper handling output, standard</b>	60-sheet output tray
<b>Paper trays, maximum</b>	1
<b>Paper trays, standard</b>	1
<b>Plug and play</b>	Auto Wireless Connect; HP Smart Install
<b>Power</b>	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz
<b>Print Cartridge/Bottle, Color(s)</b>	Black, cyan, magenta, yellow
<b>Print Cartridges/Bottle, Number</b>	4 (1 each black, cyan, magenta, yellow)
<b>Print Technology</b>	Ink

<b>Print colors</b>	Yes
<b>Print colors maximum</b>	4
<b>Print head nozzles</b>	1760
<b>Print heads</b>	4 (1 each black, cyan, magenta, yellow)
<b>Print languages</b>	HP PCL3 GUI
<b>Print speed black (ISO)</b>	Up to 20 ppm
<b>Print speed black (best, A4)</b>	Up to 3 ppm
<b>Print speed black (best, letter)</b>	Up to 3 ppm
<b>Print speed black (draft, A4)</b>	Up to 29 ppm
<b>Print speed black (draft, letter)</b>	Up to 29 ppm
<b>Print speed color (ISO)</b>	Up to 10 ppm
<b>Print speed color (draft, 4x6 photo)</b>	As fast as 46 sec
<b>Print speed color (draft, A4)</b>	Up to 25 ppm
<b>Print speed color (draft, letter)</b>	Up to 25 ppm
<b>Print speed color (normal, 4x6 photo)</b>	As fast as 49 sec
<b>Print speed duplex (A4)</b>	Up to 10 ipm
<b>Print speed duplex (A4)</b>	Up to 6 ipm
<b>Print speed duplex (draft, A4)</b>	Up to 13 ipm
<b>Print speed duplex (draft, A4)</b>	Up to 14 ipm
<b>Print speed duplex (draft, letter)</b>	Up to 13 ipm
<b>Print speed duplex (draft, letter)</b>	Up to 14 ipm
<b>Print speed duplex (letter)</b>	Up to 10 ipm
<b>Print speed duplex (letter)</b>	Up to 6 ipm
<b>Print technology</b>	HP Thermal Inkjet
<b>Printer drivers included</b>	HP PCL3 GUI
<b>Processor speed</b>	1.2 GHz
<b>Product color</b>	Light Cement
<b>Product logos</b>	Energy Star; "Works with Windows 10" logo; "Wireless; Print; Scan; Copy"; AirPrint™; 2-sided print; 4 individual inks; Mopria™-certified, WiFi certified, MFi, Works with Apple iBeacon, Download on the App Store, Get it on Google Play, Get it from Microsoft, Bluetooth Smart
<b>Product long name specifications</b>	HP OfficeJet Pro 8123 All-in-One Printer, Color Printer for Home and home office, Print, copy, scan, Touchscreen; Quiet mode; Print over VPN with HP+; Wireless
<b>Product name (back)</b>	HP OfficeJet Pro 8123 All-in-One Printer
<b>Product name (front)</b>	HP OfficeJet Pro 8123 All-in-One Printer

<b>Product name (primary)</b>	HP OfficeJet Pro 8123 All-in-One Printer
<b>Product name (secondary)</b>	HP OfficeJet Pro 8123 All-in-One Printer
<b>Product short name specifications</b>	HP OfficeJet Pro 8123 Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner
<b>Production CO2e (kg)</b>	46
<b>Quantity per pallet</b>	AMS: 48; EMEA: 30; AP: 40
<b>Recommended Macintosh system requirements</b>	Apple® macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura; 2 GB HD; Internet required
<b>Recommended monthly page volume</b>	Up to 800 pages
<b>Recommended monthly page volume note</b>	HP recommends the number of pages printed not exceed the recommended monthly page volume for optimum device performance.
<b>Recommended operating humidity range</b>	25 to 75% RH
<b>Recommended operating temperature range</b>	59 to 90°F
<b>Recommended operating temperature range</b>	15 to 32°C
<b>Safety</b>	IEC 60950-1:2005 +A1:2009 +A2:2013; IEC 62368-1:2014; EN 62368-1:2014 +A11:2017; UL 62368-1 & CAN/CSA C22.2 No. 62368-1-14; EN 62311:2008; EN 62479:2010; German GS; EAC; China CCC; Taiwan BSMI
<b>Scan resolution, hardware</b>	Up to 1200 x 1200 dpi
<b>Scan resolution, optical</b>	Up to 1200 dpi
<b>Scan size (ADF), maximum</b>	8.5 x 14 in
<b>Scan size (ADF), maximum</b>	215.9 x 355.6 mm
<b>Scan size (ADF), minimum</b>	5 x 5 in
<b>Scan size (ADF), minimum</b>	127 x 127 mm
<b>Scan size, maximum</b>	8.5 x 11.7 in
<b>Scan size, maximum</b>	215.9 x 297 mm
<b>Security management</b>	SSL/TLS (HTTPS); IPP over TLS; 802.1x Authentication for Ethernet (PEAP and EAP-TLS); WPA2-Enterprise; WPA3-Enterprise; WPA2-Personal; WPA3-Personal; Certificates configuration; Control panel lock; Password protect EWS; Unused protocol and service disablement; Signed firmware; Administrator settings
<b>Segment (filter)</b>	Home and home office
<b>Send to email capability</b>	Yes, PC required
<b>Service &amp; support options</b>	With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through <a href="http://www.hp.com/support">http://www.hp.com/support</a> .
<b>Standard input capacity (cards)</b>	Up to 60 sheets
<b>Standard input capacity (envelopes)</b>	Up to 10 sheets

<b>Standard input capacity (legal)</b>	Up to 225 sheets
<b>Standard media sizes (duplex)</b>	A4; B5; Not supported for borderless photo
<b>Standard media sizes (duplex, imperial)</b>	Letter; executive; Not supported for borderless photo
<b>Standard output capacity (cards)</b>	Up to 10 sheets
<b>Standard output capacity (envelopes)</b>	Up to 10 envelopes
<b>Standard output capacity (legal)</b>	Up to 60 sheets
<b>Storage altitude</b>	4500 m
<b>Storage altitude</b>	15,000 ft
<b>Storage device and direct print support</b>	Front-facing USB/Flash drive; USB printing; Front-facing USB printing; Wireless direct printing
<b>Storage temperature range</b>	-40 to 140°F
<b>Storage temperature range</b>	-40 to 60°C
<b>System requirements, recommended</b>	Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge
<b>Target user and print volume</b>	For teams up to 5 users; Prints up to 800 pages/month
<b>Telecom compliance (fax capability)</b>	EN 301 893 V2.1.1; EN 300 440 V2.1.1.
<b>Top key features</b>	Touchscreen; Quiet mode; Print over VPN with HP+; Wireless
<b>Total CO2e (kg)</b>	60 <i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 &amp; ISO 14044. Individual values may not sum to total due to rounding.)</i>
<b>Transportation CO2e (kg)</b>	3
<b>Twain version</b>	Version 2.4
<b>UNSPSC code</b>	43212104
<b>UPC number</b>	196337379855
<b>Waste electrical and electronic weight</b>	8.0 kg
<b>Web solutions</b>	Wolf Essential Security, Scan to email, HP app
<b>Wireless</b>	802.11a/b/g/n/ac 1x1 (2.4/5GHz) with BT5.0
<b>Wireless technologies</b>	802.11a/b/g/n/ac 1x1 (2.4/5GHz) with BLE

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[7] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement

*[8] For more information about page yields for replacement cartridges see <http://hp.com/go/learnaboutsupplies> for setup cartridges click on Setup supplies link on the same page.*

---

# Services

## HP Care Pack Services

★ : Recommended

### Imaging and Printing Consumer Care Pack Services

HP 3 Year Return to Depot for Officejet - L SVC	UG248E
---	--------

# Ink/Toner/Paper/Printer Supplies

## Ink Supplies

★ : Recommended

### HP Inkjet Printer Cartridges and Ink Supplies

HP 923 CMYK Original Ink Cartridge Club 5-Pack	6C3Y8BN
HP 925 Black Original Ink Cartridge	4K0V9PE
HP 925 Cyan Original Ink Cartridge	4K0V6PE
HP 925 Magenta Original Ink Cartridge	4K0V7PE
HP 925 Yellow Original Ink Cartridge	4K0V8PE

### HP EvoMore Ink Cartridges

HP 925e EvoMore Black Original Ink Cartridge	4K0W3PE
HP 925e EvoMore Cyan Original Ink Cartridge	4K0W0PE
HP 925e EvoMore Magenta Original Ink Cartridge	4K0W1PE
HP 925e EvoMore Yellow Original Ink Cartridge	4K0W2PE

## HP Photo Papers

### HP Photo Papers for inkjet

HP Matte Photo Paper 180 g/m2 10 x 15 cm (101 x 152 mm) 25 sheets	7HF70A
---	--------

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (sa-en) – May 31, 2026 9:26 PM UTC+0000