



# HP OfficeJet Pro 9720 Wide Format All-in-One Printer (53N94C)

## Overview



**Print in wide format like a Pro.**

Wide-format printing designed for teams that demand precision and scale. Print up to A3 with the world's first wide-format printer with P3 colour. Stay protected with HP Wolf Pro Security, our advanced security solution built right in.

### **Wide-format printing for big ideas**

From floor plans to creative concepts, get the ability to print up to A3 wide format.

**Made with at least 30% recycled plastic<sup>[9]</sup>**

### **Security built right in**

Security you don't have to think about — HP Wolf Pro Security keeps your data safe while you stay productive.

## Features



Bring your team's digital designs to life with vivid color printing.



Scan business receipts or save documents to popular cloud apps with the HP app.[3]



Stay connected with reliable, dual-band Wi-Fi®.[8]



Quickly navigate tasks with a 2.7" color touchscreen.



Print more and reload less with the 250-page input tray.

Easily scan and copy multiple pages with a 35-page automatic document feeder.

---

## Specifications

<b>Print Resolution Technologies</b>	HP Thermal Inkjet
<b>Print quality black (best)</b>	Up to 1200 x 1200 rendered dpi
<b>Print quality color (best)</b>	Up to 4800 by 1200 optimized dpi on HP Advance Photo Paper 1200 by 1200 dpi input
<b>Print speed black (ISO, A4)</b>	Up to 22 ppm
<b>Print speed black (ISO, letter)</b>	Up to 22 ppm
<b>Print Speed Color (ISO)</b>	Up to 18 ppm
<b>Print speed color (ISO)</b>	Up to 18 ppm
<b>Print speed</b>	Print speed up to 22 ppm (black) and 18 ppm (color)
<b>Bottom margin (A4)</b>	3.3 mm
<b>Left margin (A4)</b>	3.3 mm
<b>Right margin (A4)</b>	3.3 mm
<b>Top margin (A4)</b>	3.3 mm
<b>Functions</b>	Print, copy, scan
<b>Duplex printing</b>	Automatic (A4/Letter)
<b>Duty cycle (monthly, A4)</b>	Up to 30,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 30,000 pages
<b>Printer smart software features</b>	Color mode: Color/Grayscale using black only/Grayscale using CMYK black, Two-sided Printing: none/Flip on long edge/Flip on short edge, Pages per sheet: 1,2,4,6,9,16, Pages per sheet Layout: Right then Down/Down then Right/Left then Down/Down then Left, Page Borders: On/Off, Print Quality: Normal/Draft/Best/Maximum dpi, Copy count, Collate, Orientation: Portrait/Landscape, Paper Size, Paper Source, Media Type, Booklet printing: Off/Left Binding/Right Binding, Watermarks, Page order: Front to Back/Back to Front, HP EasyColor: Off/Conservative/Automatic, Borderless printing: Off/On, Presets
<b>Scanner advanced features</b>	Smart Task Shortcuts; Scan to Cloud destinations: Dropbox, Google Drive, OneDrive; OCR (Optical Character Recognition); Auto Correct; Smart File Naming; Save as Text File
<b>Energy savings feature technology</b>	Schedule On and Schedule Off
<b>Replacement cartridges</b>	HP 936 Black Original Ink Cartridge (~1,250 pages) 4S6V2LN, HP 936 Cyan Original Ink Cartridge (~800 pages) 4S6U9LN; HP 936 Magenta Original Ink Cartridge (~800 pages) 4S6V0LN; HP 936 Yellow Original Ink Cartridge (~800 pages) 4S6V1LN. HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6V5LN. Actual yield varies considerably based on content of printed pages and other factors. For details, see <a href="https://www.hp.com/go/learnaboutsupplies">https://www.hp.com/go/learnaboutsupplies</a>

<b>Supplies feature</b>	HP Instant Ink eligible
<b>Connectivity, standard</b>	1 Ethernet; 1 Hi-Speed USB 2.0 (device); 1 Wi-Fi 802.11 a/b/g/n/ac (dual band)
<b>Modem</b>	Not Supported
<b>Network capabilities</b>	Yes, via built-in Ethernet; Wireless 802.11 a/b/g/n/ac
<b>Wireless capability</b>	Yes, with built-in dual-band Wi-Fi 802.11 a/b/g/n/ac and a self-heal solution
<b>Mobile printing capability</b>	Chrome OS; HP app; Apple AirPrint™; Mopria™ certified; Wi-Fi® Direct Printing; Mobile Apps
<b>Network protocols, supported</b>	Supported Network Protocols configurations (IPv4, IPv6); DHCPv4, DHCPv6; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; SMTP client;LLMNR; Bonjour/mDNS; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR/LPD; Port9100; DNS Resolver;SNMPv1/v2; Web Services Discovery; Web Services Print;Syslog; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP) & 802.1 Wired
<b>Software included</b>	HP Printer Software
<b>Compatible Operating Systems</b>	Windows 11; Windows 10; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS <sup>[4]</sup> <i>(Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit; Linux (For more information see <a href="http://developers.hp.com/hp-linux-imaging-and-printing">http://developers.hp.com/hp-linux-imaging-and-printing</a>))</i>
<b>Technical features</b>	Borderless Printing; Wireless; AirPrint; Touchscreen; HP Printables; ADF; Automatic two-sided printing; Wireless Direct
<b>Sustainability specifications</b>	Contains ocean-bound recycled plastic; Recyclable through HP Planet Partners; FSC Certified Packaging
<b>Energy star certified</b>	No
<b>Blue Angel compliant</b>	No, please refer to the ECI (Ecolabel Comparison Information) document
<b>Copy speed black (best, A4)</b>	Up to 4 cpm
<b>Copy speed black (best, letter)</b>	Up to 4 cpm
<b>Copy speed color (best, A4)</b>	Up to 4 cpm
<b>Copy speed color (best, letter)</b>	Up to 4 cpm
<b>Digital sending standard features</b>	Scan to PC
<b>Scan speed (normal, A4)</b>	Simplex: Up to 8/6 ipm (B&W/Color 200 ppi)
<b>Scan file format</b>	JPEG, TIFF, PDF, BMP, PNG
<b>Scan input modes</b>	Front-panel scan, copy or from software
<b>Scan technology</b>	CIS
<b>Scanner type</b>	Flatbed, ADF
<b>Display</b>	2.7" Capacitive Touchscreen CGD
<b>Dimensions (W x D x H)</b>	581 x 445 x 306 mm (Cleanout + OP tray not extended)
<b>Dimensions (W x D x H)</b>	22.9 x 17.5 x 12.1 in (Cleanout + OP tray not extended)

<b>Weight</b>	14.60 kg
<b>Weight</b>	32.19 lb
<b>Power consumption</b>	0.11 watts (Manual-Off), 4.67 watts (Standby), 1.17 watts (Sleep) <sup>None</sup>
<b>Power supply type</b>	Internal (Built-in) Universal Power Supply
<b>What's in the box</b>	HP OfficeJet Pro 9720 Wide Format All-in-One Printer; HP 938 Setup Black Ink Cartridge; HP 938 Setup Cyan Ink Cartridge; HP 938 Setup Magenta Ink Cartridge; HP 938 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide; [For more information about fill and yield, see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> ]
<b>Manufacturer Warranty</b>	Standard one-year HP commercial hardware warranty. Three-year HP commercial hardware warranty after registration within 60 days of purchase (see <a href="http://www.hp.com/eu/3yearwarranty">www.hp.com/eu/3yearwarranty</a> ). Warranty and support options vary by product, country and local legal requirements.

## Additional specifications

<b>Acoustic power emissions (active copy)</b>	6.6 B(A)
<b>Acoustic power emissions (active, printing)</b>	6.8 B(A)
<b>Acoustic pressure emissions</b>	61 dBA
<b>Additional information about HP</b>	<a href="https://www.hp.com">https://www.hp.com</a>
<b>Additional information about HP in the countries</b>	<a href="https://www.hp.com/uk">https://www.hp.com/uk</a>
<b>Automatic document feeder capacity</b>	Standard, 35 sheets
<b>Automatic paper sensor</b>	No
<b>Bit depth</b>	24-bit
<b>Borderless printing</b>	Yes (up to A3/11 x 17-in)
<b>Cable included</b>	No, please purchase USB cable separately
<b>Camera phone supported</b>	Yes
<b>Cartons per layer</b>	3
<b>Color</b>	Cement
<b>Color copy capability</b>	Yes
<b>Color or black</b>	Color
<b>Color scanning</b>	Yes
<b>Compatible Network Operating Systems</b>	Windows 11; Windows 10; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS
<b>Connection type</b>	Wireless
<b>Control panel</b>	2.7" (6.86 cm) touchscreen control panel with color graphic display; LED indicator light (WiFi indicator); 3 buttons: (home, help, Back)
<b>Copier settings</b>	Copies; Size; Quality; Lighter/Darker; Paper size; Resize; Paper Type; Two-sided; ID Copy, Collate; binding Margin; Enhancement; Crop; Copy preview
<b>Copies, maximum</b>	Up to 99 copies
<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (black graphics)</b>	Up to 600 dpi
<b>Copy resolution (black text)</b>	Up to 600 dpi
<b>Copy resolution (color text and graphics)</b>	Up to 600 dpi
<b>Copy speed black (ISO)</b>	Up to 18 cpm
<b>Copy speed color (ISO)</b>	Up to 13 cpm
<b>Copy speed note</b>	Copy speeds may vary depending on the type of document.

<b>Count of layers in pallet</b>	6
<b>Datasheet photo 1</b>	AHID/7987ed5140a2c4193673c8a7a8953e3f478b9ce4
<b>Datasheet photo 2</b>	AHID/1c5508c14f4c58a3bc44be425680c2b81d2852e
<b>Dimensions with trays up (W x D x H)</b>	581 x 445 x 306 mm (Cleanout +OP tray not extended); 581 x 849 x 306 mm (Cleanout + OP tray fully extended)
<b>Display</b>	6.86 cm Capacitive Touchscreen CGD
<b>Duty cycle note</b>	Duty cycle is the maximum number of pages that can be printed in a month, but this page volume is not recommended on an ongoing basis.
<b>Dynamic security</b>	Dynamic security enabled printer
<b>Electromagnetic compatibility</b>	CISPR 32:2015+A1:2019/EN 55032:2015+A11:2020 Class B; CISPR 24:2010+A1:2015/EN 55024:2010+A1:2015; CISPR 35:2016/EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013+A1:2019; FCC CFR 47, Part 15 Class B/ICES-003, Issue 7 Class B
<b>End of Life CO2e (kg)</b>	6
<b>Energy Usage CO2e (kg)</b>	5
<b>Envelope Feeder</b>	No
<b>Fax Memory Note</b>	Analog Fax not supported
<b>Fax Polling</b>	No
<b>Fax Remote Retrieval</b>	No
<b>Fax Transmission Speed Note</b>	Analog Fax not supported
<b>File Format Supported</b>	JPEG; PDF; TIFF
<b>First page out black (A4, ready)</b>	As fast as 12 sec
<b>First page out black (letter, ready)</b>	As fast as 12 sec
<b>First page out color (A4, ready)</b>	As fast as 13 sec
<b>First page out color (letter, ready)</b>	As fast as 13 sec
<b>Geographic availability</b>	APJ; EMEA
<b>Ink types</b>	Pigment-based (black and color)
<b>Input capacity</b>	Up to 250 sheets (Tray 1: up to 250 sheets)
<b>Instant ink</b>	Instant Ink eligible
<b>Internal Storage</b>	Not Supported
<b>Junk fax barrier</b>	No
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 30 envelopes
<b>Maximum Memory</b>	512MB

<b>Maximum dimensions (W x D x H)</b>	22.9 x 33.4 x 12.1 in (Cleanout + OP tray fully extended)
<b>Maximum dimensions (W x D x H)</b>	581 x 849 x 306 mm (Cleanout + OP tray fully extended)
<b>Maximum input capacity (10x15cm photos)</b>	Up to 50 sheets
<b>Maximum input capacity (4x6 photo)</b>	Up to 50 sheets
<b>Maximum input capacity (cards)</b>	Up to 50 sheets
<b>Maximum input capacity (labels)</b>	Up to 50 sheets
<b>Maximum input capacity (photo paper)</b>	Up to 50 sheets
<b>Maximum input capacity (sheets)</b>	Up to 250 sheets
<b>Maximum output capacity (cards)</b>	Up to 35 cards
<b>Maximum output capacity (envelopes)</b>	Up to 25 envelopes
<b>Maximum output capacity (photo paper)</b>	Up to 25 Asize sheets, Up to 20 Bsize sheets
<b>Maximum output capacity (sheets)</b>	Up to 75 Asize sheets, Up to 50 Bsize sheets
<b>Maximum print area</b>	297 x 431.8 mm
<b>Media sizes supported</b>	A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki); A3
<b>Media sizes supported</b>	Letter; Legal; Government Legal; Executive; Statement; 3 x 5 in; 4 x 6 in; 4 x 12 in; 5 x 5 in; 5 x 7 in; 8 x 10 in; L; Photo 2L; Envelope( #10, Monarch); Card (3 x 5 in, 4 x 6 in, 5 x 8 in); Tabloid(11x17 in)
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes
<b>Media sizes supported, key</b>	10 x 15 cm; A4; A3; Envelopes
<b>Media sizes, custom</b>	76 x 127 to 297 x 420 mm
<b>Media sizes, custom</b>	3 x 5 to 11.7 x 17 in
<b>Media types</b>	Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Inkjet Hagaki, Plain Paper Thick, Plain Paper Light/Recycled
<b>Media weight, recommended</b>	60 to 105 g/m <sup>2</sup>
<b>Media weight, recommended</b>	16 to 28 lb, bond
<b>Media weight, supported</b>	9 to 66 lb bond (plain media)
<b>Media weight, supported</b>	34 to 250 g/m <sup>2</sup>
<b>Memory</b>	512MB <sup>None</sup>
<b>Memory Slots</b>	None
<b>Minimum System Requirements</b>	Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge

<b>Minimum System Requirements for Macintosh</b>	Apple® macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura; 2 GB HD; Internet required
<b>Model number</b>	9720
<b>Multitasking supported</b>	Yes
<b>Operating altitude</b>	10,000 ft
<b>Operating altitude</b>	Up to 3,000 m
<b>Operating humidity range</b>	20 to 80% RH
<b>Operating temperature range</b>	41 to 104°F
<b>Operating temperature range</b>	5 to 40°C
<b>Orderable product number</b>	53N94C#614; 53N94C#BHG; 53N94C#A6G; 53N94C#AK3; 53N94C#ACJ; 53N94C#AB2;
<b>Orderable supplies</b>	HP 938 Black Original Ink Cartridge 4S6X8P; HP 938 Cyan Original Ink Cartridge (~800 pages) 4S6X5P; HP 938 Magenta Original Ink Cartridge 4S6X6P; HP 938 Yellow Original Ink Cartridge 4S6X7P. HP EvoMore planned to be available April 2024: HP 938e EvoMore Black Original Ink Cartridge 4S6Y2P; HP 938e EvoMore Cyan Original Ink Cartridge 4S6X9P; HP 938e EvoMore Magenta Original Ink Cartridge 4S6Y0P; HP 938e EvoMore Yellow Original Ink Cartridge 4S6Y1P
<b>Output capacity</b>	Up to 75 sheets
<b>Package dimensions (W x D x H)</b>	26.55 x 19.49 x 16.06 in
<b>Package dimensions (W x D x H)</b>	677 x 495 x 408 mm
<b>Package weight</b>	19.50 kg
<b>Package weight</b>	42.90 lb
<b>Page yield (set-up/inbox cartridges)</b>	~800 pages black, ~420 pages cyan, magenta, yellow composite
<b>Pallet dimensions</b>	48 x 40 x 101.3 in
<b>Pallet dimensions (W x D x H)</b>	1220 x 1015 x 2574 mm
<b>Pallet weight</b>	373 kg
<b>Pallet weight</b>	821 lb
<b>Paper handling input, optional</b>	No
<b>Paper handling input, standard</b>	250-sheet input tray
<b>Paper handling output, standard</b>	75-sheet output tray
<b>Paper trays, maximum</b>	1
<b>Paper trays, standard</b>	1
<b>Playbook TS icon 1</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03795768.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03795768.png</a>
<b>Playbook TS icon 3</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08532625.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08532625.png</a>
<b>Playbook TS icon 4</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169153.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169153.png</a>
<b>Playbook TS icon 5</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08532661.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08532661.png</a>
<b>Plug and play</b>	Auto Wireless Connect; HP Smart Install

<b>Power</b>	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz
<b>Power consumption (active copy)</b>	None
<b>Print Cartridge/Bottle, Color(s)</b>	Black, cyan, magenta, yellow
<b>Print Cartridges/Bottle, Number</b>	4 (1 each black, cyan, magenta, yellow)
<b>Print Technology</b>	Ink
<b>Print colors</b>	Yes
<b>Print colors maximum</b>	4
<b>Print head nozzles</b>	Total nozzles= 1568/color * 4 = 6272
<b>Print heads</b>	4 (1 each black, cyan, magenta, yellow)
<b>Print languages</b>	HP PCL3 GUI
<b>Print speed black (ISO)</b>	Up to 22 ppm
<b>Print speed black (best, A4)</b>	Up to 5 ppm
<b>Print speed black (best, letter)</b>	Up to 5 ppm
<b>Print speed black (draft, A4)</b>	Up to 34 ppm
<b>Print speed black (draft, letter)</b>	Up to 34 ppm
<b>Print speed color (ISO)</b>	Up to 18 ppm
<b>Print speed color (draft, A4)</b>	Up to 34 ppm
<b>Print speed color (draft, letter)</b>	Up to 34 ppm
<b>Print technology</b>	HP Thermal Inkjet
<b>Printer drivers included</b>	HP PCL3 GUI
<b>Processor speed</b>	1.2Ghz
<b>Product color</b>	Cement
<b>Product logos</b>	"Compatible with Win10"; Wifi Certified; Energy Star; USB Hi-Speed; "Wireless; Print; Scan; Copy"; logo; Ethernet; 2-sided print; 4 individual inks; Mopria™-certified; AirPrint
<b>Product long name specifications</b>	HP OfficeJet Pro 9720 Wide Format All-in-One Printer, Small medium business, Print, copy, scan, Wireless; Print from phone or tablet; Automatic document feeder; Two-sided printing; Scan to email; Scan to pdf; Touchscreen; Quiet mode
<b>Product short name specifications</b>	HP OfficeJet Pro 9720 Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner
<b>Production CO2e (kg)</b>	87
<b>Quantity per pallet</b>	18
<b>Recommended Macintosh system requirements</b>	Apple® macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura; 2 GB HD; Internet required
<b>Recommended monthly page volume</b>	250 to 1500 pages <sup>[5]</sup>
<b>Recommended monthly page volume note</b>	HP recommends the number of pages printed not exceed the recommended monthly page volume for optimum device performance.

<b>Recommended operating humidity range</b>	25 to 75% RH
<b>Recommended operating temperature range</b>	59 to 90°F
<b>Recommended operating temperature range</b>	15 to 32°C
<b>Safety</b>	IEC 62368-1:2014/EN 62368-1:2014+A11:2017/BS EN 62368-1:2014+A11:2017; IEC 62368-1:2018/EN IEC 62368-1:2020+A11:2020/ BS EN IEC 62368-1:2020+A11:2020; IEC 60950-1:2005+A1:2009+A2:2013; ANSI/UL 62368-1: 3rd Edition; CAN/CSA C22.2 No. 62368-1-19: 3rd Edition; Germany GS (Safety); China CCC; Taiwan BSMI
<b>Scan resolution, hardware</b>	Up to 1200 x 1200 dpi
<b>Scan resolution, optical</b>	Up to 1200 dpi
<b>Scan size (ADF), maximum</b>	216 x 356 mm
<b>Scan size (ADF), maximum</b>	8.5 x 14 in
<b>Scan size, maximum</b>	216 x 356 mm
<b>Scan size, maximum</b>	8.5 x 14 in
<b>Scan speed duplex (normal, A4)</b>	Not Supported
<b>Scan speed duplex (normal, letter)</b>	Not Supported
<b>Security management</b>	SSL/TLS (HTTPS); IPP over TLS; Pre-Shared Key Authentication for Wireless (PSK); Certificates configuration; Control panel lock; Password protect EWS; Signed firmware; Administrator settings
<b>Segment (filter)</b>	Small office
<b>Send to email capability</b>	No
<b>Service &amp; support options</b>	With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through <a href="http://www.hp.com/support">http://www.hp.com/support</a> .
<b>Standard input capacity (cards)</b>	Up to 50 sheets
<b>Standard input capacity (envelopes)</b>	Up to 30
<b>Standard input capacity (legal)</b>	Up to 250 sheets
<b>Standard media sizes (duplex)</b>	A4
<b>Standard media sizes (duplex, imperial)</b>	Letter
<b>Standard memory note</b>	None
<b>Standard output capacity (cards)</b>	Up to 35 cards
<b>Standard output capacity (envelopes)</b>	Up to 25 envelopes
<b>Standard output capacity (labels)</b>	Up to 35 sheets

<b>Standard output capacity (legal)</b>	Up to 75 sheets
<b>Storage altitude</b>	15,000 ft
<b>Storage altitude</b>	4500 m
<b>Storage device and direct print support</b>	Storage devices not supported
<b>Storage temperature range</b>	-40 to 140°F
<b>Storage temperature range</b>	-40 to 60°C
<b>System requirements, recommended</b>	Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge
<b>Target user and print volume</b>	Prints up to 1,500 pages/month
<b>Telecom compliance (fax capability)</b>	EN 300 328 V2.2.2; EN 301 893 V2.1.1; EN 300 440 V2.1.1
<b>Top key features</b>	Wireless; Print from phone or tablet; Automatic document feeder; Two-sided printing; Scan to email; Scan to pdf; Touchscreen; Quiet mode
<b>Total CO2e (kg)</b>	100 <i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 &amp; ISO 14044. Individual values may not sum to total due to rounding.)</i>
<b>Transportation CO2e (kg)</b>	5
<b>Twain version</b>	Version 2.4
<b>UNSPSC code</b>	43212110
<b>UPC number</b>	(A6G) 196337487987; (AB2) 196337487994; (ACJ) 196337488007; (AK3) 196786702440; (BHG) 196786702457; (BHJ) 199764605085
<b>Wireless technologies</b>	802.11 a/b/g/n/ac 1x1 (2.4/5 GHz) with (BLE).

---

[4] Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit)

[5] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

---

# Services

## HP Care Pack Services

★ : Recommended

### Imaging and Printing Consumer Care Pack Services

HP 3 Year Return to Depot for Officejet - H SVC	UG279E
---	--------

# Ink/Toner/Paper/Printer Supplies

## Ink Supplies

★ : Recommended

### HP Inkjet Printer Cartridges and Ink Supplies

HP 937 CMYK Original Ink Cartridge 4-Pack	6C400NE
HP 938 Black Original Ink Cartridge	4S6X8PE
HP 938 Cyan Original Ink Cartridge	4S6X5PE
HP 938 Magenta Original Ink Cartridge	4S6X6PE
HP 938 Yellow Original Ink Cartridge	4S6X7PE

## HP Photo Papers

### HP Photo Papers for inkjet

HP Matte Photo Paper 180 g/m2 10 x 15 cm (101 x 152 mm) 25 sheets	7HF70A
---	--------

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (sa-en) – Jun 15, 2026 3:36 PM UTC+0000