

# HP LaserJet Enterprise M406dn (3PZ15A)

## Overview



HP's entry-level Enterprise-class printer with speeds up to 40 ppm[9] and strongest security.[1]

HP's entry-level Enterprise-class printer with speeds up to 40 ppm[9] and strongest security.[1]

### Easy to use, simple to manage

HP FutureSmart firmware can be updated with the latest features[1] to optimise your investment for years to come.

### Enhanced productivity to empower work teams

Give workgroups what they need to succeed with hundreds of HP and third-party solutions and card reader support.

### HP's most secure printing[3]

The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.

### Sustainability is smart business

Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.[7]

---

[1] Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

[3] HP's most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of HP in-class printers. HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit <http://www.hp.com/go/PrintersThatProtect>.

[7] Dependent upon country setup specifications.

[9] Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

## Specifications

<b>Print Resolution Technologies</b>	300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200
<b>Print quality black (best)</b>	Up to 1200 x 1200 dpi
<b>Print speed black (ISO, A4)</b>	Up to 38 ppm (default); Up to 40 ppm (HP high speed mode)
<b>Print speed</b>	Up to 40 ppm (black)
<b>Bottom margin (A4)</b>	2 mm
<b>Left margin (A4)</b>	2 mm
<b>Right margin (A4)</b>	2 mm
<b>Top margin (A4)</b>	2 mm
<b>Functions</b>	Print
<b>Duplex printing</b>	Automatic (default)
<b>Duty cycle (monthly, A4)</b>	Up to 100,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 100,000 pages
<b>Printer smart software features</b>	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
<b>Energy savings feature technology</b>	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy
<b>Replacement cartridges</b>	HP 59A Black Original LaserJet Toner Cartridge (3,000 pages) CF259A; HP 59X High Yield Black Original LaserJet Toner Cartridge (10,000 pages) CF259X
<b>Supplies feature</b>	HP JetIntelligence Cartridge
<b>Connectivity, standard</b>	1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network
<b>Connectivity, optional</b>	HP Jetdirect LAN Accessory 8FP31A; HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
<b>Network capabilities</b>	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); Second Ethernet port (Optional).
<b>Wireless capability</b>	Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
<b>Mobile printing capability</b>	HP ePrint; Apple AirPrint™; Mopria™ Certified; PrinterOn Print
<b>Network protocols, supported</b>	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD, Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Syslog; Security: SNMPv3, SSL Cert Management, IPSec(IKEv1 and IKEv2), Firewall, 802.1x
<b>Software included</b>	No software solutions are included in the Box only on <a href="http://www.hp.com">http://www.hp.com</a> or <a href="http://www.123.hp.com">http://www.123.hp.com</a>

<b>Compatible Operating Systems</b>	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina
<b>Technical features</b>	ADF; AirPrint; Automatic two-sided printing; Compact size; ENERGY STAR®; HP Auto-On/Auto-Off; HP ePrint; JetIntelligence Toners; Walk-up USB (doc, ppt, pdf, jpg)
<b>Sustainability specifications</b>	Mercury-free
<b>Energy star certified</b>	Yes
<b>Ecolabels</b>	CECP; Blue Angel; EPEAT® Silver India; EPEAT® Silver Australia; EPEAT® Silver Canada; EPEAT® Silver US; ENERGY STAR® certified
<b>Blue Angel compliant</b>	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
<b>Display area (imperial)</b>	2.13 x 1.6 in
<b>Display area (metric)</b>	54 x 40.5 mm
<b>Display</b>	6.75 cm diagonal Colour TFT-LCD back-lit (960 (H) x 240 (V))
<b>Dimensions (W x D x H)</b>	381 x 357 x 220 mm
<b>Dimensions (W x D x H)</b>	15 x 14 x 8.7 in
<b>Weight</b>	~8.5 kg <i>(With Print Cartridges )</i>
<b>Weight</b>	~18.7 lbs <i>(With Print Cartridges)</i>
<b>Power consumption</b>	531 watts (active printing), 8.1 watts (ready), 1.2 watts (sleep), 0.07 watts (auto-off/manual-on), 0.07 watts (manual off) <i>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)</i>
<b>Power supply type</b>	Internal (built-in) Power Supply
<b>What's in the box</b>	HP LaserJet Enterprise M406dn printer; HP Black Original LaserJet Toner Cartridge (~3,000 pages); Getting started Guide; 1 Power cord <sup>[7]</sup>
<b>Manufacturer Warranty</b>	One-year, On-site Repair 24-hour / 7 day a week phone support

## Additional specifications

<b>Acoustic power emissions (active, printing)</b>	6.5 B(A) at 38 ipm
<b>Acoustic power emissions (ready)</b>	Inaudible
<b>Acoustic power note</b>	Configuration tested: base model, simplex printing A4 paper at an average of 38 ipm
<b>Acoustic pressure emissions bystander (active, printing)</b>	54 dB(A) at 38 ipm
<b>Acoustic pressure emissions bystander (ready)</b>	Inaudible
<b>Additional information about HP</b>	<a href="https://www.hp.com">https://www.hp.com</a>
<b>Additional information about HP in the countries</b>	<a href="https://www.hp.com/uk">https://www.hp.com/uk</a>
<b>Automatic paper sensor</b>	No
<b>Blue Angel footnote</b>	[4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.
<b>Business filter</b>	cMPS
<b>Cable included</b>	No, please purchase USB cable separately
<b>Capacity</b>	4 GB eMMC
<b>Cartons per layer</b>	9
<b>Certifications and compliances</b>	TUV and GS Mark (Germany); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.
<b>Color or black</b>	Black and white
<b>Compatible Network Operating Systems</b>	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina; Linux; Citrix; UNIX
<b>Component type</b>	Printer
<b>Control panel</b>	6.85 cm Colour Non-Touch Control Panel with 24 Keypad
<b>Count of layers in pallet</b>	4
<b>Datasheet photo 1</b>	<a href="https://ssl-product-images.www8-hp.com/digmedialib/proding/lowres/c07005920.png">https://ssl-product-images.www8-hp.com/digmedialib/proding/lowres/c07005920.png</a>
<b>Datasheet photo 2</b>	<a href="https://ssl-product-images.www8-hp.com/digmedialib/proding/lowres/c07005866.png">https://ssl-product-images.www8-hp.com/digmedialib/proding/lowres/c07005866.png</a>
<b>Datasheet photo 3</b>	Publication photos/Wrigley_HP LaserJet Enterprise M406dn_3PZ15A_WAP.jpg

**Downloadable software**

From <http://www.123.hp.com>: HP Easy Start (Guided Software Install for Windows and Mac); From <http://www.hp.com> for Windows OS: Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support; From <http://www.hp.com> for Mac OS: HP Mac OS Print Driver, HP Easy Admin; For Mobile OS- iOS: For more information see <http://www.hp.com/go/businessmobileprinting>; Android: For more information see <http://www.hp.com/go/businessmobileprinting>; From <http://www.hp.com> for printer administrators: Printer Administrator Resource Kit (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows; SAP Print Drivers: for more information see <http://www.support.hp.com/us-en/document/c05051702>; HP Web JetAdmin, HP JetAdvantage Security Manager, HP Roam, HPLIP Linux Printer Driver: for more information see <http://www.hplipopensource.com/hplip-web/index.html>; Unix Model Script Printer Driver: for more information see <http://www.hp.com/go/unixmodelscripts>; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to <http://www.support.hp.com>, enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers; Supported Operating systems: For more information on the supported operating systems see <http://www.hp.com/go/upd>

**Driver updates**

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: go to <http://www.hp.com/support/> (country/region may need to be selected), select "Support", select "Software and Drivers", select "Printer", enter a product name/number (the operating system is automatically detected), select a driver or other software, select "Download"

**Dynamic security**

Dynamic security enabled printer

**Ecolabels footnote**

[1] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

**Electromagnetic compatibility**

CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.

**End of Life CO2e (kg)**

11

**Energy Usage CO2e (kg)**

52

**Engine life**

100000

**Envelope Feeder**

No

**Finished output handling**

Sheet feed

**First page out black (A4, ready)**

As fast as 6.5 sec

**First page out black (A4, sleep)**

As fast as 8.8 sec

**First page out black (letter, ready)**

As fast as 6.3 sec

**First page out black (letter, sleep)**

As fast as 8.6 sec

<b>First page out footnote</b>	[9] Measured using ISO/IEC 17629. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<b>Fonts and typefaces</b>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>
<b>Input capacity</b>	Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets)
<b>Internal Storage</b>	Not Applicable to this product
<b>Mac compatible</b>	Yes
<b>Maximum Memory</b>	1 GB
<b>Maximum dimensions (W x D x H)</b>	381 x 781 x 241 mm (printer fully opened)
<b>Maximum dimensions (W x D x H)</b>	15 x 30.8 x 9.5 (printer fully opened)
<b>Maximum input capacity (sheets)</b>	Up to 900 sheets (with Optional 550 sheet tray)
<b>Maximum output capacity (sheets)</b>	Up to 150 sheets
<b>Maximum print area</b>	212 x 352 mm
<b>Media size, tray 1</b>	A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; envelopes (B5, C5 ISO, C6, DL ISO); 76 x 127 to 216 x 356 mm
<b>Media size, tray 2</b>	A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm
<b>Media size, tray 3</b>	A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm
<b>Media sizes supported</b>	Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm
<b>Media sizes supported</b>	Tray 1: letter, legal, oficio, executive, statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, postcard (JIS), double postcard (JIS), 8.5 x 13, envelope (commercial No. 9, No. 10, Monarch); Custom: 3 x 5 to 8.5 x 14 in; Tray 2: letter, executive, statement, 5 x 7, 5 x 8, double postcard (JIS); Custom: 4.1 x 5.8 to 8.5 x 14 in; Optional Tray 3: letter, executive, statement, 5 x 7, 5 x 8, double postcard (JIS); Custom: 4.1 x 5.8 to 8.5 x 14 in
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; Envelopes
<b>Media sizes supported, key</b>	10 x 15 cm; A4; Envelopes
<b>Media sizes, custom</b>	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.1 x 5.8 to 8.5 x 14 in; Optional Tray 3: 4.1 x 5.8 to 8.5 x 14 in
<b>Media sizes, custom</b>	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm
<b>Media type and capacity, tray 1</b>	Sheets: 100; Envelopes: 10
<b>Media type and capacity, tray 2</b>	Sheets: 250
<b>Media type and capacity, tray 3</b>	Sheets: 550 (optional)
<b>Media types</b>	Paper (plain, EcoEFFICIENT, light, heavy, bond, coloured, preprinted, prepunched, recycled, rough); Envelopes; Labels

<b>Media weight (tray 1)</b>	60 to 200 g/m <sup>2</sup>
<b>Media weight (tray 2)</b>	60 to 120 g/m <sup>2</sup>
<b>Media weight (tray 3)</b>	60 to 120 g/m <sup>2</sup>
<b>Media weight, supported</b>	Tray 1: 60 to 175 g/m <sup>2</sup> ; Tray 2, optional 550 sheet tray 3: 60 to 120 g/m <sup>2</sup>
<b>Media weight, supported</b>	Tray 1: 16 to 46.6 lb; tray 2, optional 550-sheet tray 3: 16 to 32 lb
<b>Memory</b>	1 GB
<b>Memory Slots</b>	No DIMM slot
<b>Memory upgrade</b>	Not Applicable to this product
<b>Minimum System Requirements</b>	2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see <a href="http://www.microsoft.com">http://www.microsoft.com</a>
<b>Minimum System Requirements for Macintosh</b>	2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see <a href="http://www.apple.com">http://www.apple.com</a>
<b>Model number</b>	M406dn
<b>Number of users</b>	3-10 Users
<b>Operating humidity range</b>	30 to 70% RH
<b>Operating temperature range</b>	15 to 32.5°C
<b>Operating temperature range</b>	50 to 90.5°F
<b>Output capacity</b>	Up to 150 sheets
<b>Package dimensions (W x D x H)</b>	443 x 278 x 464 mm
<b>Package dimensions (W x D x H)</b>	17.4 x 10.9 x 18.3 in
<b>Package weight</b>	11.37 kg
<b>Package weight</b>	25.1 lb
<b>Page yield (set-up/inbox cartridges)</b>	In box cartridge yields 3,000 black pages based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a> . Pages may vary based on customer printing conditions and usage.
<b>Page yield footnote</b>	[6] Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a>
<b>Pallet dimensions</b>	47.2 x 39.4 x 97.3 in
<b>Pallet dimensions (W x D x H)</b>	1200 x 1000 x 2471 mm
<b>Pallet weight</b>	532.02 kg
<b>Pallet weight</b>	1172.9 lb
<b>Paper handling input, optional</b>	Optional third 550 sheet tray
<b>Paper handling input, standard</b>	100 sheet tray 1, 250 sheet input tray 2
<b>Paper handling output, standard</b>	150 sheet output bin
<b>Paper trays, maximum</b>	3

<b>Paper trays, standard</b>	2
<b>Photo (product photo, jpg, 70x100)</b>	Printing and Digital Imaging/CB515A_70x100.jpg
<b>Power</b>	220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz)
<b>Print Cartridges/Bottle, Number</b>	1 (black)
<b>Print Technology</b>	Laser
<b>Print colors</b>	No
<b>Print languages</b>	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
<b>Print quality black (normal)</b>	Up to 600 x 600 dpi
<b>Print resolution black (fine lines)</b>	Up to 1200 x 1200 dpi
<b>Print speed black (Landscape, A5)</b>	Up to 63 ppm
<b>Print speed duplex (A4)</b>	Up to 31 ipm
<b>Print speed duplex (letter)</b>	Up to 33 ipm
<b>Print speed footnote (A5)</b>	Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<b>Print speed footnote number (A5)</b>	[10]
<b>Print technology</b>	Laser
<b>Printer Management</b>	HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
<b>Printer black pages (MPV black)</b>	1000
<b>Processor speed</b>	800 MHz
<b>Product long name specifications</b>	HP LaserJet Enterprise M406dn, Black and white Printer for Business, Print, Compact Size; Strong Security; Two-sided printing; Energy Efficient; Front-facing USB printing
<b>Product safety</b>	<a href="https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-enterprise-m406-series/model/22732207?sku=3PZ15A&amp;serialnumber=3PZ15A">https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-enterprise-m406-series/model/22732207?sku=3PZ15A&amp;serialnumber=3PZ15A</a> ; <a href="https://kaas.hpcloud.hp.com/pdf-public/pdf_2968165_en-US-1.pdf">https://kaas.hpcloud.hp.com/pdf-public/pdf_2968165_en-US-1.pdf</a>
<b>Product short name specifications</b>	HP LaserJet Enterprise M406dn Black and white Printer, Ethernet Only; Duplex
<b>Production CO2e (kg)</b>	75
<b>Quantity per pallet</b>	36
<b>Recommended media weight (duplex)</b>	16 to 32 lb
<b>Recommended media weight (duplex)</b>	60 to 120 g/m <sup>2</sup>

<b>Recommended monthly page volume</b>	900 to 4,800 pages
<b>Recommended monthly page volume note</b>	HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
<b>Recommended operating humidity range</b>	10 to 90% RH
<b>Recommended operating temperature range</b>	15 to 27°C
<b>Recommended operating temperature range</b>	59 to 80.6°F
<b>Replacement cartridges footnote</b>	[5] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a>
<b>Safety</b>	IEC 60950-1:2005+A1:2009+A2:2013 (International); EN60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; IEC 62368-1:2014; EN 62368-1:2014; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); Other safety approvals as required by individual countries.
<b>Security management</b>	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
<b>Segment (filter)</b>	Business
<b>Standard input capacity (envelopes)</b>	Up to 10 envelopes
<b>Standard media sizes (duplex)</b>	A4; Oficio (216 x 340 mm); RA4
<b>Standard media sizes (duplex, imperial)</b>	Letter; Legal; Oficio (8.5 x 13 in)
<b>Standard output capacity (envelopes)</b>	Up to 10 envelopes
<b>Storage</b>	4 GB eMMC
<b>Storage device and direct print support</b>	Front-facing USB/Flash drive; USB printing
<b>Storage temperature range</b>	-20 to 40°C
<b>Storage temperature range</b>	-4 to 104°F

<b>Target user and print volume</b>	For teams up to 10 users; Prints up to 4,000 pages/month
<b>Top key features</b>	Compact Size; Strong Security; Two-sided printing; Energy Efficient; Front-facing USB printing
<b>Total CO2e (kg)</b>	140 <i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 &amp; ISO 14044. Individual values may not sum to total due to rounding.)</i>
<b>Transportation CO2e (kg)</b>	3
<b>Typical electricity consumption (TEC) footnote</b>	[3] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
<b>Typical electricity consumption (TEC) number</b>	Blue Angel: 1.189 kWh/Week; Energy Star 3.0: 0.462 kWh/Week <sup>[4]</sup>
<b>UNSPSC code</b>	43212105
<b>UPC number</b>	(ABT) 193905233199; (ABY) 193905233205; (ACQ) 193905233212; (B13) 193905481576; (B19) 193905205998; (BAZ) 193905233229
<b>Warm-up time</b>	176 sec
<b>Waste electrical and electronic weight</b>	8.247 kg
<b>Web address for additional information</b>	Solutions: <a href="http://www.hp.com/go/gsc">http://www.hp.com/go/gsc</a> ; Fonts and IPDS Emulation: <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a> ; HP Web Jetadmin: <a href="http://www.hp.com/go/wja">http://www.hp.com/go/wja</a> ; HP Universal Print Driver: <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a> ; HP Imaging & Printing Security Center: <a href="http://www.hp.com/go/ipsc">http://www.hp.com/go/ipsc</a> ; On Demand Cloud Solutions: <a href="http://www.hpjetadvantage.com/ondemand">http://www.hpjetadvantage.com/ondemand</a>
<b>What is in the box footnote</b>	[2] For yield information on the cartridge included with your printer, see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a> . Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

---

[4] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

[7] For yield information on the cartridge included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

---

## Services

### Document & Printing

★ : Recommended

#### Support Services (for Document & Printing)

HP 3 year Next Business Day w/DMR Service for LaserJet Enterprise M40x	U11X8E ★
HP 3 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise M40x	UJ1M0E ★
HP 1 year Post Warranty NBD Onsite with Preferred Access and DMR Service for LaserJet Ent M40x	UJ1M3PE
HP 1 year Post Warranty Next Business Day w/DMR Service for LaserJet Enterprise M40x	U11XSPE
HP 1 year Post Warranty Parts Exchange Service for LaserJet EnterpriseM40x	U11Y0PE
HP 3 year Parts Exchange Service for LaserJet Enterprise M40x (ManagedComponent Only)	U11XNE
HP 4 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise M40x	UJ1M1E
HP 4 year Next Business Day w/DMR Service for LaserJet Enterprise M40x	U11X9E
HP 4 year Parts Exchange Service for LaserJet Enterprise M40x (ManagedComponent Only)	U11XQE
HP 5 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise M40x	UJ1M2E
HP 5 year Next Business Day w/DMR Service for LaserJet Enterprise M40x	U11XBE
HP 5 year Parts Exchange Service for LaserJet Enterprise M40x (ManagedComponent Only)	U11XRE
HP Installation Service with network configuration for Workgroup Printer (1 unit)	U9JT2E

#### Print Security Solutions

HP HID Mobile Access BLE MIFARE Card Reader	35H11B ★
HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A ★
HP HIP2 Card Reader Accessory Kit	8ZN00A ★

#### Print Management Software Solutions - Security

HP Legic Secure USB Reader	4QL32A ★
HP USB Universal Card Reader	X3D03A ★

## Accessories

### Network Print Servers

★ : Recommended

#### External Print Servers

HP Jetdirect 3100w BLE/NFC/Wireless Accessory

3JN69A ★

#### Internal Print Servers

HP Jetdirect LAN Accessory

8FP31A ★

### Paper Handling

#### Input Trays

HP LaserJet Pro 550-sheet Feeder Tray

D9P29A ★

### Printer Accessories

#### LaserJet Options

HP JetDirect 3200w Wifi 6 Bluetooth Wireless Accessory

9R1U0A

## Ink/Toner/Paper/Printer Supplies

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP Black and White Laser Toner Printer Cartridges

HP 59A Black Original LaserJet Toner Cartridge	CF259A
HP 59X High Yield Black Original LaserJet Toner Cartridge	CF259X

### HP Business Papers

#### HP Business Papers for laser

HP Enhanced Business Paper Glossy 150 g/m <sup>2</sup> A4 (210 x 297 mm) 150 sheets	CG965A
HP Professional Business Paper Glossy 200 g/m <sup>2</sup> A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Matte 200 g/m <sup>2</sup> A4 (210 x 297 mm) 150 sheets	7MV80A

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (sa-en) – Jun 13, 2026 6:41 PM UTC+0000