



HP Color LaserJet Enterprise M554dn Printer (7ZU81A)

Overview



HP's mid-level Enterprise-class colour printer with speeds up to 33 ppm[7] and strongest security[1]

HP's most secure printing[1]

The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.

Enhanced productivity to empower workgroups

Give workgroups what they need to succeed. Easily choose and deploy hundreds of HP and third-party solutions.

Easy to use, simple to manage

HP FutureSmart firmware can be updated with the latest features[4] to optimise your investment for years to come.

Sustainability is smart business

Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.[8]

[1] HP's most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit <http://www.hp.com/go/PrintersThatProtect>.

[4] Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

[7] Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.

[8] Dependent upon country setup specifications.

Specifications

Print Resolution Technologies	HP ImageREt 3600, Pantone Calibrated
Print quality black (best)	HP ImageREt 3600
Print quality color (best)	HP ImageREt 3600
Print speed black (ISO, A4)	Up to 33 ppm
Print Speed Color (ISO)	Up to 33 ppm
Print speed color (ISO)	Up to 35 ppm
Print speed	Print speed up to 33 ppm (black) and 35 ppm (colour)
Bottom margin (A4)	2 mm absolute/5 mm assured image
Left margin (A4)	2 mm absolute/5 mm assured image
Right margin (A4)	2 mm absolute/5 mm assured image
Top margin (A4)	2 mm absolute/5 mm assured image
Functions	Print
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 80,000 pages
Duty cycle (monthly, letter)	Up to 80,000 pages
Printer smart software features	Apple AirPrint™, Mopria-certified, HP ePrint, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, 2.7" color display w/10-key, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs
Energy savings feature technology	HP Auto-on/Auto-off Technology; Instant-on Technology
Replacement cartridges	HP 212A Black Original LaserJet Toner Cartridge (5,500 pages) W2120A; HP 212A Cyan Original LaserJet Toner Cartridge (4,500 pages) W2121A; HP 212A Magenta Original LaserJet Toner Cartridge (4,500 pages) W2123A; HP 212A Yellow Original LaserJet Toner Cartridge (4,500 pages) W2122A; HP 212X High Yield Black Original LaserJet Toner Cartridge (13,000 pages) W2120X; HP 212X High Yield Cyan Original LaserJet Toner Cartridge (10,000 pages) W2121X; HP 212X High Yield Magenta Original LaserJet Toner Cartridge (10,000 pages) W2123X; HP 212X High Yield Yellow Original LaserJet Toner Cartridge (10,000 pages) W2122X ^[7]
Supplies feature	HP JetIntelligence Cartridge
Connectivity, standard	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket
Connectivity, optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio wireless networking (optional); Microsoft Universal Print (MUP) support

Wireless capability	Optional, enabled with purchase of a hardware accessory
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™ Certified; ROAM optional for easy printing
Network protocols, supported	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
Software included	No software solutions are included in the Box, only on http://www.hp.com , http://www.123.hp.com
Compatible Operating Systems	Windows Client OS (32/64-bit): Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android; Mac: Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Apple® macOS Catalina v10.15; Discrete PCL6 Printer Driver: for more information on the supported operating systems go to http://www.support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems: for more information on the supported operating systems see http://www.hp.com/go/upd
Sustainability specifications	Mercury free
Energy star certified	Yes
Ecolabels	CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified
Blue Angel compliant	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Display area (imperial)	2.13 x 1.59 in
Display area (metric)	54 x 40.5 mm
Display	6.86 cm (2.7-in) QVGA LCD (colour graphics) display with 24-key pad
Dimensions (W x D x H)	458 x 479 x 400 mm
Dimensions (W x D x H)	18 x 18.9 x 15.7 in
Weight	27.5 kg (With printer cartridges)
Weight	60.6 lb (With printer cartridges)
Power consumption	589 watts (Printing), 28.5 watts (Ready), 2.17 watts (Sleep), 0.07 watts (Auto-Off/Manual On), 0.48 watts (Auto-Off/Auto-On/Wake on LAN) <i>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device)</i>
Power supply type	Internal (built-in) 220V Power Supply

What's in the box

HP Color LaserJet Enterprise M554dn Printer; Four preinstalled HP LaserJet toner cartridges (yield 5,500 pages black, 3,500 pages cyan, magenta, yellow composite); Toner collection unit; In-box documentation; Power Cord^[7]

Manufacturer Warranty

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <http://www.hp.com/support> to learn about HP award winning service and support options in your region.

Additional specifications

Acoustic power emissions (active, printing)	6.4 B(A) (Printing at 33 ppm)
Acoustic power emissions (ready)	4.8 B(A)
Acoustic power note	Acoustic values are subject to change. For current information see http://www.hp.com/support . Configuration tested: base model, simplex printing, A4 paper at an average of 33 ppm.
Acoustic pressure emissions bystander (active, printing)	51 dB(A) (Printing at 33 ppm)
Acoustic pressure emissions bystander (ready)	33 dB(A)
Additional information about HP	https://www.hp.com
Additional information about HP in the countries	https://www.hp.com/uk
Automatic paper sensor	Yes
Blue Angel footnote	Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Blue Angel value typically based on measurement of 230V device.
Cable included	No, please purchase USB cable separately
Capacity	4 GB eMMC
Cartons per layer	4
Certifications and compliances	TUV and GS Mark (Germany); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.
Color or black	Color
Compatible Network Operating Systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com ; Linux: For more information see http://developers.hp.com/hp-linux-imaging-and-printing ; Unix: For more information see http://www.hp.com/go/unixmodelscripts ; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://www.support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems: for more information on the supported operating systems see http://www.hp.com/go/upd
Control panel	6.86 cm QVGA LCD (colour graphics) display with 24-key pad
Count of layers in pallet	3
Datasheet photo 1	AHID/67061e9ceb2e634ec9da47cb232c69354dc51d5e

Datasheet photo 2	AHID/68abab366ad186a25651d28b766c37ab7697cb7c
Datasheet photo 3	Publication photos/Madrid Lite_HP Color LaserJet Enterprise M554dn_7ZU81A_WAP.jpg
Datasheet photo 4	Publication logos/Low_energy_thin_icon.jpg
Datasheet photo 5	Publication logos/Auto_on-off_thin_icon.jpg
Downloadable software	<p>From http://www.123.hp.com: HP Easy Start (Guided Software Install for Windows and Mac); From http://www.hp.com for Windows OS: Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support; From http://www.hp.com for Mac OS: HP Easy Start (Guided Software Install), HP Mac OS Print Driver, HP Easy Admin; For Mobile OS: iOS For more information see http://www.hp.com/go/businessmobileprinting; Android: For more information see http://www.hp.com/go/businessmobileprinting; From http://www.hp.com for printer administrators: Printer Administrator Resource Kit (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows); HP Web JetAdmin, HP JetAdvantage Security Manager, HP Roam, HPLIP Linux Printer Driver: for more information see http://www.hplipopensource.com/hplip-web/index.html; Unix Model Script Printer Driver: for more information see http://www.hp.com/go/unixmodelscripts</p>
Driver updates	<p>Current HP printer drivers and software can be obtained from the HP Customer Care Website: 1. Go to http://www.hp.com/support. Select the country/region; 2. Select Drivers & Downloads; 3. Enter a product name/number; 4. Under Drivers and software/Driver language, select the language to receive a download in the language desired; 5. Select the operating system version; 6. Then select DOWNLOAD for the software desired.</p>
Duty cycle note	<p>Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.</p>
Dynamic security	Dynamic security enabled printer
Ecolabels footnote	[1] EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.
End of Life CO2e (kg)	33
Energy Usage CO2e (kg)	32
Envelope Feeder	No
FCC Class A emissions	FCC Class A emissions - for use in commercial environments, not residential environments
Finished output handling	Sheetfed
First page out black (A4, ready)	As fast as 6.7 sec
First page out black (A4, sleep)	As fast as 9 sec

First page out black (letter, ready)	As fast as 6.6 sec
First page out black (letter, sleep)	As fast as 8.5 sec
First page out color (A4, ready)	As fast as 7.6 sec
First page out color (A4, sleep)	As fast as 9 sec
First page out color (letter, ready)	As fast as 7.5 sec
First page out color (letter, sleep)	As fast as 9 sec
First page out footnote	[7] Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Input capacity	Up to 650 sheets
Mac compatible	Yes
Maximum Memory	1 GB
Maximum dimensions (W x D x H)	820 x 785 x 400 mm
Maximum dimensions (W x D x H)	32.3 x 30.9 x 15.7 in
Maximum input capacity (sheets)	Up to 1,200 sheets
Maximum output capacity (sheets)	Up to 250 sheets
Maximum print area	212 x 352 mm
Media size, tray 1	A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; envelopes (B5, C5 ISO, C6, DL ISO); 76 x 127 to 216 x 356 mm
Media size, tray 2	A4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 102 x 148 to 216 x 297 mm
Media size, tray 3	A4; RA4; A5; B5 (JIS); 16K; 102 x 148 to 216 x 356 mm
Media sizes supported	Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional Tray 3: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm
Media sizes supported	Tray 1: letter, legal, oficio, executive, statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, postcard (JIS), double postcard (JIS), 8.5 x 13, envelope (commercial No. 9, No. 10, Monarch); Custom: 3 x 5 to 8.5 x 14 in; Tray 2: letter, executive, statement, 4 x 6, 5 x 7, 5 x 8, double postcard (JIS); Custom: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Tray 3: letter, legal, oficio, executive, 8.5 x 13; Custom: 4.0 x 5.85 to 8.5 x 14 in
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes, custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Tray 3: 4.0 x 5.85 to 8.5 x 14 in

Media sizes, custom	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Tray: 102 x 148 to 216 x 356 mm
Media type and capacity, tray 1	Sheets (75 g/m ² paper): 100; Transparencies, cardstock (163 g/m ²): 50; Cardstock (216 g/m ²): 30; Envelopes: 10
Media type and capacity, tray 2	Sheets (75 g/m ² paper): 550; Labels, cardstock (163 g/m ²), Transparencies: 200
Media type and capacity, tray 3	Sheets (75 g/m ² paper): 550; Labels, cardstock (163 g/m ²), Transparencies: 200
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy) colour transparency, labels, envelope, preprinted, prepunched, coloured, rough, opaque film, user-defined
Media weight (tray 1)	60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper)
Media weight (tray 2)	60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper)
Media weight (tray 3)	60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper)
Media weight, supported	Tray 1: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Tray 2: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Optional Tray 3: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper)
Media weight, supported	Tray 1: 16 to 58 lb (plain); 28 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Optional Tray 3: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper)
Memory	1 GB
Memory Slots	No DIMM slot
Memory card compatibility	No
Minimum System Requirements	2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com
Minimum System Requirements for Macintosh	2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see http://www.apple.com
Model number	M554dn
Network capabilities footnote number	[8]
Number of users	5-15 Users
Operating humidity range	10 to 80% RH
Operating temperature range	10 to 32.5°C
Operating temperature range	50 to 91°F
Output capacity	Up to 250 sheets
Package dimensions (W x D x H)	600 x 500 x 598 mm
Package dimensions (W x D x H)	23.6 x 19.7 x 23.6 in
Package weight	31.3 kg
Package weight	68.9 lb

Page yield (set-up/inbox cartridges)

5,500 pages black, 3,500 pages cyan, magenta, yellow composite yield

Page yield footnote

Average black and colour composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>.

Pallet dimensions

47.3 x 39.4 x 100 in (AMS), 47.3 x 39.4 x 76.5 in (APJ, EMEA)

Pallet dimensions (W x D x H)

1200 x 1000 x 1939 mm

Pallet weight

1148 lb (AMS), 872 lb (APJ, EMEA)

Pallet weight

396 kg

Paper handling input, optional

550 sheet media input tray 3

Paper handling input, standard

100 sheet multipurpose tray, 550 sheet input tray 2

Paper handling output, optional

None

Paper handling output, standard

250 sheet output bin

Paper trays, maximum

3

Paper trays, standard

2

Photo (product photo, jpg, 70x100)

Printing and Digital Imaging/CB504A_70x100.jpg

Power

Input voltage: 200 to 240 VAC, 50 Hz

Print Cartridges/Bottle, Number

4 (1 each black, cyan, magenta, yellow)

Print Technology

Laser

Print colors

Yes

Print languages

HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), XPS

Print quality black (normal)

Up to 600 x 600 dpi

Print resolution black (fine lines)

Up to 1200 x 1200 dpi

Print resolution color (fine lines)

Up to 1200 x 1200 dpi

Print resolution color (normal)

Up to 600 x 600 dpi

Print speed black (Landscape, A5)

Up to 55 ppm

Print speed black (Portrait, A5)

Up to 4 ppm

Print speed color (Landscape, A5)

Up to 55 ppm

Print speed color (Portrait, A5)

Up to 4 ppm

Print speed duplex (A4)

Up to 33 ipm

Print speed duplex (A4)

Up to 33 ipm

Print speed duplex (letter)

Up to 35 ipm

Print speed duplex (letter)

Up to 35 ipm

Print speed footnote (A5)	Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document content.
Print speed footnote number (A5)	[9]
Print technology	Laser
Printer Management	HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Processor speed	1.2 GHz
Product long name specifications	HP Color LaserJet Enterprise M554dn Printer, Color Printer for Business, Print, Front-facing USB printing; Two-sided printing
Product safety	https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-m554-printer-series/model/32885691?sku=7ZU81A ; https://h10032.www1.hp.com/ctg/Manual/c06637211.pdf ; https://h10032.www1.hp.com/ctg/Manual/c06639460.pdf
Product short name specifications	HP LaserJet Enterprise M554dn Color Printer, Ethernet Only; Duplex
Production CO2e (kg)	270
Quantity per pallet	12
Recommended media weight (duplex)	Automatic: 105 to 220 g/m ² (glossy), 60 to 163 g/m ² (plain); Manual: 60 to 220 g/m ² (all types)
Recommended media weight (duplex)	Automatic: 28 to 58 lb (glossy), 16 to 43 (plain); manual: 16 to 58 lb (all types)
Recommended monthly page volume	2,000 to 8,500
Recommended monthly page volume note	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	59 to 80.6°F
Recommended operating temperature range	15 to 27°C
Replacement cartridges footnote	Average black and colour composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield .
Safety	IEC 60950-1:2005+A1:2009+A2:2013 (International); EN60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); Other safety approvals as required by individual countries.

Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware Integration Pocket for security solutions; Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks); HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability); Whitelisting (loads only known good code DLLs, EXEs, etc.); Embedded Trusted Platform Module (TPM); HP Connection Inspector; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Standard input capacity (envelopes)	Up to 10
Standard media sizes (duplex)	A4; A5; B5 (JIS)
Standard media sizes (duplex, imperial)	Letter; legal; oficio; executive
Standard output capacity (envelopes)	Up to 10 envelopes
Standard output capacity (transparencies)	Up to 100 sheets
Storage	4 GB non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk
Storage device and direct print support	Front-facing USB/Flash drive; USB printing
Storage temperature range	-4 to 104°F
Storage temperature range	-20 to 40°C
Target user and print volume	For teams up to 15 users; Prints up to 8,500 pages/month
Technology logo 2	Publication logos/windows 10_logo_EMEA.jpg
Technology logo 3	Publication logos/MacOSX_Universal.jpg
Technology logo 4	Publication logos/USBhiColour.jpg
Top key features	Front-facing USB printing; Two-sided printing
Total CO2e (kg)	340 <i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)</i>
Transportation CO2e (kg)	10

Typical electricity consumption (TEC) footnote	[3] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
Typical electricity consumption (TEC) number	Energy Star 3.0: 0.395 kWh/Week; Blue Angel: 1.203 kWh/Week ^[4]
UNSPSC code	43212105
UPC number	(ABT) 194850414220; (ABY) 194850414237; (ACQ) 194850414251; (B13) 194850414268; (B19) 194850414275; (BAZ) 194850414282
Warm-up time	As fast as 135 sec
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.
Waste electrical and electronic weight	24.0 kg
What is in the box footnote	Average black and colour composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield . HP Color LaserJet Enterprise M554 in-box colour cartridges may have higher yield than stated for printer units manufactured before 2021.

[4] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

[7] Average black and colour composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>. HP Color LaserJet Enterprise M554 in-box colour cartridges may have higher yield than stated for printer units manufactured before 2021.

Services

Document & Printing

★ : Recommended

Support Services (for Document & Printing)

HP 3 year Next Business Day Service for Color LaserJet M55x	U8CG3E ★
HP 3 year NBD Onsite with Preferred Access and DMR Service for Color LaserJet Enterprise M55x	UJ1P4E ★
HP 1 year Post Warranty NBD Onsite with Preferred Access and DMR Service for Color LaserJet Ent M55x	UJ1P7PE
HP 1 year Post Warranty Next Business Day Service for Color LaserJet M55x	U8CJ4PE
HP 1 year Post Warranty Parts Exchange Service for Color LaserJet M55x	U8CJ1PE
HP 3 year Parts Exchange Service for Color LaserJet M55x	U8CH8E
HP 4 year NBD Onsite with Preferred Access and DMR Service for Color LaserJet Enterprise M55x	UJ1P5E
HP 4 year Next Business Day Service for Color LaserJet M55x	U8CH0E
HP 4 year Parts Exchange Service for Color LaserJet M55x	U8CH9E
HP 5 year NBD Onsite with Preferred Access and DMR Service for Color LaserJet Enterprise M55x	UJ1P6E
HP 5 year Next Business Day Service for Color LaserJet M55x	U8CH1E
HP 5 year Parts Exchange Service for Color LaserJet M55x	U8CJ0E
HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)	U9JT1E

Print Management Software Solutions - Security

HP Legic Secure USB Reader	4QL32A
----------------------------	--------

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Color Laser Toner Printer Cartridges

HP 212A Black Original LaserJet Toner Cartridge	W2120A
HP 212A Cyan Original LaserJet Toner Cartridge	W2121A
HP 212A Magenta Original LaserJet Toner Cartridge	W2123A
HP 212A Yellow Original LaserJet Toner Cartridge	W2122A
HP 212X High Yield Black Original LaserJet Toner Cartridge	W2120X
HP 212X High Yield Cyan Original LaserJet Toner Cartridge	W2121X
HP 212X High Yield Magenta Original LaserJet Toner Cartridge	W2123X
HP 212X High Yield Yellow Original LaserJet Toner Cartridge	W2122X
HP Color LaserJet B5L36A 220V Fuser Kit	B5L36A
HP Color LaserJet B5L37A Toner Collection Unit	B5L37A

Accessories

Paper Handling

★ : Recommended

Input Trays

HP Color LaserJet 550-sheet Media Tray	B5L34A
--	--------

Cables/Cable Kits/Cable Adapters

Port Cables and Cable Adapters

HP Internal USB Ports	B5L28A
-----------------------	--------

Network Print Servers

External Print Servers

HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A
---	--------

Internal Print Servers

HP Jetdirect LAN Accessory	8FP31A
----------------------------	--------

Printer Accessories

LaserJet Options

HP LaserJet 512GB 2.5 inch SATA CCC/FIPS/TAA Solid State Drive	B18J0A
--	--------

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (sa-en) – May 31, 2026 3:38 PM UTC+0000