



# HP LaserJet MFP M141a Printer (7MD73A)

## Overview



**Efficient performance from HP's smallest multifunction laser.**

An efficient, high-quality multifunction printer that fits your space and your budget. Get fast printing from HP's smallest laser, plus the time-saving HP Smart app.[1,2] Count on professional-quality laser printing and seamless setup.

### **HP's smallest multifunction LaserJet**

Efficient performance from HP's smallest multifunction laser.

### **Trusted quality and convenience**

Count on getting consistently superb prints from a small laser, using Original HP Toner Cartridges.

### **Productivity from your phone**

Get high-quality scanning, and share to Dropbox, Google Drive or cloud – from your phone with HP Smart app.[1]

### **Help save resources without sacrificing performance**

HP Auto-On/Off Technology – intelligence can turn your printer on when you need it and off when you don't.[5]

## Features

Small size. Big performance.

Fast printing<sup>[3]</sup>



Tackle the essentials – print, scan, copy

Seamless setup<sup>[1]</sup>



Legendary laser quality

Amazing scanning<sup>[1]</sup>

---

*[1] Requires the HP Smart app download. For details on local printing requirements see <http://www.hp.com/go/mobileprinting> . Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at [www.hpsmart.com](http://www.hpsmart.com) . Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores.*

*[2] Based on internal HP testing. Average timing estimate based on: 1) downloaded HP Smart app on mobile or desktop device, 2) setting up Shortcut, 3) scanning jobs which have more than 2-3 tasks associated with them (scan to email, save and rename, store to cloud, etc.). Average timing savings comparison based on using printer and desktop scan software to complete similar scanning tasks. Requires the HP Smart app download and supported HP printer. For details on local printing requirements see <http://www.hp.com/go/mobileprinting>*

*[3] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims> . Exact speed varies depending on the system configuration, host OS, port-monitor, software application, driver, and document complexity.*

*[5] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.*

## Specifications

<b>Print Resolution Technologies</b>	HP FastRes 600
<b>Print quality black (best)</b>	Up to 600 x 600 dpi
<b>Print speed black (ISO, A4)</b>	Up to 20 ppm
<b>Print speed black (ISO, letter)</b>	Up to 21 ppm
<b>Print speed</b>	Up to 20 ppm
<b>Bottom margin (A4)</b>	2 mm
<b>Left margin (A4)</b>	2 mm
<b>Right margin (A4)</b>	2 mm
<b>Top margin (A4)</b>	2 mm
<b>Functions</b>	Print, copy, scan
<b>Duplex printing</b>	No
<b>Duty cycle (monthly, A4)</b>	Up to 8,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 8,000 pages
<b>Printer smart software features</b>	HP Auto-On/Auto-Off <sup>[1]</sup> , HP app <sup>[2]</sup> <sup>[1,2]</sup>
<b>Scanner advanced features</b>	No
<b>Energy savings feature technology</b>	HP Auto-On/Auto-Off Technology
<b>Replacement cartridges</b>	HP 150A Black LaserJet Toner Cartridge (~975), W1500A <sup>[4]</sup>
<b>Connectivity, standard</b>	1 Hi-Speed USB (compatible with USB 2.0 specifications)
<b>Wireless capability</b>	No
<b>Software included</b>	No CD in box. Download software from <a href="http://hp.com">hp.com</a> or <a href="http://123.hp.com">123.hp.com</a>
<b>Compatible Operating Systems</b>	Windows 11; Windows 10; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 15 Sequoia; Linux <i>(Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit), Windows 8, 8.1. Full solution software available only for Windows 10 and newer; For Windows Server 2008 R2 64-bit, 2012 64-bit, 2012 R2 64-bit, 2016 64-bit only print driver is installed. Windows RT OS for Tablets (32 &amp; 64-bit) uses a simplified HP print driver built into the RT OS; Linux systems use in-OS HPLIP software.)</i>
<b>Technical features</b>	Compact size; Scan-to-email; Scan-to-folder; HP Auto-On/Auto-Off
<b>Sustainability specifications</b>	Recyclable through HP Planet Partners; Contains post-consumer recycled plastic
<b>Energy star certified</b>	No
<b>Ecolabels</b>	IT ECO Declaration; EPEAT® Silver India; EPEAT® Silver Australia; EPEAT® Silver Canada; EPEAT® Silver US; EPEAT® Silver registered in the U.S.
<b>Blue Angel compliant</b>	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies

<b>Copy speed (black, normal quality, A4)</b>	Up to 20 cpm
<b>Copy speed black (normal, letter)</b>	Up to 21 cpm
<b>Scan file format</b>	JPG, RAW (BMP), PNG, TIFF, PDF
<b>Scan input modes</b>	Scanning via HP LaserJet Software Scan or TWAIN-compliant or WIA-compliant software
<b>Scan technology</b>	CIS
<b>Scanner type</b>	Flatbed
<b>Display</b>	LED
<b>Dimensions (W x D x H)</b>	360 x 264 x 197 mm
<b>Dimensions (W x D x H)</b>	14.2 x 10.4 x 7.8 in
<b>Weight</b>	5.39 kg <i>(Includes Starter Cartridge)</i>
<b>Weight</b>	11.86 lbs <i>(Includes Starter Cartridge)</i>
<b>Power supply type</b>	Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
<b>What's in the box</b>	HP LaserJet MFP M141a Printer; Power cord; HP Black LaserJet Toner Cartridge (yield: 500 pages); Setup Poster; Reference Guide; Warranty Guide; Flyer <sup>[3]</sup>
<b>Manufacturer Warranty</b>	One-year limited warranty

## Additional specifications

<b>Acoustic power emissions (active, printing)</b>	6.2 B(A)
<b>Acoustic power emissions (ready)</b>	2.3 B(A)
<b>Acoustic power note</b>	Configuration tested: base model, simplex printing, A4 paper at an average of 20 ppm
<b>Acoustic pressure emissions bystander (active, printing)</b>	51 dB(A)
<b>Acoustic pressure emissions bystander (ready)</b>	16 dB(A)
<b>Additional information about HP</b>	<a href="https://www.hp.com">https://www.hp.com</a>
<b>Additional information about HP in the countries</b>	<a href="https://www.hp.com/uk">https://www.hp.com/uk</a>
<b>Automatic paper sensor</b>	No
<b>Bit depth</b>	24 bit
<b>Cable included</b>	No, please purchase USB cable separately
<b>Cartons per layer</b>	12
<b>Certifications and compliances</b>	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc.
<b>Color or black</b>	Black and white
<b>Color scanning</b>	Yes
<b>Compatible Network Operating Systems</b>	Windows 11; Windows Server; macOS 15 Sequoia; Linux
<b>Control panel</b>	3 LEDs (Toner, Attention, Ready); 3 buttons (Cancel, Copy, Power)
<b>Copier settings</b>	Number of Copies; Lighter/Darker; Optimize; Paper
<b>Copies, maximum</b>	Up to 99 copies
<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (black text)</b>	600 x 400 dpi
<b>Copy speed note</b>	[10] First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application and document complexity.
<b>Count of layers in pallet</b>	AMS: 8; EMEA/APJ: 7
<b>Datasheet photo 1</b>	<a href="https://ssl-product-images.www8-hp.com/digmedialib/proding/lowres/c07836320.png">https://ssl-product-images.www8-hp.com/digmedialib/proding/lowres/c07836320.png</a>
<b>Datasheet photo 2</b>	<a href="https://ssl-product-images.www8-hp.com/digmedialib/proding/lowres/c07836355.png">https://ssl-product-images.www8-hp.com/digmedialib/proding/lowres/c07836355.png</a>

<b>Downloadable software</b>	From 123.hp.com: HP app for Windows 11, 10; HP Easy Start for Windows 7, Mac; From hp.com: Full-solution software and drivers (with installer); Basic-solution software and drivers; HP Easy Start; Product Documentation and Support; HP Print and Scan Doctor; From In-OS app stores: HP app; From hp.com for printer administrators: Linux Print Drivers; HP Web JetAdmin Software (HP WS Proxy Agent); ReadIris Software
<b>Driver updates</b>	Latest supported operating systems and Print drivers available at <a href="http://www.hp.com/support/ljM139MFP">www.hp.com/support/ljM139MFP</a>
<b>Duty cycle note</b>	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
<b>Dynamic security</b>	Dynamic security enabled printer
<b>Electromagnetic compatibility</b>	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
<b>End of Life CO2e (kg)</b>	9
<b>Energy Usage CO2e (kg)</b>	27
<b>First copy out black (A4)</b>	As fast as 13 sec
<b>First copy out black (A4, sleep)</b>	As fast as 13.1 sec
<b>First copy out black (letter)</b>	As fast as 12.5 sec
<b>First copy out black (letter, sleep)</b>	As fast as 12.6 sec
<b>First page out black (A4, ready)</b>	As fast as 8.5 sec
<b>First page out black (A4, sleep)</b>	As fast as 9.1 sec
<b>First page out black (letter, ready)</b>	As fast as 8.3 sec
<b>First page out black (letter, sleep)</b>	As fast as 9 sec
<b>First page out footnote</b>	[9] Measured using ISO/IEC 17629. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<b>Input capacity</b>	Up to 150 sheets
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 10 envelopes
<b>Maximum Memory</b>	64 MB Flash ROM; 64MB DDR1; 32 KB NVRAM
<b>Maximum dimensions (W x D x H)</b>	14.2 x 16.8 x 13.7 in
<b>Maximum dimensions (W x D x H)</b>	360 x 427 x 347 mm
<b>Maximum input capacity (sheets)</b>	Up to 150 sheets
<b>Maximum output capacity (sheets)</b>	Up to 100 sheets
<b>Maximum print area</b>	216 x 355.6 mm

<b>Media size, tray 1</b>	A4; A5; A6; envelopes (C5, DL); custom
<b>Media sizes supported</b>	A4; A5; A6; envelopes (C5, DL); custom
<b>Media sizes supported</b>	Letter, envelopes (No. 10), custom, Legal
<b>Media sizes supported, key</b>	Letter; Envelopes; Legal
<b>Media sizes supported, key</b>	A4; Envelopes
<b>Media sizes, custom</b>	105 x 148 to 216 to 355.6mm
<b>Media sizes, custom</b>	4.13 x 5.83 to 8.5 x 14
<b>Media type and capacity, tray 1</b>	Sheets: 150; Envelopes: 10
<b>Media types</b>	Plain paper, envelope, postcard, label
<b>Media weight (tray 1)</b>	65 to 120 g/m <sup>2</sup>
<b>Media weight, supported</b>	17 to 32 lb
<b>Media weight, supported</b>	65 to 120 g/m <sup>2</sup>
<b>Memory</b>	64 MB
<b>Minimum System Requirements</b>	Microsoft® Windows® 11, 10, 2 GB available hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge.
<b>Minimum System Requirements for Macintosh</b>	Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB
<b>Mobile printing capability footnote</b>	[6] Wi-Fi® is a registered trademark of Wi-Fi Alliance®. Wireless operations are compatible with 2.4 GHz operations only. Learn more at <a href="http://www.hp.com/go/mobileprinting">www.hp.com/go/mobileprinting</a> . Wireless performance is dependent upon physical environment and distance from the access point. AirPrint and the AirPrint Logo are trademarks of Apple® Inc. The Mopria® Logo is a registered and/or unregistered trademark of Mopria Alliance, Inc. in the United States and other countries. Unauthorized use is strictly prohibited. Requires the HP app download. For details on local printing requirements see <a href="http://www.hp.com/go/mobileprinting">www.hp.com/go/mobileprinting</a> . Certain features/software are available in English language only, and differ between desktop and mobile applications. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only, and may require additional purchase. For more information, see: <a href="http://123.hp.com">http://123.hp.com</a> . <sup>[6]</sup>
<b>Model number</b>	M141a
<b>Native scan file format</b>	JPG; PDF
<b>Number of users</b>	1-3 Users
<b>Operating humidity range</b>	10 to 80% RH
<b>Operating temperature range</b>	15 to 32.5°C
<b>Operating temperature range</b>	59 to 90.5°F
<b>Output capacity</b>	Up to 100 sheets
<b>Package dimensions (W x D x H)</b>	15.66 x 9.76 x 12.04 in
<b>Package dimensions (W x D x H)</b>	398 x 248 x 306 mm
<b>Package weight</b>	15.1 lb

<b>Package weight</b>	6.9 kg
<b>Page yield (set-up/inbox cartridges)</b>	~500 black pages
<b>Page yield footnote</b>	[5] Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .
<b>Pallet dimensions</b>	AMS: 47.24 x 39.37 x 102.48 in; EMEA, AP: 47.24 x 39.37 x 90.43 in
<b>Pallet dimensions (W x D x H)</b>	AMS: 1200 x 1000 x 2603 mm; EMEA, AP: 1200 x 1000 x 2297 mm
<b>Pallet weight</b>	AMS: 1507.2 lb; EMEA, AP: 1325 lb
<b>Pallet weight</b>	AMS: 685.1 kg; EMEA, AP: 602.3 kg
<b>Paper handling input, standard</b>	150-sheet input tray
<b>Paper handling output, standard</b>	100-sheet output bin
<b>Paper trays, maximum</b>	1 input tray
<b>Paper trays, standard</b>	1 input tray
<b>Photo (product photo, jpg, 70x100)</b>	Printers and Multifunction/hp-laserjet-m1319-mfp-series_70x100.jpg
<b>Power</b>	220V - 240V nominal @ +/-10% (min 198V, Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz)
<b>Print Cartridges/Bottle, Number</b>	1 (black)
<b>Print Technology</b>	Laser
<b>Print colors</b>	No
<b>Print languages</b>	PCLm/PCLmS; URF; PWG
<b>Print quality black (normal)</b>	Up to 600 x 600 dpi
<b>Print speed black (Portrait, A5)</b>	Up to 7 ppm
<b>Print speed footnote (A5)</b>	[7] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<b>Print speed footnote number (A5)</b>	[7]
<b>Print technology</b>	Laser
<b>Printer Management</b>	HP Printer Assistant (UDC), HP Device Toolbox
<b>Printer smart software features footnote</b>	[1] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade. [2] Requires the HP app download. For details on local printing requirements see <a href="http://www.hp.com/go/mobileprinting">www.hp.com/go/mobileprinting</a> . Certain features/software are available in English language only, and differ between desktop and mobile applications. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only, and may require additional purchase. For more information, see: <a href="http://123.hp.com">http://123.hp.com</a> .
<b>Processor speed</b>	500 MHz

<b>Product long name specifications</b>	HP LaserJet MFP M141a Printer, Black and white Printer for Small Office, Print, copy, scan, Scan to email; Scan to PDF; Compact Size
<b>Product safety</b>	<a href="https://support.hp.com/gb-en/product/details/hp-laserjet-mfp-m139-m142-printer-series/model/34443711?sku=7MD73A">https://support.hp.com/gb-en/product/details/hp-laserjet-mfp-m139-m142-printer-series/model/34443711?sku=7MD73A</a> ; <a href="https://h10032.www1.hp.com/ctg/Manual/c07833315.pdf">https://h10032.www1.hp.com/ctg/Manual/c07833315.pdf</a> ; <a href="https://h10032.www1.hp.com/ctg/Manual/c07833315.pdf">https://h10032.www1.hp.com/ctg/Manual/c07833315.pdf</a>
<b>Product short name specifications</b>	HP LaserJet M141a Multifunction Black and white Printer, Copier, Scanner
<b>Production CO2e (kg)</b>	49
<b>Quantity per pallet</b>	AMS: 96; EMEA/APJ: 84
<b>Recommended monthly page volume</b>	100 to 1000
<b>Recommended monthly page volume note</b>	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
<b>Recommended monthly scan volume</b>	250 to 2000
<b>Recommended monthly scan volume note</b>	HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
<b>Recommended operating humidity range</b>	30 to 70% RH
<b>Recommended operating temperature range</b>	62.6 to 77°F
<b>Recommended operating temperature range</b>	17.5 to 25°C
<b>Replacement cartridges footnote</b>	[4] Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a>
<b>Resolution</b>	1200 dpi
<b>Safety</b>	EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011+A2:2013; IEC 60950-1:2005 +A1:2009+A2:2013; IEC/EN 62368-1:2014; CAN/CSA C22.2 No. 62368-1, 2nd Edition; UL62368-1, 2nd Edition; IEC 60825-1 3rd Edition (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Compliance of IEC 60950-1 standard considers all country deviations according to the most recent IEC EE CB Bulletin; Complies with FDA performance standards for laser products except for conformance with IEC 60825-1 Ed.3., as described in Laser Notice No. 56, dated May 8, 2019
<b>Scan resolution, hardware</b>	Up to 600 ppi
<b>Scan resolution, optical</b>	Up to 600 ppi
<b>Scan size, maximum</b>	8.5 x 11.7 in
<b>Scan size, maximum</b>	216 to 297 mm
<b>Security management</b>	Password-protected network embedded Web server
<b>Segment (filter)</b>	Small office

<b>Software scan file format</b>	JPG, RAW (BMP), PNG, TIFF, PDF
<b>Standard output capacity (envelopes)</b>	Up to 10 envelopes
<b>Storage temperature range</b>	-20 to 60°C
<b>Storage temperature range</b>	-4 to 104°F
<b>Target user and print volume</b>	For teams up to 3 users
<b>Tariff numbers</b>	(AMS) 8443310000, (EU) 8443310000, (AP) 84433129
<b>Technology logo 4</b>	AHID/a6e83756a3ca20b047a0baab4bc9840b8a4073d2
<b>Technology logo 5</b>	AHID/9d5a86c2ad5a518a084188cb02e02944ce6dd92f
<b>Technology logo 6</b>	AHID/e502d2dab08f50e94a6319dd350468dc9ee714e9
<b>Technology logo 7</b>	AHID/8ef0b7a5542c7bc2917aa1d9f25961ac9e3c4088
<b>Technology logo 8</b>	AHID/95142d0f2ba4b6d45a004d774f64f5f379ea070e
<b>Top key features</b>	Scan to email; Scan to PDF; Compact Size
<b>Total CO2e (kg)</b>	90 <i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 &amp; ISO 14044. Individual values may not sum to total due to rounding.)</i>
<b>Transportation CO2e (kg)</b>	2
<b>Twain version</b>	Version 2.1 (Windows 7 or higher)
<b>Typical electricity consumption (TEC) footnote</b>	[11] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
<b>Typical electricity consumption (TEC) number</b>	0.255 kWh/Week (Energy Star 3.0); 0.259 kWh/Week (Blue Angel) <sup>[11]</sup>
<b>UNSPSC code</b>	43212110
<b>UPC number</b>	(AC4) 197029688262; (AC8) 197029688279; (ACQ) 195122067137; (AKV) 197029688286; (B13) 194850677410; (B19) 194850677427
<b>Warm-up time</b>	As fast as 15 sec
<b>Warranty</b>	Not intended for sale nor warranted by HP in the USA, AU, NZ, EEA, CH, UK, IL, CN, and IN. HP Limited Warranty applies in all countries/regions EXCEPT those listed. For more information, visit: <a href="http://www.hp.com/go/tonerwarranty">www.hp.com/go/tonerwarranty</a> .
<b>What is in the box footnote</b>	[3] For yield information on the cartridge included with your printer, see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a> . Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[1] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[2] Requires the HP app download. For details on local printing requirements see [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting) . Certain features/software are available in English language only, and differ between desktop and mobile applications. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only, and may require additional purchase. For more information, see: <http://123.hp.com> .

[3] For yield information on the cartridge included with your printer, see <http://www.hp.com/go/toneryield> . Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[4] Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

[6] Wi-Fi® is a registered trademark of Wi-Fi Alliance®. Wireless operations are compatible with 2.4 GHz operations only. Learn more at [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting) . Wireless performance is dependent upon physical environment and distance from the access point. AirPrint and the AirPrint Logo are trademarks of Apple® Inc. The Mopria® Logo is a registered and/or unregistered trademark of Mopria Alliance, Inc. in the United States and other countries. Unauthorized use is strictly prohibited. Requires the HP app download. For details on local printing requirements see [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting) . Certain features/software are available in English language only, and differ between desktop and mobile applications. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only, and may require additional purchase. For more information, see: <http://123.hp.com> .

[11] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

---

Ink/Toner/Paper/Printer Supplies

**HP Laser Toner Cartridges and Kits**

★ : Recommended

**HP Black and White Laser Toner Printer Cartridges**

HP 150A Black Original LaserJet Toner Cartridge	W1500A
---	--------

## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Consumer Care Pack Services

HP 3y return consumer laserjet - E Svc

UG289E

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (sa-en) – Jun 15, 2026 6:34 PM UTC+0000