



HP LaserJet Enterprise MFP M725dn (CF066A)



Overview

Get precise document finishing, one-touch workflows and many scan-to options on a versatile A3 MFP.

Enable large-volume printing on a wide range of paper sizes – up to A3 – with a 4,600-sheet maximum input capacity.[1] Preview and edit scanning jobs; centrally manage printing policies; safeguard sensitive business information.

Empower teams to do more – print, scan, copy and fax[1] on paper sizes up to A3 – from a desktop MFP

Stay focused on work – paper capacity up to 4,600 sheets and high-capacity cartridges limit interruptions.[2]

Quicken your business pace.

Set a swift pace – use this powerful MFP to keep your work moving. Save time and make your job easier, using HP Quick Sets.

Simplify fleet management and safeguard devices using world-class tools.[7]

Monitor your devices with industry-leading tools, including HP Web Jetadmin.[7] Help protect data both in transit and at rest.

Reduce energy use with HP Auto-On/Auto-Off Technology[9] and HP Instant-on Technology.[10]

Help conserve resources and meet corporate environmental goals. HP Auto-On/Auto-Off Technology helps reduce energy use.[9]

Features



A3 support



Only the power you need^[14]



Prints in a flash, savings that last^[15]



On-the-go printing with HP ePrint^[16]



Unleash your printing^[17]



Scan in Colour

[1] Maximum paper capacity of 4,600 sheets; requires the purchase of optional paper tray accessories.

[2] High-capacity cartridges are optional for the HP LaserJet Enterprise 700 MFP Series M725.

[7] HP Web Jetadmin is free and can be downloaded at www.hp.com/go/webjetadmin.

[9] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[10] Compared with products that use traditional fusing.

[14] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[15] When compared with fluorescent tubes.

[16] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at <http://www.hp.com/go/mobileprinting>

[17] Mobile device needs to be connected directly to the wireless network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer.

Specifications

Print Resolution Technologies	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology, 600 x 600 dpi, 300 x 300 dpi
Print quality black (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 41 ppm
Print speed	Up to 40 ppm (black)
Bottom margin (A4)	2 mm
Left margin (A4)	2 mm
Right margin (A4)	2 mm
Top margin (A4)	2 mm
Functions	Print, copy, scan
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 200,000 pages
Duty cycle (monthly, letter)	Up to 200,000 pages
Printer smart software features	HP ePrint, Apple AirPrint, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off Technology, Easy Access USB, Image Preview
Copier smart software features	Auto scale; Reduce/Enlarge from scanner glass (25 to 400 %); Collate; Auto colour detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build; staple
Scanner advanced features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement cartridges	HP 14A Black LJ Toner Cartridge CF214A (~10,000 pages); HP 14X Black LJ Toner Cartridge CF214X (~17,500 pages)
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host
Connectivity, optional	HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)
Wireless capability	Optional, enabled with purchase of a hardware accessory
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified

Network protocols, supported	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, XMPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print
Software included	Windows Installer, HP PCL 6 discrete driver, Mac Software Link to Web (Postscript emulation driver & Installer on Web), Note: No Mac Software inbox
Compatible Operating Systems	Windows 10, Windows 8, Windows 7, Windows Vista, Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1+); Mac OS X v10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix and Windows Terminal Services (http://www.hp.com/go/upd), Novell (http://www.novell.com/iprint), Linux (http://www.hplip.net), UNIX (http://www.hp.com/go/unix , http://www.hp.com/go/unixmodelscripts , http://www.hp.com/go/jetdirectunix_software), SAP device types (http://www.hp.com/go/sap/drivers , http://www.hp.com/go/sap/print), HP ePrint Mobile Driver (http://www.hp.com/go/eprintmobiledriver) <i>(Windows Installer has the same Operating System support as the driver except the following: Windows XP SP2+ (32-bit only); Windows Server 2003 SP1+ (32-bit only); Windows Vista Starter not supported in Driver nor Installer)</i>
Sustainability specifications	Mercury Free
Energy star certified	Yes
Ecolabels	ENERGY STAR® qualified, CECP, EPEAT® Silver
Blue Angel compliant	No; Please refer to the ECI document
Copy speed (black, normal quality, A4)	Up to 41 cpm
Copy speed black duplex (A4)	Up to 27 ipm
Copy speed black duplex (Letter)	Up to 27 ipm
Digital sending standard features	Scan to E-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL
Digital sending optional features	Optional via HP Digital Sending Software (HP DSS); Send to folder; Send to workflow; Send to printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book
Faxing	Optional
Scan speed (normal, A4)	Up to 50 ppm (black and white), up to 30 ppm (colour)
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A
Scan input modes	Copy, scan to E-mail, scan to network folder, scan to USB, save to device memory, fax, Open Extensibility Platform (OXF) applications
Scan technology	Charge Coupled Device (CCD)
Scanner type	Flatbed, ADF
Display	20.3 cm touchscreen, LCD (colour graphics); rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Dimensions (W x D x H)	614 x 649 x 609 mm
Weight	54.11 kg

890 watts (active print/copy), 39 watts (ready), 6.5 watts (sleep), 0.3 watts (off). Typical Electricity Consumption (TEC): 4.39 kWh/Week

Power consumption

(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information.)

Power supply type

Built-in power supply

What's in the box

HP LaserJet Enterprise MFP M725dn; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; 2x250-sheet trays.

Manufacturer Warranty

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <http://www.hp.com/support> to learn about HP award winning service and support options in your region.

Additional specifications

ADF Capacity	100
Acoustic power emissions (active copy)	7.1 B(A)
Acoustic power emissions (active scan)	6.8 B(A)
Acoustic power emissions (active, printing)	6.8 B(A)
Acoustic power emissions (ready)	5.0 B(A)
Acoustic power note	Acoustic values are subject to change. For current information see hp.com/support . Configuration tested: base model, simplex printing, A4 paper at an average of 40 ppm.
Acoustic pressure emissions bystander (active scan)	52 dB(A)
Acoustic pressure emissions bystander (active, printing)	54 dB(A)
Acoustic pressure emissions bystander (ready)	36 dB(A)
Additional information about HP	https://www.hp.com
Additional information about HP in the countries	http://www.hp.com/uk
Automatic document feeder capacity	Standard, 100 sheets
Automatic paper sensor	No
Bit depth	24-bit
Business filter	cMPS
Cable included	No, please purchase USB cable separately
Capacity	500 GB
Color or black	Black and white
Color scanning	Yes
Component type	Printer
Consumables C02e (kg)	7
Control panel	20.3 cm touchscreen, LCD (colour graphics); rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket
Copier scaling (ADF)	25 to 400%
Copier settings	Sides; Collate; Paper Selection; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimise Text/Picture; Original Size; Job Build
Copies, maximum	Up to 9999 copies

Copy reduce / enlarge settings	25 to 400%
Copy resolution (black graphics)	600 x 600 dpi
Copy resolution (black text)	600 x 600 dpi
Copy speed note	First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Datasheet photo 1	Publication photos/LJ Ent MFP M725 1.jpg
Datasheet photo 2	Publication photos/CF066A 2.jpg
Datasheet photo 3	Publication photos/M725 wap.jpg
Datasheet photo 4	Publication logos/Color_touchscreen_thin_icon.jpg
Datasheet photo 5	Publication logos/Printer_security_settings_thin_icon.jpg
Downloadable software	Universal Print Driver for Windows, Windows CD image, Mac CD Image, Web JetAdmin, Smart Web Printing In-House Marketing, Unix/Linux driver, Enterprise installer utility, Plug and Play bundles
Driver updates	Recent printer drivers for all supported operating systems are available at hp.com/go/ljMFPM725_software
Duplex ADF scanning	Yes, reversing ADF
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Electromagnetic compatibility	CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:1998+A1+A2; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries
End of Life CO2e (kg)	0.5
Energy Usage CO2e (kg)	615
Engine life	900000
Envelope Feeder	No
File Format Supported	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Finished output handling	Sheetfed
First page out black (A4, ready)	As fast as 10 sec
First page out footnote	Exact speed varies depending on the system configuration, software application, driver and document complexity.
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts

HP ePrint capability	Yes
Input capacity	Up to 600 sheets
Internal Storage	Standard, embedded HP High-Performance Secure Hard Disk, minimum 500 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10 envelopes
Maximum Memory	1.5 GB
Maximum dimensions (W x D x H)	865 x 989 x 609 mm
Maximum input capacity (sheets)	Up to 4600 sheets
Maximum metric depth	989
Maximum metric height	609
Maximum metric width	865
Maximum output capacity (sheets)	Up to 250 sheets
Maximum print area	308 x 465.9 mm
Media size (ADF)	A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; 13 x 18 cm
Media size, tray 1	A4; A5; B4 (JIS); B5 (JIS); 76.2 x 127 to 312 x 469.9 mm
Media size, tray 2	A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 363 mm
Media size, tray 3	A3; A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 431 mm
Media sizes supported	A3; A4; A5; B4 (JIS); B5 (JIS)
Media sizes supported, key	A4; A3
Media sizes, custom	Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Tray 3: 148 x 210 to 297 x 431 mm
Media type and capacity, ADF	sheets: 100
Media type and capacity, tray 1	sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10
Media type and capacity, tray 2	sheets: 250
Media type and capacity, tray 3	sheets: 250
Media types	Paper (colour, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum
Media weight (tray 1)	60 to 199 g/m ²
Media weight (tray 2)	60 to 120 g/m ²
Media weight (tray 3)	60 to 120 g/m ²
Media weight, supported	Tray 1: 60 to 199 g/m ² ; Trays 2, 3: 60 to 120 g/m ²
Media weights, supported ADF	45 to 199 g/m ²

Memory	1 GB
Memory Slots	1 slot, 200-pin, DDR2 DIMM
Memory upgrade	Expandable to 1.5 GB through 512 MB industry-standard DIMM
Metric depth	649
Metric height	609
Metric width	614
Minimum System Requirements	Windows 10, Windows 8, Windows 7, Windows Vista, Windows Server 2012 (64-bit), Windows Server 2008, Windows Server 2008 R2, Windows Server 2003 (SP1+): 200 MB available hard disk space (for OS compatible hardware system requirements, see http://www.microsoft.com)
Minimum System Requirements for Macintosh	Mac OS X 10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see apple.com
Model number	M725dn
Multitasking supported	Yes
Network ready	Standard (built-in Gigabit Ethernet)
Non-Operating Humidity Range	10 to 90% RH
Number of users	10-30 Users
Operating humidity range	20 to 80% RH
Operating temperature range	10 to 32.5°C
Output capacity	Up to 250 sheets
Package dimensions (W x D x H)	760 x 745 x 832 mm
Package weight	68.6 kg
Page yield footnote	Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsupplies .
Pallet dimensions (W x D x H)	760 x 745 x 832 mm
Pallet weight	68.6 kg
Paper handling input, optional	Optional 500-sheet input tray, optional 1 x 500-sheet paper feeder with cabinet and stand, optional 3 x 500-sheet paper feeder with stand, optional 3500-sheet High-capacity Input Tray Feeder and Stand
Paper handling input, standard	100-sheet multipurpose tray, two 250-sheet input trays
Paper handling output, standard	250-sheet output bin
Paper trays, maximum	6
Paper trays, standard	3
Photo (product photo, jpg, 190x170)	Printers and Multifunction/CF066A_190x170.jpg
Photo (product photo, jpg, 400x400)	Printers and Multifunction/CF066A_400x400.jpg
Photo (product photo, jpg, 70x100)	Printers and Multifunction/CF066A_70x100.jpg

Power	Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz)
Print Cartridges/Bottle, Number	1 (black)
Print Technology	Laser
Print colors	No
Print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF 1.4
Print quality black (normal)	HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology
Print speed black (normal, A3)	Up to 20 ppm
Print speed duplex (A4)	Up to 28 ipm
Print technology	Laser
Printer Management	HP Web Jetadmin, HP Utility (Mac)
Printer black pages (MPV black)	4200
Processor speed	800 MHz
Product long name specifications	HP LaserJet Enterprise MFP M725dn, Black and white Printer for Business, Print, copy, scan, 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing
Product safety	https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-enterprise-mfp-m725-series/model/5197861?sku=CF066A ; https://h10032.www1.hp.com/ctg/Manual/c03292206.pdf ; https://kaas.hpcloud.hp.com/pdf-public/pdf_10903189_en-US-1.pdf
Product short name specifications	HP LaserJet Enterprise M725dn Multifunction Black and white Printer, Ethernet Only; Copier, Scanner
Production CO2e (kg)	439
Recommended media weight (duplex)	60 to 199 g/m ²
Recommended monthly page volume	5000 to 20,000
Recommended monthly scan volume	6,250 to 10,500
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	10 to 32.5°C
Replacement cartridges footnote	Average declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsplies .
Resolution	600 dpi
Safety	IEC 60950-1:2005 +A1; EN60950-1: 2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries

Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 dpi
Scan size (ADF), maximum	297 x 420 mm
Scan size (ADF), minimum	68 x 148 mm
Scan size, maximum	297 x 420 mm
Scan speed duplex (normal, A4)	Up to 19 ipm (black and white), up to 14 ipm (colour)
Scan speed footnote	Actual speeds may vary depending on scan resolution, network conditions, computer performance and application software.
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Segment (filter)	Business
Standard media sizes (duplex)	A3; A4; A5; B4 (JIS); B5 (JIS)
Standard output capacity (envelopes)	Up to 50 envelopes
Standard output capacity (transparencies)	Up to 250 sheets
Storage device and direct print support	Front-facing USB/Flash drive
Storage temperature range	0 to 60°C
Sub-brand name	LaserJet
Target user and print volume	For teams over 25 users; Prints up to 20,000 pages/month
Technology logo 2	Publication logos/MacOSX_Universal.jpg
Technology logo 3	Publication logos/Energy Star_NEW.jpg
Technology logo 4	Publication logos/USBhiColour.jpg
Technology logo 5	Publication logos/ePrint.jpg
Technology logo 6	Publication logos/windows 10_logo_EMEA.jpg
Top key features	100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing
Total CO2e (kg)	1080 <i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)</i>
Transportation CO2e (kg)	22
Tray capacity	600
Typical electricity consumption (TEC) number	Blue Angel: 2.8 kWh/Week; Energy Star 3.0: 0.653 kWh/Week
UNSPSC code	43212110

UPC number

(ABT) 887111016812; (ABY) 887111016829; (ACQ) 887111016836; (B13) 888182819586; (B19) 887111016843; (BAZ) 887111016850

Waste electrical and electronic weight

56.6 kg

Ink/Toner/Paper/Printer Supplies

HP Maintenance Kits

★ : Recommended

HP ScanJet Maintenance Kits

HP 100 ADF Roller Replacement Kit	L2718A ★
HP 100 ADF Roller Replacement Kit	L2718A

HP Laser Toner Cartridges and Kits

HP Black and White Laser Toner Printer Cartridges

HP 14A Black Original LaserJet Toner Cartridge	CF214A
HP 14X High Yield Black Original LaserJet Toner Cartridge	CF214X

HP Laser Printer Supply Kits

HP LaserJet CF254A 220V Maintenance/Fuser Kit	CF254A
---	--------

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP920
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Office Paper-500 sht/A3/297 x 420 mm	CHP120
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A3/297 x 420 mm	CHP220
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

HP Paper Designed for Laser Printers

HP Laser Everyday Paper

HP Color Laser Paper 100 gsm-500 sht/A3/297 x 420 mm	CHP360
--	--------

HP Color Laser Paper 100 gsm-500 sht/A4/210 x 297 mm	CHP350
HP Color Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CHP345
HP Color Laser Paper 120 gsm-500 sht/A4/210 x 297 mm	CHP342
HP Color Laser Paper 90 gsm-500 sht/A3/297 x 420 mm	CHP380
HP Color Laser Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP370

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper Glossy 150 g/m2 A4 (210 x 297 mm) 150 sheets	CG965A
HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV80A

HP Business Papers for laser and inkjet

HP Professional Business Paper Glossy 180 g/m2 A4 (210 x 297 mm) 150 sheets	3VK91A
---	--------

Services

Document & Printing

★ : Recommended

Support Services (for Document & Printing)

HP 3 year Next Business Day w/Defective Media Retention Service for LaserJet M725 MFP	U7A14E ★
HP 3 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise MFP M725	UJ1Z8E ★
HP 1 year Post Warranty NBD Onsite with Preferred Access and DMR Service for LaserJet Ent MFP M725	UJ2A1PE
HP 1 year Post Warranty Next Business Day w/Defective Media Retention Service for LaserJet M725 MFP	U7Y76PE
HP 1 year Post Warranty Parts Exchange Service for LaserJet M725 MFP	U7Y77PE
HP 3 year Parts Exchange Service for LaserJet M725 MFP	U7A20E
HP 4 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise MFP M725	UJ1Z9E
HP 4 year Next Business Day w/Defective Media Retention Service for LaserJet M725 MFP	U7A15E
HP 4 year Parts Exchange Service for LaserJet M725 MFP	U7Y64E
HP 5 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise MFP M725	UJ2A0E
HP 5 year Next Business Day w/Defective Media Retention Service for LaserJet M725 MFP	U7A16E
HP 5 year Parts Exchange Service for LaserJet M725 MFP	U7Y65E
HP Installation Service with network configuration for Department Printer (1 unit)	U9JT3E

Print Security Solutions

HP HID Mobile Access BLE MIFARE Card Reader	35H11B ★	
HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A ★	obsolete
HP HIP1 Card Reader Accessory Kit	5B248A ★	

Accessories

Network Print Servers

★ : Recommended

External Print Servers

HP Jetdirect 2800w NFC/Wireless Direct Accessory	J8029A ★
--	----------

Wireless Print Servers

HP Jetdirect 2700w USB Wireless Print Server	J8026A
--	--------

Memory

DDR Memory

HP 512 MB 200-pin x64 DDR2 DIMM	CF306A
---------------------------------	--------

Paper Handling

Input Trays

HP LaserJet 1x500-sheet Feeder with Cabinet and Stand	CF243A
---	--------

HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand	CF245A
--	--------

HP LaserJet 3x500-sheet Feeder and Stand	CF242A
--	--------

HP LaserJet 500-sheet Feeder and Tray	CF239A
---------------------------------------	--------

Fax Upgrades

HP LaserJet MFP Analog Fax Accessory 500	CC487A
--	--------

Staple Cartridges

HP Staple Cartridge Refill	C8091A
----------------------------	--------

Disclaimer — Copyright

All brand and product names are trademarks or registered trademarks of their respective companies. The information contained in this document is subject to change without notice.

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.