HP LaserJet Enterprise M609dn (K0Q21A)



Overview

This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.[1]

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network from attacks with the industry's deepest security[1]

The world's most secure printing[1]

With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.

High-speed performance meets energy efficiency

Speed through tasks and save paper. Print two-sided documents nearly as fast as one-sided.

More. Pages, Performance, and Protection.[5]

Produce sharp text, bold blacks, and crisp graphics with precision black toner.

Features



Take the guesswork out of fleet management[11]



Eliminate the wait from your workday[13]

---

[1] Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.

[5] More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies.

[11] Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin.

[13] Measured using ISO/IEC 17629. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Specifications

Print Resolution Technologies	FastRes 1200; 1200 x 1200 dpi
Print quality black (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 71 ppm
Bottom margin (A4)	4.3 mm
Left margin (A4)	4.3 mm
Right margin (A4)	4.3 mm
Top margin (A4)	4.3 mm
Functions	Print
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 300,000 pages
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement cartridges	HP 37A Black Original LaserJet Toner Cartridge (11,000 pages) CF237A; HP 37X High Yield Black Original LaserJet Toner Cartridge (25,000 pages) CF237X; HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge (41,000 pages) CF237Y[9]
Connectivity, standard	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket
Connectivity, optional	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria-certified
Network protocols, supported	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping, IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to http://www.123.HP.com or OS App Source for printer software), online user manuals

Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.11 El Capitan, OS X 10.10 Yosemite, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) *(Full solution software available only for Windows 7 and newer, UPD software available only for Windows 7 and newer, HP Software for Mac and Windows is no longer included on the CD, but can be downloaded from http://www.123.hp.com, Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only with a reduced feature set, Windows RT OS for Tablets (32/64-bit) uses a simplified HP print driver built into the RT OS)*
Energy star certified	Yes
Ecolabels	ENERGY STAR® qualified
Display area (metric)	54 x 40.5 mm
Display	6.86 cm (2.7 in) QVGA LCD (colour graphics), rotating (adjustable angle)
Dimensions (W x D x H)	431 x 466 x 380 mm
Weight	21.6 kg *(With print cartridges)*
Power consumption	780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off)[4] *(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)*
Power supply type	Built in 220V Power Supply
What's in the box	HP LaserJet Enterprise M609dn Printer; HP Black Original LaserJet Toner Cartridge (11,000 yield); CD with software drivers and documentation; Documentation (hardware install guide); Power cord[5]
Manufacturer Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Additional specifications

Acoustic power emissions (active, printing)	7.1 B(A)
Acoustic power emissions (ready)	Inaudible
Acoustic power note	Acoustic values are subject to change. For current information see http://www.hp.com/support. Noise measured during printing monochrome simplex A4 at 71ppm.
Acoustic pressure emissions bystander (active, printing)	56 dB(A)
Acoustic pressure emissions bystander (ready)	Inaudible
Additional information about HP	https://www.hp.com
Additional information about HP in the countries	http://www.hp.com/uk
Automatic paper sensor	No
Best technical electricity consumption (TEC)	3.229 kWh/week[11]
Best technical electricity consumption (TEC) footnote	Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
Blue Angel (sleep mode)	3.19 watts
Business filter	cMPS
Cable included	No, please purchase USB cable separately
Capacity	Optional 500 GB Hard Disk
Color or black	Black and white

Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/2008 R2 SP1, Citrix on Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32/64-bit, Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenApp 7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Novell NetWare 6.5/SP8 Novell Clients http://www.novell.com/iprint, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers http://www.novell.com/iprint, Windows Server 2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services)
Component type	Printer
Control panel	Rotating 6.86 cm (2.7 in) QVGA LCD (colour graphics) with 24 key pad.
Datasheet photo 1	Publication photos/HP LaserJet Enterprise M609dn_main.JPG
Datasheet photo 2	Publication photos/HP LaserJet Enterprise M609dn_secondary1.JPG
Datasheet photo 3	Publication photos/M609_wap.JPG
Datasheet photo 4	Publication logos/Color_touchscreen_thin_icon.jpg
Datasheet photo 5	Publication logos/Mobile_printing_thin_icon.jpg
Datasheet publication number	4AA6-9826
Downloadable software	HP Easy Start (Guided Software Install for Windows OS and Mac); HP ePrint Software (ePrint Mobile Driver for Windows); HP ePrint Software (for Windows); HP Imaging & Printing Security Center; HP JetAdvantage Security Manager; HP Mobile Printing http://www8.hp.com/us/en/ads/mobility/overview.html; HP PCL6 (XPS) print driver only (No installer for "Add Printer" installs); HP PCL6 (XPS) print driver with installer; Product Documentation and Support; HP Proxy Agent Software; HP Universal Print Drivers (PCL6 & PS for Windows); Linux/Unix Print Drivers; Mac Software Solution; Printer Administrator Resource Kit; SAP (PS Print Drivers); Web JetAdmin; Windows driver only solution; Windows Full Software Solution
Driver updates	Current HP printer drivers and software can be obtained from the HP Customer Care Web site: http://www.hp.com/support; 1. Go to http://www.hp.com/support. Select the country/region; 2. Select Drivers & Downloads; 3. Enter a product name/number; 4. Under Download Options, select Drivers, Software & Firmware; 5. Select the operating system version; 6. Then select DOWNLOAD.

Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Colour LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Electromagnetic compatibility	CISPR 22:2008 (International) - Class A, EN 55022:2010 (EU) - Class A, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008, EN 55024:2010, EMC Directive 2004/108/EC; Other EMC approvals as required by individual countries
End of Life CO2e (kg)	28.286
Energy Usage CO2e (kg)	56.623
Engine life	1350000
Envelope Feeder	Yes, 75 (optional)
Finished output handling	Sheetfed
First page out black (A4, ready)	As fast as 5.4 sec
First page out black (A4, sleep)	As fast as 7.9 sec
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Input capacity	Up to 650 sheets
Internal Storage	Optional, 500 GB (with accessory B5L29A)
Mac compatible	Yes
Maximum Memory	1.5 GB, MAX memory, when 1GB Accessory DIMM is installed
Maximum dimensions (W x D x H)	431 x 1040 x 453 mm
Maximum input capacity (sheets)	Up to 4,400 sheets
Maximum metric depth	1040
Maximum metric height	453
Maximum metric width	431
Maximum output capacity (sheets)	Up to 1,300 sheets
Media sizes supported	Feeder 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS single and double); Feeder 2: A4, A5, A5-R, B5 (JIS), 16K
Media sizes, custom	Feeder 1: 76 x 127 to 216 x 356 mm; Feeder 2: 99 x 148 to 216 x 356 mm
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), monochrome transparency, labels, letterhead, envelope, heavy envelope
Media weight (tray 1)	60 to 200 g/m²
Media weight, supported	Feeder 1: 60 to 200 g/m²; Feeder 2: 60 to 120 g/m²
Memory	512 MB

Memory Slots	1 slot, 90-pin
Memory upgrade	Expandable to 1.5 GB through 1 GB 90-pin DDR3 DIMM
Metric depth	466
Metric height	380
Metric width	431
Minimum System Requirements	2 GB available hard disk space; OS hardware requirements see http://www.microsoft.com
Minimum System Requirements for Macintosh	1.3 GB available hard drive space; Internet; OS hardware requirements see http://www.Apple.com for more info
Model number	M609dn
Non-Operating Humidity Range	10 to 80% RH
Number of users	10-30 Users
Operating humidity range	30 to 70% RH
Operating temperature range	15 to 32.5ºC
Output capacity	Up to 500 sheets
Package dimensions (W x D x H)	597 x 497 x 539 mm
Package weight	27.2 kg
Page yield footnote	Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies
Paper handling input, optional	Optional 1 x 550-sheet paper feeder, optional 1 x 550 paper feeder and stand with cabinet, optional 3 x 550-sheet paper feeder and stand, optional high-capacity paper feeder and stand with 1 x 550 sheet feeder and 1 x 2,000-sheet feeder
Paper handling input, standard	100-sheet multipurpose feeder, 550-sheet input feeder
Paper handling output, optional	Optional 5 bin stapler stacker
Paper handling output, standard	500 sheet output bin
Paper trays, maximum	Up to 6
Paper trays, standard	2
Photo (product photo, jpg, 70x100)	Printing and Digital Imaging/CB515A_70x100.jpg
Post warranty repair & maintenance	http://www.hp.com/support
Power	220V - 240V nominal; +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A
Print Cartridges/Bottle, Number	1 (black)
Print Technology	Laser
Print colors	No
Print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™

Print quality black (normal)	FastRes 1200
Print resolution black (fine lines)	Up to 1200 x 1200 dpi
Print speed black (Landscape, A5)	Up to 115 ppm
Print speed black (Portrait, A5)	Up to 6 ppm
Print speed duplex (A4)	Up to 58 ppm
Print speed footnote number (A5)	[8]
Print technology	Laser
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver
Printer black pages (MPV black)	5000
Processor speed	1.2 GHz
Product short name specifications	HP LaserJet Enterprise M609dn, Print
Production CO2e (kg)	189.217
Recommended media weight (duplex)	60 to 120 g/m²
Recommended monthly page volume	5,000 to 30,000
Recommended monthly page volume note	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Recommended operating humidity range	10 to 90% RH
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2007 / IEC 60825-1:2007 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2006/95/EC with CE Mark Europe); GS Certificate (Germany, Europe); Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs

Service & support options	Free telephone support for basic setup, installation, and troubleshooting in Europe during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support
Standard input capacity (envelopes)	Up to 10 envelopes
Standard media sizes (duplex)	A4; A5; RA4; B5; Oficio; 16k
Standard output capacity (envelopes)	Up to 75 envelopes
Standard output capacity (transparencies)	200
Storage temperature range	-20 to 40ºC
Sub-brand name	LaserJet
Target user and print volume	For teams over 25 users; Prints up to 30,000 pages/month
Technical support information	http://www.hp.com/support/ljM609
Technology logo 2	Publication logos/windows 10_logo_EMEA.jpg
Technology logo 3	Publication logos/Energy Star_NEW.jpg
Technology logo 4	Publication logos/mac new.jpg
Total CO2e (kg)	283.106 *(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)*
Transportation CO2e (kg)	8.98
Tray capacity	650
Typical electricity consumption (TEC) footnote	Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.
Typical electricity consumption (TEC) number	Blue Angel: 2.948 kWh/Week; Energy Star 3.0: 0.856 kWh/Week[7]
UNSPSC code	43212105
UPC number	(ABT) 889894068774; (ABY) 889894068781; (AC4) 190781770121; (ACQ) 889894068798; (B13) 889894068804; (B19) 889894068811; (BAZ) 889894068828
Warm-up time	130 Sec
Web address for additional information	Solutions: http://www.hp.com/go/gsc; Fonts and IPDS Emulation: http://www.hp.com/go/laserjetfonts; HP Web Jetadmin: http://www.hp.com/go/wja; HP Universal Print Driver: http://www.hp.com/go/upd; HP JetAdvantage Security Manager: www.hp.com/go/securitymanager; HP JetAdvantage On Demand Cloud Solutions: www.hp.com/go/JetAdvantageondemand

[4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[5] Cartridges included, yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

[7] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

[9] Average colour composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

[11] Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Laser Printer Supply Kits

HP LaserJet 110V Maintenance Kit	**L0H24A ★**
HP LaserJet 220V Maintenance Kit	**F2G77A ★**
HP LaserJet 220V Maintenance Kit	L0H25A

HP Black and White Laser Toner Printer Cartridges

HP 37A Black Original LaserJet Toner Cartridge	CF237A
HP 37X High Yield Black Original LaserJet Toner Cartridge	CF237X
HP 37X High Yield Black Original LaserJet Toner Cartridge for US Government	CF237XG
HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge	CF237Y

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper Glossy 150 g/m2 A4 (210 x 297 mm) 150 sheets	CG965A
HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV80A

HP Business Papers for laser and inkjet

HP Professional Business Paper Glossy 180 g/m2 A4 (210 x 297 mm) 150 sheets	3VK91A

Accessories

Paper Handling

★ : Recommended

Staple Cartridges

HP Staple Cartridge Refill	**J8J96A ★**

Input Trays

HP LaserJet 2100 Sheet Paper Tray	**L0H18A ★**
HP LaserJet 550-sheet Paper Tray	**L0H17A ★**
HP LaserJet Extension Tray Cover	L0H22A

Envelope Feeders

HP LaserJet Envelope Feeder	**L0H21A ★**

Output Trays and Stackers

HP LaserJet Stapler/Stacker/Mailbox	**L0H20A ★**

Memory

DDR Memory

HP 1 GB 90-pin DDR3 DIMM	**G6W84A ★**

Cables/Cable Kits/Cable Adapters

Printer Cables

HP Foreign Interface Harness	**B5L31A ★**

Port Cables and Cable Adapters

HP Internal USB Ports	B5L28A

Network Print Servers

External Print Servers

HP Jetdirect 3100w BLE/NFC/Wireless Accessory	**3JN69A ★**
HP Jetdirect 2900nw Print Server	J8031A
HP Jetdirect 3000w NFC/Wireless Accessory	J8030A

Internal Print Servers

HP Jetdirect LAN Accessory	**8FP31A ★**

Cabinets and Stands

Printer Cabinets and Stands

HP LaserJet Printer Stand	**L0H19A ★**

Accessory Bundles

Data Security Accessories

HP Removable Hard Drive Enclosure	**2NR12A ★**

Security and Protection

Security Devices

HP Trusted Platform Module Accessory	**F5S62A ★**

PC Drives and Storage

EIO Hard Drives

HP High-Performance Secure Hard Disk	B5L29A

Services

Document & Printing

★ : Recommended

Legacy Security Print Management Solutions

HP HID Mobile Access BLE MIFARE Card Reader	**35H11B ★**
HP HID Mobile Access Mifare DES Fire Keystroking Reader	**35H11A ★**
HP HIP1 Card Reader Accessory Kit	**5B248A ★**

Print Management Software Solutions - Security

HP USB Universal Card Reader	**X3D03A ★**

Support Services (for Document & Printing)

HP 1 year Post Warranty Next Business Day Service for LaserJet Enterprise M609 M612	U9NB4PE
HP 1 year Post Wty Parts Exchange Service for LaserJet Enterprise M609M612	U9NC3PE
HP 3 year Next Business Day Service for LaserJet Enterprise M609 M612	U9MZ0E
HP 3 year Parts Exchange Service for LaserJet Enterprise M609 M612	U9NA8E
HP 4 year Next Business Day Service for LaserJet Enterprise M609 M612	U9MZ1E
HP 4 year Parts Exchange Service for LaserJet Enterprise M609 M612	U9NA9E
HP 5 year Next Business Day Service for LaserJet Enterprise M609 M612	U9MZ2E
HP 5 year Parts Exchange Service for LaserJet Enterprise M609 M612	U9NB0E
HP Installation Service with network configuration for Workgroup Printer (1 unit)	U9JT2E

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.