HP LaserJet Pro MFP M130nw (G3Q58A)



Overview

Keep it simple with HP's smallest wireless LaserJet MFP powered by JetIntelligence Toner cartridges.

Keep things simple with HP's smallest LaserJet MFP – powered by JetIntelligence Toner cartridges. Print professional documents from a range of mobile devices,[1] plus scan, copy, and help save energy with a wireless MFP designed for efficiency.

Designed for efficiency

Print, scan, and copy with HP's smallest LaserJet MFP – designed to fit into tight workspaces.

HP quality – print after print

Produce sharp text, bold blacks, and crisp graphics with precision black toner.

Mobile printing made simple

Print from iPhone® and iPad® with AirPrint®, which automatically scales jobs to the correct paper size.[5]

Features



Print, scan, copy with one compact device

Fast first page print time from ready mode

HP Auto-On/Auto-Off Technology

AirPrint® with media presence sensor

---

[1] App or software and HP ePrint account registration also may be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting.

[5] Mobile device must have iOS v7.0 or higher. Learn more at http://www.hp.com/go/mobileprinting.

Specifications

Print Resolution Technologies	HP FastRes 600, HP FastRes 1200
Print quality black (best)	Up to 600 x 600 dpi, HP FastRes 1200 (1200 dpi quality)
Print speed black (ISO, A4)	Up to 22 ppm
Bottom margin (A4)	4 mm
Left margin (A4)	4 mm
Right margin (A4)	4 mm
Top margin (A4)	4 mm
Functions	Print, copy, scan
Duplex printing	Manual duplex
Duty cycle (monthly, A4)	Up to 10,000 pages
Printer smart software features	HP ePrint, Apple AirPrint™, Instant-on Technology, HP Auto-On/Auto-Off, JetIntelligence cartridges; HP Smart App
Copier smart software features	ID Copy
Scanner advanced features	No
Fax smart software features	No
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement cartridges	HP 17A Original Black LaserJet Toner Cartridge CF217A (1,600 pages); HP 19A Original LaserJet Imaging Drum CF219A (12,000 pages)
Connectivity, standard	Hi-Speed USB 2.0 port (device); Built-in Fast Ethernet 10/100Base-TX network port; Wireless
Connectivity, optional	No
Modem	No
Network capabilities	10/100 Ethernet
Wireless capability	Standard (Wi-Fi 802.11b/g/n)
Mobile printing capability	Apple AirPrint™; HP ePrint; Google Cloud Print 2.0; Mopria-certified; Wi-Fi Direct®
Network protocols, supported	TCP/IP; IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/DHCP/AutoIP; WINS; SNMPv1/2/3; HTTP/HTTPS
Software included	For Windows OS: HP Software Installer, HP Software Uninstaller (exclude Win8+), HP PCLmS Printer Driver, HP Device Experience (DXP), HP Web Services Assist (HP Connected), Device Setup & Software, Online user manuals, HP Printer Assistant, HP Scan Driver, HP Scan Application, HP Fax Driver (4:1 bundle only), HP Fax Application (4:1 bundle only), HP Product Improvement Study; For Mac OS: Welcome Screen (directs users to http://www.HP.com or OS App Source for LaserJet Software)

Compatible Operating Systems	Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple® OS X El Capitan (v10.11), OS X Yosemite (v10.10), OS X Mavericks (v10.9), 1 GB available hard disk space, Internet required, USB Linux (for more information, see http://hplipopensource.com/hplip-web/index.html)[6]
Sustainability specifications	Mercury free
Energy star certified	No
Blue Angel compliant	No; Please refer to the ECI document
Copy speed (black, normal quality, A4)	Up to 22 cpm
Digital sending standard features	No
Faxing	No
Scan file format	JPEG, PDF, PNG
Scan input modes	Scanning via HP LaserJet Scan (Windows®); HP Director (Macintosh) or TWAIN-compliant or WIA-compliant software
Scan technology	CIS
Scanner type	Flatbed
Display area (metric)	57.58 x 11.88 mm
Display	2-line LCD
Dimensions (W x D x H)	398 x 288 x 231.1 mm
Weight	6.8 kg
Power consumption	255 watts (active printing), 4.2 watts (ready),1.0 watts (sleep), 0.7 watts (auto off/wake on USB, enabled at shipment)[7]
Power supply type	Built-in power supply
What's in the box	HP LaserJet Pro MFP M130nw; Introductory HP Black LaserJet Toner Cartridge (700 pages); HP LaserJet Imaging Drum (12,000 pages); Power cord; USB cable; Getting started guide; Set up poster; Support flyer; Printer documentation and software on CD-ROM[9]
Manufacturer Warranty	One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Additional specifications

Acoustic power emissions (active, printing)	6.5 B(A) (printing at 23 ppm)
Acoustic power emissions (ready)	2.6 B(A)
Acoustic pressure emissions bystander (active, printing)	51 dB(A)
Acoustic pressure emissions bystander (ready)	16 dB(A)
Additional information about HP	https://www.hp.com
Additional information about HP in the countries	http://www.hp.com/uk
Auto fax reduction supported	No
Automatic document feeder capacity	No
Automatic paper sensor	No
Best technical electricity consumption (TEC)	0.615 kWh/Week
Bit depth	24-bit
Blue Angel (sleep mode)	1.0 Watts
Cable included	Yes, 1 USB; 1 USB PC to Printer
Color or black	Black and white
Color scanning	Yes
Compatible Network Operating Systems	Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple® OS X El Capitan (v10.11), OS X Yosemite (v10.10), OS X Mavericks (v10.9), 1 GB available hard disk space, Internet required, USB Linux (for more information, see http://hplipopensource.com/hplip-web/index.html)
Connection type	Wireless
Control panel	2-line LCD: 2-line LCD text display; Buttons (OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup, Wireless); 3 light-emitting diode (LED) indicator lights (Ready, Attention, Wireless).
Copier settings	Number of copies; Lighter/Darker; Optimise; Paper; Multi-Page copy; Draft mode
Copies, maximum	Up to 99 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black graphics)	600 x 600 dpi
Copy resolution (black text)	Up to 600 x 600 dpi
Datasheet photo 1	Publication photos/HP LaserJet Pro MFP M130nw_main.JPG

Datasheet photo 2	Publication photos/HP LaserJet Pro MFP M130nw_secondary1.JPG
Datasheet photo 3	Publication photos/HP LaserJet Pro MFP M130nw_secondary2.JPG
Datasheet photo 4	Publication logos/Automatic_document_feeder_thin_icon.jpg
Datasheet photo 5	Publication logos/Auto_on-off_thin_icon.jpg
Distinctive ring detection supported	No
Downloadable software	From http://123.hp.com: HP Easy Start (guided software install for Windows and Mac); From http://www.HP.com for Windows OS: full-solution software and drivers (same solution as "Software Included"), basic-solution software and drivers (with installer), Product Documentation and Support; From http://www.HP.com for Mac OS: full-solution software and drivers; For Mobile OS: see "HP Mobile Printing" (http://www8.hp.com/us/en/ads/mobility/overview.html); From In-OS app stores: Gotham (HP AiO Remote for Win 8), HP recommended printer drivers and software; From http://www.HP.com for printer administrators: HP ePrint Software (ePrint Mobile Driver for Windows), Linux Print Drivers, HP JetAdvantage Security Manager, ReadIris Software
Driver updates	http://www.hp.com/support/ljM129MFP
Duplex ADF scanning	No
Electromagnetic compatibility	CISPR 22:2008/EN 55022:2010 (Class B); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010
End of Life CO2e (kg)	15.064
Energy Usage CO2e (kg)	42.179
Fax Auto Redial	No
Fax PC Interface Supported	No
Fax Remote Retrieval	No
Fax delayed sending	No
Fax forwarding	No
Fax phone TAM interface supported	No
Fax telephone mode supported	No
File Format Supported	No
First copy out black (A4)	As fast as 10 sec
First copy out black (A4, sleep)	As fast as 10.9 sec
First page out black (A4, ready)	As fast as 7.3 sec
First page out black (A4, sleep)	As fast as 7.5 sec
HP ePrint capability	Yes
Input capacity	Up to 150 sheets
Internal Storage	No
Junk fax barrier	No
Levels of grayscale	256

Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10
Maximum Memory	256 MB
Maximum dimensions (W x D x H)	398 x 482 x 387.9 mm
Maximum input capacity (sheets)	Up to 150 sheets
Maximum output capacity (sheets)	Up to 100 sheets
Maximum print area	214 x 356 mm
Media size (ADF)	No
Media size, tray 1	A4; A5; A6; B5 (JIS)
Media sizes supported	A4; A5; A6; B5 (JIS)
Media sizes, custom	76 x 127 to 216 x 356 mm
Media type and capacity, ADF	No
Media type and capacity, tray 1	Sheet 150; Envelopes: 10
Media types	Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, postcards
Media weight (tray 1)	60 to 163 g/m²
Media weight, supported	60 to 163 g/m²
Media weights, supported ADF	No
Memory	256 MB
Memory Slots	No
Memory card compatibility	No
Minimum System Requirements	Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8
Minimum System Requirements for Macintosh	Apple® OS X El Capitan (v10.11), OS X Yosemite (v10.10), OS X Mavericks (v10.9), 1 GB available hard disk space, Internet required, USB
Model number	M130nw
Multitasking supported	Yes
Native scan file format	PDF, JPG
Network ready	Standard (built-in Ethernet, Wi-Fi 802.11b/g/n)
Non-Operating Humidity Range	10 to 90% RH
Number of users	1-5 Users
Operating humidity range	10 to 80% RH
Operating temperature range	15 to 32.5ºC
Output capacity	Up to 100 sheets
Package dimensions (W x D x H)	490 x 294 x 350 mm

Package weight	9.1 kg
Page yield (set-up/inbox cartridges)	~700 pages black
Paper handling input, standard	150-sheet input tray
Paper handling output, standard	100-sheet output tray
Paper trays, maximum	1
Paper trays, standard	1
Photo (product photo, jpg, 70x100)	Printers and Multifunction/hp-laserjet-m1319-mfp-series_70x100.jpg
Ports	1 Hi-Speed USB 2.0 (device); 1 Ethernet 10/100Base-TX
Power	Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz, 2.8 A
Print Cartridges/Bottle, Number	1 Black
Print Technology	Laser
Print colors	No
Print languages	PCLmS, URF, PWG
Print quality black (normal)	Up to 600 x 400 dpi, HP FastRes 600 (600 dpi quality)
Print speed footnote number (A5)	[11]
Print technology	Laser
Printer Management	HP Printer Assistant (UDC); HP Device Toolbox; HP Utility (Mac)
Processor speed	600 MHz
Product short name specifications	HP LaserJet Pro M130nw Wireless Multifunction Black and white Printer, Copier, Scanner
Production CO2e (kg)	120.736
Recommended monthly page volume	150 to 1500[2]
Recommended monthly scan volume	150 to 1,500
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	17.5 to 25ºC
Resolution	300 x 300 dpi, 600 x 600 dpi, 1200 x 1200 dpi for scan, 300 x 400 dpi for copy
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013/EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013; IEC 60825-1:2007/EN 60825-1:2007 (Class 1 Laser/LED Product); IEC 62479:2010/EN 62479:2010
Scan resolution, hardware	Up to 600 x 600 dpi (colour, flatbed); Up to 1200 x 1200 dpi (monochrome, flatbed)
Scan resolution, optical	Up to 600 dpi (colour, flatbed); Up to 1200 dpi (monochrome, flatbed)
Scan size, maximum	215.9 x 297 mm

Security management	Password-protected network embedded Web server; Enable/Disable Network ports; SNMPv1 community password change
Software scan file format	JPEG, RAW (BMP), PNG, TIFF, PDF
Standard output capacity (envelopes)	Up to 10
Storage device and direct print support	USB printing; Wi-Fi Direct
Storage temperature range	-20 to 60ºC
Sub-brand name	LaserJet Pro
Technology logo 2	Publication logos/Energy Star_NEW.jpg
Technology logo 3	Publication logos/hi-speed usb.jpg
Technology logo 4	Publication logos/MacOSX_Universal_new.jpg
Technology logo 5	Publication logos/WiFi.jpg
Technology logo 6	Publication logos/AirPrint.jpg
Technology logo 7	Publication logos/windows 10_logo_EMEA.jpg
Telephone handset supported	No
Total CO2e (kg)	181.933 *(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)*
Transportation CO2e (kg)	3.954
Twain version	Version 2.1
Typical electricity consumption (TEC) number	Blue Angel: 0.627 kWh/Week; Energy Star 3.0: 0.285 kWh/Week[8]
UNSPSC code	43212110
UPC number	(ABY) 725184117060; (ACQ) 725184117077; (B13) 725184117084; (B19) 725184117091; (BAZ) 725184117107

---

[2] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

[6] Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit); Not all "Compatible Operating Systems" are supported with INBOX software, Full solution software available only for Windows 7 and newer, Legacy Windows Operation Systems (XP, Vista, and equivalent servers) drivers only, For Windows Server 2003 32-bit and 2008 32-bit and 64-bit, 2008 R2 64-bit, 2012 64-bit, 2012 R2 64-bit only drivers (print/scan/fax) are installed, Windows RT OS for Tablets (32/64-bit) uses a simplified HP print driver built into the RT OS, Linux systems use in-OS HPLIP software

[7] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.

[8] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of device.

[9] Introductory HP Black LaserJet Toner Cartridge (700 pages), HP Original LaserJet Imaging Drum (12,000 pages). Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Black and White Laser Toner Printer Cartridges

HP 17A Black Original LaserJet Toner Cartridge	CF217A
HP 19A Original LaserJet Imaging Drum	CF219A

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

HP Paper Designed for Laser Printers

HP Laser Everyday Paper

HP Color Laser Paper 100 gsm-500 sht/A4/210 x 297 mm	CHP350
HP Color Laser Paper 120 gsm-500 sht/A4/210 x 297 mm	CHP342
HP Color Laser Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP370

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper Glossy 150 g/m2 A4 (210 x 297 mm) 150 sheets	CG965A
HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV80A

HP Business Papers for laser and inkjet

HP Professional Business Paper Glossy 180 g/m2 A4 (210 x 297 mm) 150 sheets	3VK91A

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (sa-en) – Nov 20, 2026 4:15 PM UTC+0000