HP Color LaserJet Pro MFP 3301fdw (499Q5F)



Overview

Designed for business work teams that need professional performance with fast, high-quality two-sided printing and scanning with copying and fax, plus award-winning reliability in a compact design.[11]

Professional color and speed

Experience high-speed, automatic, two-sided color printing up to 26 pages per minute (Letter) /25 pages per minute (A4).[1]

Pro level security to help protect your business

Safeguard your business with proactive, embedded security ready out of the box and tamper-resistant toner.[12]

Peace-of-mind with award-winning reliability[11]

Performance you can count on page after page with award-winning reliability.[11]

Compact and energy efficient design

Designed in a compact size with energy saving auto-on/auto-off technology to optimize printer energy use.[19]

Features

Business team solution

Fast, automatic two-sided color printing with single pass two-sided scanning and copying, plus fax[1]

True-to-life colors[8]

Compact Design

Advanced productivity features[18][18]

HP Web Jetadmin[5][5]

---

[1] Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[5] HP Web Jetadmin is available for download at no additional charge at https://www.hp.com/go/webjetadmin

[8] Standard print mode for HP Color LaserJet Pro series with HP TerraJet Toner Cartridges compared to predecessors. See https://www.hp.com/TerraJet/colors

[11] Buyers Lab (BLI) 2022-2024 Most Reliable A4 Brand Award based on devices tested by Keypoint Intelligence from 2017 to 2021. See https://www.keypointintelligence.com/view-award?region=&id=135871174680

[12] HP office-class printing systems are select Managed and Enterprise devices with FutureSmart firmware 4.5 and up, Pro devices, LaserJet models 200 and up, with respective Original HP Toner, PageWide and Ink Cartridges. Does not include HP integrated printhead cartridges. Digital supply-chain tracking, hardware, chips and packaging security features vary locally by SKU. See https://www.hp.com/cartridgesecurity

[18] HP account required for full functionality.

[19] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

Specifications

Print quality black (best)	Up to 600 x 600 dpi
Print quality color (best)	Up to 600 x 600 dpi
Print speed black (ISO, A4)	Up to 25 ppm
Print speed black (ISO, letter)	Up to 26 ppm
Print Speed Color (ISO)	Up to 25 ppm
Print speed color (ISO)	Up to 26 ppm
Print speed	Print speed up to 25 ppm (black) and 25 ppm (color)
Bottom margin (A4)	5 mm
Left margin (A4)	5 mm
Right margin (A4)	5 mm
Top margin (A4)	5 mm
Functions	Print, copy, scan, fax
Duplex printing	Automatic
Duty cycle (monthly, A4)	Up to 40,000 pages
Duty cycle (monthly, letter)	Up to 40,000 pages[9]
Scanner advanced features	HP Universal Scan
Fax smart software features	Mobile Fax with HP Cloud Account
Energy savings feature technology	HP Auto-On/Auto-Off Technology
Replacement cartridges	HP 218A Black Original LaserJet Toner Cartridge (~1,300 pages) W2180A; HP 218A Cyan Original LaserJet Toner Cartridge (~1,200 pages) W2181A; HP 218A Yellow Original LaserJet Toner Cartridge (~1,200 pages) W2182A; HP 218A Magenta Original LaserJet Toner Cartridge (~1,200 pages) W2183A; HP 218X High Yield Black Original LaserJet Toner Cartridge (~3,200 pages) W2180X; HP 218X High Yield Cyan Original LaserJet Toner Cartridge (~2,500 pages) W2181X; HP 218X High Yield Yellow Original LaserJet Toner Cartridge (~2,500 pages) W2182X; HP 218X High Yield Magenta Original LaserJet Toner Cartridge (~2,500 pages) W2183X[5]
Supplies feature	HP TerraJet Cartridge
Connectivity, standard	1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11ac (dual band); 2 RJ-11 Fax/Modem port/phone line; Auto-crossover Ethernet; 1 Gigabit Ethernet 10/100TX network
Modem	33.6 kbps
Network capabilities	Built-in 10/100Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
Wireless capability	Built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct
Mobile printing capability	Apple AirPrint™; Mobile Apps; Mopria™ certified; HP app; Wi-Fi® Direct Printing

Network protocols, supported	TCP/IPv4, TCP/IPv6, DHCP, DNS.
Software included	HP Printer Software downloadable from www.hp.com/hp-app
Compatible Operating Systems	Windows 11; Windows 10; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Linux[12] *([8] Windows Server 2016, Windows Server 2019, Windows Server 2022, Linux (For more information see https://www.developers.hp.com/hp-linux-imaging-and-printing))*
Technical features	Fax; Automatic document feeder; Automatic 2-sided printing; Cloud-based fleet management; Compact size; ENERGY STAR®; Network printing; Fast first page out; HP Auto-on/Auto-off; TerraJet Toner; Professional print quality; Scan-to-cloud; Scan-to-email; Scan-to-folder; Touchscreen; Walk-up USB; WiFI Direct
Sustainability specifications	Contains post-consumer recycled plastic; ENERGY STAR® certified
Energy star certified	Yes
Ecolabels	EPEAT® Silver registered; ENERGY STAR® certified
Blue Angel compliant	No, please refer to the ECI (Ecolabel Comparison Information) document
Copy speed (black, normal quality, A4)	Up to 25 cpm
Copy speed (color, normal quality, A4)	Up to 25 cpm
Copy speed black (normal, letter)	Up to 26 cpm
Copy speed color (normal, letter)	Up to 26 cpm
Copy speed black duplex (A4)	Up to 15 cpm
Copy speed black duplex (Letter)	Up to 15.5 cpm
Digital sending standard features	Scan to Email, Scan to Network Folder, Scan to Sharepoint, Scan to USB, Scan to Computer
Fax Resolution Black (best)	Up to 300 x 300 dpi
Faxing	Yes
Scan speed (normal, A4)	Up to 19 ppm (b&w), Up to 8 ppm (color)
Scan speed (normal, letter)	Up to 20 ppm (b&w), Up to 9 ppm (color)
Scan file format	JPG; PDF; PDFA; TIFF
Scan input modes	Front-panel scan; HP Universal Scan and user applications via Twain
Scan technology	Contact Image Sensor (CIS)
Scanner type	ADF; Flatbed
Display area (imperial)	3.74 x 2.12 in
Display area (metric)	9.5 x 5.4 cm
Display	4.3" diagonal color TFT-backlit (480 x 272)
Dimensions (W x D x H)	418 x 419.12 x 341.32 mm *([6] End to End Dimensions when printer is set up and on standby)*
Dimensions (W x D x H)	16.46 x 16.5 x 13.44 in *([6] End to End Dimensions when printer is setup and on standby)*

Weight	~17.1 kg[14] *([9] Product weight inclusive of starter supplies)*
Weight	~37.7 lb *([9] Product weight inclusive of starter supplies)*
Power consumption	416 watts (printing), 7.6 watts (ready), 0.95 watts (sleep), 0.05 watts (auto-off), 0.05 watts (manual-off)[3] *([3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.)*
Power supply type	Internal (Built-in) power supply
What's in the box	HP Color LaserJet Pro MFP 3301fdw; Power cord; Toner cartridge; User Guide; Flyers[4]
Manufacturer Warranty	One-Year limited warranty. For more information please visit https://www.support.hp.com [13]

Additional specifications

ADF Capacity	50
Acoustic power emissions (active scan)	5.3 B(A)
Acoustic power emissions (active, printing)	6.3 B(A)
Acoustic power emissions (ready)	2.3 B(A)
Acoustic power note	[14] Configuration tested: base model, simplex printing, A4 paper at an average of 25 ppm
Acoustic pressure emissions bystander (active scan)	41 dB(A)
Acoustic pressure emissions bystander (active, printing)	51 dB(A)
Acoustic pressure emissions bystander (ready)	16 dB(A)
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	hp.com
Auto document feeder capacity footnote	[16] Recommended Auto Document Feeder Capacity when doing multiple two-sided copies is 25 sheets.
Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 50 sheets[15]
Automatic paper sensor	NO
Bit depth	24-bit
Cable included	No USB cable.
Cartons per layer	6
Certifications and compliances	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Indonesia, Singapore, Philippines, etc.
Color or black	Color
Color scanning	Yes
Compatible Network Operating Systems	Windows 11; Windows 10; Windows Server; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Linux
Configurable items	HP Color LaserJet Pro MFP 3301-3304,3388
Connection type	Wireless
Control panel	4.3" Capacitive Touch Color Display
Copier scaling (ADF)	25 to 400%

Copier settings	Binding Margin; Booklet; Color; Duplex; ID Copy; Lighter/Darker; Number of Copies; N-up; Original Size; Paper Size; Paper Source; Paper type; Two-sided copy
Copies, maximum	Up to 999 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black text)	Up to 600 x 600 dpi
Copy resolution (color text and graphics)	Up to 600 x 600 dpi
Copy speed color duplex (A4)	Up to 15 cpm
Copy speed color duplex (Letter)	Up to 15.5 cpm
Copy speed note	[2] First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application and document complexity.
Count of layers in pallet	4
Datasheet photo 1	AHID/897922449dd2b7e5f32c8edc5bf3ce022c9e0d77
Distinctive ring detection supported	Yes
Downloadable software	HP Easy Start, HP Printer Software
Driver updates	From Windows Update or HP Support Page
Duplex ADF scanning	Yes
Duty cycle note	[12] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other EMC approvals as required by individual countries.
Email addresses stored	200
End of Life CO2e (kg)	33.456
Energy Usage CO2e (kg)	22.066
Envelope Feeder	NO
Fax Auto Redial	Yes
Fax Broadcast Locations	0
Fax PC Interface Supported	Yes, Windows fax driver, HP PC Send Fax Driver 2.0
Fax Polling	No
Fax Remote Retrieval	No

Fax Speed Dials, Maximum Number	Up to 200 numbers
Fax Transmission Speed	Up to 33.6 kbps
Fax delayed sending	Yes
Fax forwarding	Yes
Fax memory	Up to 500 pages
Fax memory	Up to 500 pages
Fax phone TAM interface supported	No
Fax resolution black	Up to 203 x 196 dpi
Fax telephone mode supported	Yes
Fax transmission speed (letter)	3 sec per page
File Format Supported	JPEG; PDF; TIFF; PDF/A
Finished output handling	Sheet Feed
First copy out black (A4)	As fast as 9.7 sec
First copy out black (A4, sleep)	As fast as 9.8 sec
First copy out black (letter)	As fast as 9.6 sec
First copy out black (letter, sleep)	As fast as 9.7 sec
First copy out color (A4)	As fast as 13.9 sec
First copy out color (A4, sleep)	As fast as 14.0 sec
First copy out color (letter)	As fast as 13.5 sec
First copy out color (letter, sleep)	As fast as 13.6 sec
First page out black (A4, ready)	As fast as 10.9 sec
First page out black (A4, sleep)	As fast as 11.0 sec
First page out black (letter, ready)	As fast as 10.8 sec
First page out black (letter, sleep)	As fast as 10.9 sec
First page out color (A4, ready)	As fast as 11.0 sec
First page out color (A4, sleep)	As fast as 11.1 sec
First page out color (letter, ready)	As fast as 10.9 sec
First page out color (letter, sleep)	As fast as 11.0 sec
First page out footnote	[11] Measured using ISO/IEC 17629. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Fonts and typefaces	111 Scalable TrueType Fonts
Input capacity	Tray 2: Up to 250 sheets (Up to 25 mm stack)
Junk fax barrier	Yes, requires Caller ID
Levels of grayscale	256

Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10 envelopes
Maximum Memory	512 MB
Maximum dimensions (W x D x H)	428 x 472 x 455 mm
Maximum dimensions (W x D x H)	16.85 x 18.58 x 17.91 in
Maximum input capacity (sheets)	Up to 251 sheets
Maximum metric depth	413 mm
Maximum metric height	339 mm
Maximum metric width	418 mm
Maximum output capacity (sheets)	Up to 100 sheets @ 75gsm (or up to 15 mm stack)
Maximum print area	215.9 x 355.6 mm
Media size (ADF)	A4; LTR; LGL
Media size, tray 1	Letter; Legal; Executive; Oficio 8.5 x 13; 4 x 6; 5 x 8; A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio 216 x 340 mm; 16K 195 x 270 mm; 16K 184 x 260 mm; 16K 197 x 273 mm; Postcard (JIS); Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; A5-R; Custom
Media size, tray 2	Letter; Legal; Executive; Oficio 8.5 x 13; 4 x 6; 5 x 8; A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio 216 x 340 mm; 16K 195 x 270 mm; 16K 184 x 260 mm; 16K 197 x 273 mm; Postcard (JIS); Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; A5-R; Custom
Media sizes supported	A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio 216 x 340 mm; 16K 195 x 270 mm; 16K 184 x 260 mm; 16K 197 x 273 mm; Postcard (JIS); Envelope B5; Envelope C5; Envelope DL; A5-R
Media sizes supported	Letter; Legal; Executive; Oficio 8.5 x 13; 4 x 6 in; 5 x 8 in; Envelope #10; Envelope Monarch
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes, custom	76 x 127 mm to 216 x 356 mm
Media sizes, custom	3 x 5 in to 8.5 x 14 in
Media type and capacity, ADF	50 sheet on 20 lb plain paper
Media type and capacity, tray 1	1 sheet for all media type
Media type and capacity, tray 2	Sheets: Up to 250; Transparencies: Up to 10mm; Envelope: Up to 10
Media types	Paper (bond, brochure, colored, glossy, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
Media weight (tray 1)	60 to 163 g/m² Paper; Up to 176 g/m² with postcards; Up to 200g/m² Glossy Papers
Media weight (tray 2)	60 to 163 g/m² Paper; Up to 176 g/m² with postcards; Up to 200g/m² Glossy Papers
Media weight, supported	60 to 163 g/m² Paper; Up to 176 g/m² with postcards; Up to 200g/m² Glossy Papers

Media weight, supported	16 to 43 lb Paper (Bond); Up to 47 lb (Bond) with postcards; Up to 52 lb (Bond) Glossy Papers
Media weights, supported ADF	60 to 90 g/m²
Media weights, supported ADF	16 to 24 lb
Memory	512 MB
Metric depth	413 mm
Metric height	339 mm
Metric width	418 mm
Minimum System Requirements	Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection
Minimum System Requirements for Macintosh	Apple® macOS 12.0 Monterey; macOS 13.0 Ventura; macOS v14 Sonoma; 2GB HD; Internet required
Model number	3301fdw
Native scan file format	PDF; JPG
Number of users	3-10 Users
Operating humidity range	10 to 80% RH
Operating temperature range	15 to 30°C
Operating temperature range	59 to 86°F
Output capacity	Up to 100 sheets @ 75gsm (or up to 15 mm stack)
Package dimensions (W x D x H)	497 x 398 x 532 mm
Package dimensions (W x D x H)	19.57 x 15.67 x 20.94 in
Package weight	20.60 kg
Package weight	45.41 lb
Page yield (set-up/inbox cartridges)	4 preinstalled HP LaserJet Introductory Toner cartridges (~600 pages black, ~500 pages cyan, magenta, yellow composite yield)
Pallet dimensions	47.24 x 39.37 x 83.82 in
Pallet dimensions (W x D x H)	1200 x 1000 x 2129 mm
Pallet weight	495.4 kg
Pallet weight	1092.15 lb
Paper handling input, standard	250 sheets Main Input Tray, 1 sheet Priority Feed Tray
Paper handling output, standard	100 sheets Output Tray
Paper trays, maximum	2
Paper trays, standard	2
Plug and play	Auto Wireless Connect; Copies; ID Copy; Auto Fit Copy
Power	220-volt input voltage: 220 – 240V (±10%) @ 50Hz ± 3 Hz, 60Hz ± 3 Hz; 110-volt input voltage: 110 – 127V (±10%) @ 50Hz ± 3 Hz, 60Hz ± 3 Hz (Not dual voltage, product varies by part number with # Option code identifier)

Print Cartridges/Bottle, Number	4 (1 each black, cyan, magenta, yellow)
Print Technology	Laser
Print colors	Yes
Print languages	HP PCL6, PostScript, HP PCL5, PDF, URF, PWG-Raster, PCLM, JPEG
Print quality black (normal)	600 x 600 dpi
Print resolution color (normal)	600 x 600 dpi
Print speed black (Landscape, A5)	Up to 43 ppm
Print speed black (Portrait, A5)	Up to 5 ppm
Print speed color (Landscape, A5)	Up to 26 ppm
Print speed color (Portrait, A5)	Up to 5 ppm
Print speed duplex (A4)	Up to 15 ipm
Print speed duplex (A4)	Up to 15 ipm
Print speed duplex (letter)	Up to 15.5 ipm
Print speed duplex (letter)	Up to 15.5 ipm
Print speed footnote (A5)	[7] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Print technology	Laser
Printer Management	HP Web Jetadmin
Processor speed	1.2 GHz
Product long name specifications	HP Color LaserJet Pro MFP 3301fdw, Color Printer for Small medium business, Print, copy, scan, fax, Wireless; Print from phone or tablet; Automatic document feeder; Two-sided printing; Two-sided scanning; Scan to email; Scan to PDF; Fax; Front USB flash drive port; Touchscreen; TerraJet cartridge
Product short name specifications	HP LaserJet Pro 3301fdw Wireless Multifunction Color Printer, Copier, Scanner; Duplex
Production CO2e (kg)	150.644
Quantity per pallet	24
RMN number	SHNGC-2201-01
Recommended monthly page volume	150 to 2,500[10]
Recommended monthly page volume note	[13] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Recommended monthly scan volume	150 to 1500
Recommended operating humidity range	30 to 70% RH

Recommended operating temperature range	15 to 27°C
Recommended operating temperature range	59 to 80.6°F
Replacement cartridges footnote	[5] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://www.hp.com/go/toneryield
Resolution	Up to 600 dpi
Resolution (black and white, standard mode)	203 x 98 dpi
Resolution (black and white, superfine mode)	Up to 300 x 300 dpi
Resolution (black photo grayscale)	203 x 196 dpi
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013; IEC 62368-1:2014; EN 62368-1:2014 +A11:2017; IEC 62368-1:2018; EN IEC 62368-1:2020 +A11:2020; EN 60825-1:2014+A11:2021; IEC 60825-1:2014; EN 62479:2010; IEC 62479:2010; CSA C22.2 62368-1:19 3rd Ed;CSA C22.2 62368-1-14 2nd Ed; UL62368-1 2nd Ed; UL62368-1 3rd Ed; Complies with FDA performance standards for laser products except for conformance with IEC 60825-1 Ed.3.,as described in Laser Notice No. 56, dated May 8, 2019; Other safety approvals as required by individual countries
Scan resolution, hardware	Up to 300 x 300 dpi (color and monochrome, ADF); Up to 1200 x 1200 dpi (color and monochrome, Flatbed)
Scan resolution, optical	Up to 300 dpi (color and monochrome, ADF); Up to 1200 dpi (color and monochrome, Flatbed)
Scan size (ADF), maximum	216 x 356 mm
Scan size (ADF), maximum	8.5 x 14 in
Scan size (ADF), minimum	5.8 x 8.3 in
Scan size (ADF), minimum	148 x 210 mm
Scan size, maximum	216 x 297 mm
Scan size, maximum	8.5 x 11.7 in
Scan speed duplex (normal, A4)	Up to 34 ipm (b&w), up to 16 ipm (color)
Scan speed duplex (normal, letter)	Up to 35 ipm (b&w), up to 17 ipm (color)
Scan speed footnote	[1] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
Security management	Unique Admin Password; Enable/Disable USB; EWS Session Time Out; Control Panel Inactivity Timeout; Role Based Access Control; WebScan Disabled by default.
Segment (filter)	Small medium business
Software scan file format	PDF, JPG, PNG, BMP, TIF, PDF/A
Standard media sizes (duplex)	A4; A5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio (216 x 340 mm); A5R; B5 (JIS)

Standard media sizes (duplex, imperial)	Letter; Legal; Executive; Oficio (8.5 x 13 in)
Standard output capacity (envelopes)	Up to 10 envelope
Standard output capacity (transparencies)	Up to 10 mm stack
Storage	0.512GByte (4Gbits) NAND Flash
Storage device and direct print support	Walk-up USB printing
Storage temperature range	-20 to 60°C
Storage temperature range	-4 to 140°F
Target user and print volume	Prints up to 2,500 pages/month; For teams up to 7 users
Tariff numbers	8443310000
Technology logo 1	Publication logos/AMS_EnergyStar.jpg
Technology logo 2	AHID/b47a5a466c819008442b686968043b1fdeeb2d9a
Technology logo 3	Publication logos/AMS_mac_hires.jpg
Technology logo 4	Publication logos/HP_APP_AMS.png
Technology logo 5	Publication logos/AMS_WiFi.jpg
Technology logo 6	Publication logos/AMS_Mopria.jpg
Technology logo 7	Publication logos/AMS_USB easy access.jpg
Technology logo 8	Publication logos/WorksWithAirPrint_AMS.jpg
Telecom compliance (fax capability)	Fax: ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; FCC Title 47 CFR, Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals as required by individual countries. Wireless: EU RED 2014/53/EU; EN 301 489-1 V2.2.3 / EN 301 489-17: V3.2.4; EN 300 328: V2.2.2 / EN301 893 V2.1.1/ EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Subpart B, Class B / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; EN62311:2008; Other Telecom approvals as required by individual countries
Telephone handset supported	No
Top key features	Wireless; Print from phone or tablet; Automatic document feeder; Two-sided printing; Two-sided scanning; Scan to email; Scan to PDF; Fax; Front USB flash drive port; Touchscreen; TerraJet cartridge
Total CO2e (kg)	214.018 *(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)*
Transportation CO2e (kg)	7.852
Tray capacity	250
Twain version	Version 2.1

Typical electricity consumption (TEC) footnote	[7] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
Typical electricity consumption (TEC) number	0.338 kWh/week (Energy Star)[7]
UNSPSC code	43212110
UPC number	196786388347
Warm-up time	As fast as 55 sec
What is in the box footnote	[4] For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield . Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

---

[3] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://www.hp.com/go/toneryield .

[4] First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application and document complexity.

[5] End to End Dimensions when printer is setup and on standby.

[7] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[9] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[10] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

[12] Windows Server 2016, Windows Server 2019, Windows Server 2022, Linux (For more information see https://www.developers.hp.com/hp-linux-imaging-and-printing)

[14] Product weight inclusive of starter supplies.

[15] Recommended Auto Document Feeder Capacity when doing multiple two-sided copies is 25 sheets.

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Consumer Care Pack Services

HP 2 year Next Business Day Advance Exchange HW support for Consumer LaserJet High printer	UQ223E
HP 2 year Onsite Exchange HW support for Consumer LaserJet High printer	U6M44E
HP 3 year Next Business Day Advance Exchange HW support for Consumer LaserJet High printer	UQ224E
HP 3 year Onsite Exchange HW support for Consumer LaserJet High printer	U6M45E
HP 4 year Next Business Day Advance Exchange HW support for Consumer LaserJet High printer	UQ225E
HP 4 year Onsite Exchange HW support for Consumer LaserJet High printer	U6M46E

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP TerraJet Toner Cartridges

HP 218A Black Original LaserJet Toner Cartridge	W2180A
HP 218A Cyan Original LaserJet Toner Cartridge	W2181A
HP 218A Magenta Original LaserJet Toner Cartridge	W2183A
HP 218A Yellow Original LaserJet Toner Cartridge	W2182A
HP 218X High Yield Black Original LaserJet Toner Cartridge	W2180X
HP 218X High Yield Cyan Original LaserJet Toner Cartridge	W2181X
HP 218X High Yield Magenta Original LaserJet Toner Cartridge	W2183X
HP 218X High Yield Yellow Original LaserJet Toner Cartridge	W2182X

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM 20 lb 11 x 17 in. (279 x 432 mm) 250 sheets	HPM1720P
HP MultiPurpose20TM 20 lb 8.5 x 11 in. (216 x 279 mm) 500 sheets	HPM1120R
HP MultiPurpose20TM 20 lb 8.5 x 14 in. (216 x 356 mm) 500 sheets	HPM1420P

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 28, 2026 9:52 PM UTC+0000