



# HP ScanJet Enterprise Flow 7000 s3 Sheet-feed Scanner (L2757A)



## Overview

**Give your office high-volume scanning performance. Recommended for 7,500 pages per day.**

Give your office high-volume scanning performance. Easily download software—including Kofax VRS 5.1 Professional[4]—that helps you save time and capture confidently. Achieve scan speeds up to 75 ppm/150 ipm.[1] Recommended for 7,500 pages per day.

### **Fast, smooth scanning—even unattended**

Capture entire documents with one-pass duplex scanning up to 150 ipm black-and-white and color.[1]

### **Professional-grade scanning that helps save time**

Save time and simplify complex scan jobs with HP Scan Premium.

### **Peak workflow performance. Smarter scanning.**

Identify new devices and gain insight into scanning with HP Web Jetadmin remote discovery and monitoring.[3]

## Features



One-pass duplex scanning

7,500-page duty cycle



HP EveryPage, ultrasonic sensor

80-page ADF



HP Scan Premium

Scan originals in a variety of sizes and weights

---

*[1] Scan speed measured at 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, computer performance, and application software.*

*[3] HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>. Support for the HP ScanJet Enterprise Flow 7000 s3 available mid-November, 2016.*

*[4] Expected availability for Kofax VRS 5.1 Professional is November 1, 2016*

## Specifications

<b>Scanner Advanced Features</b>	Auto exposure, Auto threshold, Auto detect color, Background smooth/removal, Remove Noise, Auto detect size, Straighten content, Enhance content, Multi-streaming, Auto feed, Multi-feed detection sensor, Auto orient, Multi-color dropout, Channel color dropout, Edge erase, Resize page, Delete blank page, Merge pages, Hole fill, Digital stamps, Metadata capture, PDF permissions, Document separation (Blank page, Barcode)
<b>Connectivity, Std</b>	USB 2.0 and USB 3.0 (Hi-Speed)
<b>Software Included</b>	HP WIA scan driver, HP TWAIN scan driver (32-bit and 64-bit), HP Scan Premium, HP Scanner Tools Utility, EMC ISIS driver, Kofax VRS Pro
<b>Compatible Operating Systems</b>	Windows 11; Windows 10; Windows 8; Windows 7; macOS 10.11 El Capitan
<b>Sustainability Specifications</b>	RoHS compliance, HP GSE standard
<b>Energy Star Certified</b>	Yes
<b>Ecolabels (fixed)</b>	ENERGY STAR® 3.0 certified
<b>Digital Sending Standard Features</b>	Scan to PC, Scan to USB Drive
<b>Scan File Format</b>	For text & images: ePub 3.0, HTML 4.0, Excel file format (*.xls, *.xlsx), PowerPoint file format (*.pptx), Word (*.docx), WordPerfect (*.wpd), searchable PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (rtf), XML and XPS
<b>Scan Input Modes</b>	Two scan modes (simplex/duplex) on front-panel for HP Scan Premium in Win OS and third parties applications via TWAIN, ISIS and WIA
<b>Scan Technology</b>	CMOS CIS
<b>Scan Type</b>	Sheetfed
<b>Product Dimensions (metric)</b>	310 x 198 x 190 mm
<b>Product Dimensions (imperial)</b>	12.20 x 7.79 x 7.48 in
<b>Weight (metric)</b>	3.8 kg
<b>Weight (imperial)</b>	8.4 lb
<b>Power Consumption Description</b>	6.7 watts (ready), 0.9 watts (sleep), 0.1 watts (off), 0.1 watts (auto-off) <sup>[2]</sup>
<b>Power Supply Type</b>	External Power Adapter
<b>What Is In The Box</b>	HP ScanJet Enterprise Flow 7000 s3 Sheet feed Scanner; Installation guide, Support flyer, Warranty guide; Power cord; USB cable; Power Adapter
<b>Manufacturer Warranty</b>	One-year bench limited warranty whole unit replacement, phone and Web support included. Warranty may vary by country as required by law. Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> to learn about HP world-class service and support options in your region.

## Additional specifications

<b>Accessories</b>	HP ScanJet Enterprise Flow 5000 s4/7000 s3 roller kit L2756A
<b>Acoustic Power Emissions (active, printing)</b>	7.0 B(A)
<b>Auto Document Feeder Capacity</b>	80 sheets of Xerox 4024 75 g/m <sup>2</sup> paper
<b>Bit Depth</b>	24-bits external 48-bits internal
<b>Business Filter</b>	cMPS
<b>Cartons Per Layer</b>	12
<b>Color Scanning</b>	Yes
<b>Component Type</b>	Printer
<b>Control Panel</b>	2-line 16 character per line LCD display, Simplex button, Duplex button, Cancel button, Power button with a LED and Tool button.
<b>Count of Layers In Pallet</b>	Slipsheet 8; NA pallet 7; EMEA/APJ pallet 6
<b>Customer Segment</b>	Microsoft® Windows 10, Windows® 8, Windows 7
<b>Daily US Letter or A4</b>	Recommended for 7,500 pages per day
<b>Document Weight Maximum, ADF (imperial)</b>	110 lb
<b>Document Weight Maximum, ADF (metric)</b>	413 g/m <sup>2</sup>
<b>Document Weight Minimum, ADF (imperial)</b>	10.7 lb
<b>Document Weight Minimum, ADF (metric)</b>	40 g/m <sup>2</sup>
<b>Duplex ADF Scanning</b>	Yes
<b>Electromagnetic Emission Standard</b>	Class B Emissions; CISPR 22:2008 (International); European Union EMC Directive 2014/30/EU, EN 55022:2010 (CE mark); China GB9254-2008 (CCC); Taiwan CNS13438:2006 (BSMI); USA CFR47 Part 15, Subpart B (FCC); ICES-003:2012 Issue 6 (Canada); Australia C-tick (includes New Zealand); KN 22 and Korea KCC; EAC EMC Certificate; Ukraine EMC approval; EN 61000-3-2:2014 (harmonics); EN 61000-3-3:2013 (flicker); Immunity CISPR 24:2010, EN 50024:2010
<b>External I/O Ports</b>	1 x USB 3.0 and 1 x USB 2.0 port
<b>Grayscale Levels</b>	256
<b>Image Scaling or Enlargement Range</b>	Will not perform any arbitrary scaling
<b>In Box Cable</b>	Yes(WW)
<b>Light Source (scanning)</b>	LED
<b>Mac Compatible</b>	No
<b>Max Dimensions (imperial)</b>	13.46 x 12.20 x 12.56 in
<b>Max Dimensions (metric)</b>	342 x 310 x 319 mm

<b>Media Size, ADF</b>	U.S.-Letter: 215.9 x 279.4 mm (8.5 x 11 in); U.S.-Legal: 215.9 x 355.6 mm (8.5 x 14 in); U.S.-Executive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in)
<b>Media Types</b>	Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed, Plastic cards (up to 1.24mm)
<b>Media Weights Supported, ADF (imperial)</b>	10.7 to 110 lb
<b>Media Weights Supported, ADF (metric)</b>	40 to 413 g/m <sup>2</sup>
<b>Multi Feed Detection</b>	Yes
<b>Non-operating Humidity Range</b>	0 to 90% RH (non-condensing)
<b>Operating Humidity Range</b>	15 to 80% RH
<b>Operating Humidity Range (recommended)</b>	15 to 80% RH (non-condensing)
<b>Operating Temperature Range (celsius)</b>	10 to 35°C
<b>Operating Temperature Range (fahrenheit)</b>	50 to 95°F
<b>Operating Temperature Range (recommended celsius)</b>	10 to 35°C
<b>Operating Temperature Range (recommended fahrenheit)</b>	50 to 95°F
<b>Output Resolution Dpi Settings</b>	75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi
<b>Package Dimensions (imperial)</b>	15.6 x 9.76 x 11.9 in
<b>Package Dimensions (metric)</b>	397 x 248 x 303 mm
<b>Package Weight (imperial)</b>	12.0 lb
<b>Package Weight (metric)</b>	5.4 kg
<b>Pallet Dimensions (imperial)</b>	Slipsheet = 48 x 40 x 97.1 in; NA pallet = 48 x 40 x 90.1 in; EMEA/APJ pallet = 48 x 40 x 78.0 in
<b>Pallet Dimensions (metric)</b>	Slipsheet = 1219 x 1016 x 2466 mm; NA pallet = 1219 x 1016 x 2289 mm; EMEA/APJ pallet = 1219 x 2016 x 1982 mm
<b>Pallet Weight (imperial)</b>	Slipsheet 1155 lb; NA pallet 1049 lb; EMEA/APJ pallet 905 lb
<b>Pallet Weight (metric)</b>	Slipsheet 525 kg; NA pallet 477 kg; EMEA/APJ pallet 411 kg
<b>Power Supply Required</b>	Input Voltage range: 100 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use
<b>Printer Black Pages (MPV Black)</b>	1575
<b>Printer Color Pages (MPV Color)</b>	1050
<b>Processor Speed</b>	550 MHz

<b>Product Logos</b>	USB 3.0, ENERGY STAR® 3.0, EPEAT, Microsoft Windows, TWAIN, ISIS, Kofax VRS Pro, Citrix Ready, Cerner
<b>Product Long Name Specifications</b>	HP ScanJet Enterprise Flow 7000 s3 Sheet-feed Scanner
<b>Quantity Per Pallet</b>	Slipsheet 96; NA pallet 84; EMEA/APJ pallet 72
<b>RMN Number</b>	SHNGD-1604
<b>Safety Approvals and Requirements</b>	IEC 60950-1:2005 +A1+A11+A12 and all applicable amendments; CSA/UL 60950-1, 2nd edition (2007); EN 60950-1:2006 +A11 +A1 +A12+A2; EAC safety; Canada cUL CoC; China CCC; European Union CE; Kenya PVOC; Kuwait TER; Nigeria SON; Saudi Arabia SASO; South Africa NRCS; Taiwan BSMI; Ukraine safety approval
<b>Scan Resolution, Hardware</b>	Up to 600 dpi (color and mono, Sheet-feed)
<b>Scan Resolution, Optical</b>	Up to 600 dpi (color and mono, Sheet-feed)
<b>Scan Size Maximum (ADF, Imperial)</b>	8.5 x 122 in
<b>Scan Size Maximum (ADF, metric)</b>	216 x 3100 mm
<b>Scan Size Minimum (ADF, imperial)</b>	2 x 2 in
<b>Scan Size Minimum (ADF, metric)</b>	50.8 x 50.8 mm
<b>Scan Size Minimum (imperial)</b>	8.5 x 122 in
<b>Scan Size Minimum (metric)</b>	216 x 3098 mm
<b>Scan Speed (task)</b>	10 x 15 cm (4 x 6 in) color photo to file (200 dpi, 24-bit, tiff): about 5.98 sec for single image scan; 10 x 15 cm (4 x 6 in) color photo to e-mail (150 dpi, 24-bit): about 4.91 sec for single image scan; about 1.23 sec for single image send to email. Totally 6.14 sec; A4 (8.27 x 11.69 in) PDF to e-mail (300 dpi, 24-bit): about 6.51 sec for single image scan; about 3.5 sec for single image send to email. Totally 10.01 sec
<b>Scan Speed ADF (A4)</b>	Up to 75 ppm/150 ipm for (b&w, 300ppi)
<b>Scan Speed ADF (letter)</b>	Up to 75 ppm/150 ipm
<b>Scan Speed OCR (A4)</b>	< 6 sec
<b>Scan Speed, Preview</b>	Up to 5 sec
<b>Scanning Options (ADF)</b>	Single pass E-Duplex
<b>Security Management</b>	Power button to on/off device
<b>Standard Memory</b>	512 MB
<b>Storage Temperature Range (celsius)</b>	-40 to 60°C
<b>Storage Temperature Range (fahrenheit)</b>	-40 to 140°F
<b>Sub-Brand Name</b>	ScanJet
<b>System Requirements, Minimum</b>	Microsoft® Windows® 11, 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Microsoft® Internet Explorer; Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Microsoft® Internet Explorer 8; Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Microsoft® Internet Explorer 8

<b>System Requirements, Recommended</b>	Windows 7 or later; 2 GHz processor; 2 GB RAM; 170 MB hard disk space (driver-only install); USB 2.0; 1024x768 SVGA monitor
<b>Tariff Numbers</b>	8471608000
<b>Twain Version</b>	Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a
<b>UNSPSC Code</b>	43211711
<b>UPC Number</b>	(201) 889894865663; (AB0) 889899200599; (AB2) 889894865717; (ABG) 889894865724; (ABT) 889894865762; (ABY) 889894865779; (AC4) 889894865687; (AC8) 889894865694; (ACJ) 889899200605; (ACQ) 889894865786; (AKH) 889894865700; (AKV) 889894996657; (B13) 196548988228; (B19) 889894865755; (BAZ) 889894865793; (BBU) 889899200582; (BG8) 889894865731; (BG9) 889894865748; (BGJ) 889894865670; (BGM) 889899200575

---

*[2] Power requirements are based on the country/region where the scanner is sold. Do not convert operating voltages. This will damage the scanner and void the product warranty.*

---

# Ink/Toner/Paper/Printer Supplies

## HP Maintenance Kits

★ : Recommended

### HP ScanJet Maintenance Kits

HP ScanJet 5000 s4/7000 s3 Roller Replacement Kit	L2756A ★
---	----------

## Services

### Document & Printing

★ : Recommended

#### Support Services (for Document & Printing)

HP 1 year Post Warranty Next business day Exchange Service for ScanJet 7xxx	U5X46PE
HP 1 year Post Warranty Next business day Onsite Exchange Service for ScanJet 7xxx	U5X47PE
HP 1 year Post Warranty Standard Exchange Service for ScanJet 7xxx	U5X48PE
HP 3 year Next business day Exchange Service for ScanJet 7xxx	U1Q59E
HP 3 year Next business day Onsite Exchange Service for ScanJet 7xxx	U1Q60E
HP 3 year Return to depot Scanjet 7000s2 and 7000s2 Flow Service	U5X52E
HP 3 year Standard Exchange Service for ScanJet 7xxx	U1Q61E
HP 4 year Next business day Exchange Service for ScanJet 7xxx	U5X49E
HP 4 year Next business day Onsite Exchange Service for ScanJet 7xxx	U5X51E
HP 5 year Next business day Exchange Service for ScanJet 7xxx	U5X50E
HP 5 year Next business day Onsite Exchange Service for ScanJet 7xxx	U1Q62E
HP Installation Service with network configuration for Workgroup Printer (1 unit)	U9JT2E
HP Preventive Maintenance Service for Low Midend LaserJet ScanJet	U5AB3E

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Jun 13, 2026 8:50 AM UTC+0000