HP LaserJet Pro M404dw (W1A56A)



Overview

The HP LaserJet Pro M404 printer--focus your time where it's most effective-growing your business

Winning in business means working smarter. The HP LaserJet Pro M404 printer is designed to let you focus your time where it's most effective-helping to grow your business and staying ahead of the competition.

Built to keep you—and your business—moving forward

Help decrease the amount of paper used in the office by printing on both sides of the page.[12]

Simply designed to uncomplicate your day

Set up this printer fast and easily manage device settings to help increase overall printing efficiency.

Best -in-class security-detect and stop attacks[5]

A suite of embedded security features help protect your printer from being an entry point for attacks.[5]

Sustainability is smart business

Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner cartridges.

Features

Wi Fi-Dual band

Enhanced security

Bluetooth Low-Energy for HP Roam

Energy efficient

---

[5] Based on HP review of 2019 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

Specifications

Print Resolution Technologies	HP FastRes1200, HP ProRes1200, Economode
Print Resolution Black (best)	Fine Lines (1200 x 1200 dpi)
Print Speed Black (normal, A4)	Up to 38 ppm (default) ; Up to 40 ppm (HP High Speed)
Print Speed Black (normal, letter)	Up to 40 ppm (default) ; Up to 42 ppm (HP High Speed)
Print Speed	Prints up to 40/42 ppm (A4/LTR) (HP High Speed)
Print Margin Bottom (A4)	5 mm
Print Margin Left (A4)	4 mm
Print Margin Right (A4)	4 mm
Print Margin Top (A4)	5 mm
AIO Functions	Print
Duplex Print Options	Automatic (default)
Duty Cycle (monthly, A4)	Up to 80,000 pages
Duty Cycle (monthly, letter)	Up to 80,000 pages[10]
Printer Smart Software Features	Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, Wi-Fi Direct printing, HP ePrint, HP Auto-On/Auto-Off Technology, Job Storage with PIN printing, N-up printing, collation
Energy Savings Feature Technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement Cartridges	AMS: For distribution and use in North America and Latin America only: HP 58A Black LaserJet Toner Cartridge (~3,000 pages), CF258A; HP 58X Black LaserJet Toner Cartridge (~10,000 pages), CF258X; EMEA: For distribution and use in Europe, Middle East, Russia, CIS, and Africa only: HP 59A Black LaserJet Toner Cartridge (~3,000 pages), CF259A; HP 59X Black LaserJet Toner Cartridge (~10,000 pages), CF259X; APJ: For distribution and use only in Asia Pacific - excluding China (PRC) and India: HP 76A Black LaserJet Toner Cartridge (~3,000 pages), CF276A; HP 76X Black LaserJet Toner Cartridge (~10,000 pages), CF276X[3]
Supplies Feature	HP JetIntelligence Cartridge
Connectivity, Std	1 Hi-Speed USB 2.0; 1 host USB at rear side;Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE) 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio
Network Capabilities	Built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
Wireless Capability	Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy
Mobile Printing Capability	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mobile Apps; Mopria™ certified; HP app

Supported Network Protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
Software Included	No software solutions are included in the Box, Download software at http://123.hp.com/laserjet or http://hp.com
Compatible Operating Systems	Windows 11; Windows 10; Windows 8; Windows 7; Windows Client OS; Android; Mobile OS; macOS 10.12 Sierra; macOS 10.14 Mojave
Sustainability Specifications	Mercury-free
Energy Star Certified	Yes
Ecolabels (fixed)	CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified[13]
Blue Angel Compliance	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Display Area (imperial)	1.79 x 0.53 in
Display Area (metric)	4.55 x 1.35 cm
Display Description	2-line backlit LCD graphic display
Product Dimensions W x D x H (metric)	381 x 357 x 216 mm *(Without trays and covers not extended)*
Product Dimensions W x D x H (imperial)	15 x 14.06 x 8.5 in *(Without trays and covers not extended)*
Weight (metric)	8.56 kg
Weight (imperial)	18.87 lb
Power Consumption Description	495 watts (active printing), 5.5 watts (ready), 0.5 watts (sleep), 0.5 watts (Auto Off/Wake on LAN, enabled at shipment), 0.05 watts (Auto-off/Manual-on), 0.05 (Manual Off)[2]
Power Supply Type	Internal (built-in) Power Supply
What Is In The Box	HP LaserJet Pro M404dw; Preinstalled HP Black LaserJet Toner Cartridge (59A for EMEA, 58A for AMS, 76A for AP, yield ~3,000 pages); Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord; USB cable[14]
Manufacturer Warranty	One-year Bench/Depot Repair warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4E; wty ID A033)

Additional specifications

Accessories	HP LaserJet 550-sheet Feeder Tray D9P29A; HP v222w 16GB Mini USB Drive P0R81AA
Acoustic Power Emissions (active, printing)	6.7 B(A)
Acoustic Power Emissions (ready)	2.6 B(A)
Acoustic Pressure Emissions Bystander (active, printing)	54 dB(A)
Acoustic Pressure Emissions Bystander (ready)	15 dB(A)
Automatic Paper Sensor	No
Business Filter	cMPS
Cartons Per Layer	9
Color or Black (filter)	Black and white
Compatible Network Operating Systems	Windows 11; Windows 10; Windows 8; Windows 7; Android; iOS; Mobile OS; macOS 10.13 High Sierra; macOS 10.14 Mojave
Component Type	Printer
Connection Type	Wireless
Control Panel	2-line LCD; OK button; Left button; Right button; Cancel button; Back button; Wireless button; Ready LED; Error LED; Wi-Fi LED
Count of Layers In Pallet	5 (NA), 4 (EMEA, AP)
Downloadable Software	From http://123.hp.com, HP Easy Start (Guided Software Install for Windows and Mac), From http://hp.com for Windows OS, Fullsolution software and drivers, Basicsolution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From http://hp.com for Mac OS, HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin, For Mobile OS, iOS For more information see http://hp.com/go/businessmobileprinting, Android For more information see http://hp.com/go/businessmobileprinting, From http://hp.com for printer administrators, Printer Administrator Resource Kit (Driver Configuration Utility Driver Deployment Utility Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows), SAP Print Drivers for more information see http://support.hp.com/usen/document/c05051702, HP Web JetAdmin, HP JetAdvantage Security Manager, HPLIP Linux Printer Driver for more information see http://hplipopensource.com/hplipweb/index.html, Unix Model Script Printer Driver for more information see http://hp.com/go/unixmodelscripts
Driver Updates	Latest supported operating systems and Print drivers available at HTTP://www.hp.com/support/ljM404
Duty Cycle Note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

Dynamic security	Dynamic security enabled printer
Electromagnetic Emission Standard	CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6
Engine life	200000
Envelope Feeder	No
First Page Out Black (A4, ready)	As fast as 6.3 sec
First Page Out Black (A4, sleep)	As fast as 8.8 sec
First Page Out Black (letter, ready)	As fast as 6.1 sec
First Page Out Black (letter, sleep)	As fast as 8.6 sec
Fonts and Typefaces	84 scalable TrueType fonts
Hard Disk	None
In Box Cable	Yes, 1 USB cable
Input Capacity, Envelopes (primary)	Up to 10
Input Capacity, Max	Up to 900 sheets
Input Capacity, Std	Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets)
Key Media Sizes Supported (imperial)	4 x 6 in; Letter; Legal; Envelopes
Key Media Sizes Supported (metric)	10 x 15 cm; A4; Envelopes
Mac Compatible	Yes
Max Dimensions W x D x H (imperial)	15 x 25 x 9.5 in
Max Dimensions W x D x H (metric)	381 x 781 x 241 mm
Maximum Memory	256 MB
Media Handling, Document Finishing	Sheetfed
Media Size, Tray 1 (metric)	A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)
Media Size, Tray 2 (metric)	A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)
Media Size, Tray 3 (metric)	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double)
Media Sizes Custom (imperial)	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3.94 x 5.83 to 8.5 x 14 in
Media Sizes Custom (metric)	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm
Media Type and Capacity Tray 1	Sheets: 100; envelopes: 10

Media Type and Capacity Tray 2	Sheets: 250
Media Type and Capacity Tray 3	Sheets: 550
Media Types	Paper (plain, EcoFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels
Media Weights Supported, By Paper Path (Imperial)	Tray 1: 16 to 46.6 lb; Tray 2 and Optional 550-sheet Tray 3: 16 to 32 lb
Media Weights Supported, By Paper Path (metric)	Tray 1: 60 to 200 g/m²; Tray 2, Optional 550-sheet Tray 3: 60 to 120 g/m²
Media Weights Supported, Tray 1 (metric)	60 to 200 g/m²
Media Weights Supported, Tray 2 (metric)	60 to 120 g/m²
Media Weights Supported, Tray 3 (metric)	60 to 120 g/m² (optional 550-sheet tray)
Model Number	M404dw
Number of Simultaneous Users (local + network)	3-10 Users
Operating Humidity Range	10 to 80% RH
Operating Humidity Range (recommended)	30 to 70% RH
Operating Temperature Range (celsius)	15 to 32.5°C
Operating Temperature Range (fahrenheit)	59 to 90.5°F
Operating Temperature Range (recommended celsius)	17.5 to 25°C
Operating Temperature Range (recommended fahrenheit)	63.5 to 77°F
Output Capacity, Max	Up to 150 sheets
Output Capacity, Std	Up to 150 sheets
Output Capacity, Std, Envelopes	Up to 10 envelopes
Package Dimensions W x D x H (imperial)	17.44 x 10.78 x 18.26 in
Package Dimensions W x D x H (metric)	443 x 274 x 464 mm
Package Weight (imperial)	23.1 lb
Package Weight (metric)	10.5 kg
Page Yield (set-up/inbox cartridges)	~3000 pages black
Pallet Dimensions (imperial)	47.24 x 39.37 x 97.44 in (NA), 47.24 x 39.37 x 79.17 in (EMEA, AP)
Pallet Dimensions W x D x H (metric)	1200 x 1000 x 2475 mm (NA), 1200 x 1000 x 2011 mm (EMEA, AP)

Pallet Weight (imperial)	1089.4 lb (NA), 881.5 lb (EMEA, AP)
Pallet Weight (metric)	495.2 kg (NA), 400.7 kg (EMEA, AP)
Paper Handling Optional/input	Optional third 550-sheet tray
Paper Handling Standard/input	100-sheet multipurpose Tray 1, 250-sheet input Tray 2
Paper Handling Standard/output	150-sheet output bin
Paper Trays, Maximum	3
Paper Trays, Standard	2
Plug and Play Technologies	Auto Wireless Connect; HP Smart Install
Power Supply Required	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, product varies by part number with # Option code identifier)
Print Cartridges/Bottle, Number	1 (black)
Print Colors	No
Print Languages, Standard	HP PCL 6, HP postscript level 3 emulation, PDF, URF, PWG Raster
Print Resolution Black (Fine Lines)	Fine Lines (1200 x 1200 dpi)
Print Resolution Black (normal)	Normal (Native: 600 x 600 dpi, enhanced up to 4800 x 600 dpi)
Print Speed Black (Landscape, A5)	Up to 63 ppm
Print Speed Black (Portrait, A5)	Up to 14 ppm
Print Speed Black Duplex (A4)	Up to 31 ipm
Print Speed Black Duplex (Letter)	Up to 33 ipm
Print Speed Footnote (A5)	Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
Print Technology	Laser
Printable Area Maximum (metric)	207.4 x 347.1mm
Printer Black Pages (MPV Black)	600
Printer Management	HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Processor Speed	1200 MHz
Product Long Name Specifications	HP LaserJet Pro M404dw, Black and white Printer for Business, Print, Two-sided printing
Product Short Name Specifications	HP LaserJet Pro M404dw Wireless Black and white Printer, Duplex
Product-specific Additional Information Pointer	http://www.hp.com/go/support
Quantity Per Pallet	45 (NA), 36 (EMEA, AP)
RMN Number	SHNGC-1800-01

Recommended Media Weight (duplex, imperial)	16 to 32 lb
Recommended Media Weight (duplex, metric)	60 to 120 g/m²
Recommended Monthly Page Volume	750 to 4000[11]
Safety Approvals and Requirements	IEC 60950-1:2005 +A1:2009+A2:2013/EN 60950-1:2006 +A11:2009+A1:2010+A12:2011+A2:2013; IEC 60825-1:2014/EN 60825-1:2014 (Class 1 Laser/LED Product); IEC 62479: 2010/EN 62479: 2010
Security Management	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP), authentication via WEP, WPA/WPA2 Personal, WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager, IPPS
Segment (filter)	Business
Standard Media Sizes (duplex, Imperial)	Letter; Legal; Executive; Oficio (8.5 x 13 in)
Standard Media Sizes (duplex, metric)	A4; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); B5; Oficio
Standard Media Sizes Supported (imperial)	Tray 1, Tray 2: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch); Optional Tray 3: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in; Automatic duplexer: Letter, legal, executive, Oficio (8.5 x 13 in)
Standard Media Sizes Supported (metric)	Tray 1, Tray 2: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); Automatic duplexer: A4; B5; 16K (195 x 270 mm, 184 x 260 mm; 197 x 273 mm); Oficio (216 x 340 mm)
Standard Memory	256 MB
Storage	Optional Job storage via external rear host USB port (Minimum 16 GB)
Storage Device and Direct Print Support	Wireless direct printing; Optional job storage via external rear host USB port (Minimum 16GB)
Storage Temperature Range (celsius)	-20 to 40°C
Storage Temperature Range (fahrenheit)	-4 to 104°F
System Requirements, Macintosh, Minimum	2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com

System Requirements, Minimum	2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com
Target Number of Users and Print Volume	For teams up to 10 users; Prints up to 4,000 pages/month
Tariff Numbers	(AM) 8443321010; (EU) 8443321000; (AP) 84433231
Technology	Laser
Top Key Features	Wireless
Typical Electricity Consumption (TEC) Footnote	BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
Typical Electricity Consumption (TEC) number	1.10 kWh/Week (Blue Angel); 0.371 kWh/Week (Energy Star 3.0)[15]
UNSPSC Code	43212105
UPC Number	(696) 193808294228; (697) 193808294235; (AB0) 195122462444; (ABT) 192018902923; (ABY) 192018902930; (AC8) 193808294242; (ACQ) 192018902947; (B19) 192018902954; (BAZ) 192018902961; (BBU) 192545283175; (BGJ) 192018902978; (BGM) 192545283182
WEEE Net Weight (metric)	8.56 kg
Warm-up Time	As fast as 45 sec

---

[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.

[3] Toner cartridges designed for distribution and use within a designated region only; will not work outside of designated region.

[10] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[11] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period

[13] EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

[14] In box cartridge yields 3,000 black pages based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage.

[15] BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

Accessories

Paper Handling

★ : Recommended

Input Trays

HP LaserJet Pro 550-sheet Feeder Tray	**D9P29A** ★

Services

Document & Printing

★ : Recommended

Support Services (for Document & Printing)

HP 1 year Post Warranty Next Business Day Service for Color LaserJet Pro MFP M479	UB9T5PE
HP 1 year Post Warranty Next Business Day Service for LaserJet Pro M404 M405 M304 M305	UB9U3PE
HP 1 year Post Warranty Parts Exchange SVC for Color LaserJet Pro MFP M479	UB9T7PE
HP 1 year Post Warranty Return to Depot Service for LaserJet Pro M404 M405 M304 M305	UB9U6PE
HP 3 year Next Business Day Service for Color LaserJet Pro MFP M479	UB9S6E
HP 3 year Next Business Day Service for LaserJet Pro M404 M405 M304 M305	UB9T8E
HP 3 year Parts Exchange Service for Color LaserJet Pro MFP M479	UB9T2E
HP 3 year Return to Depot Service for LaserJet Pro M404 M405 M304 M305	UB9U2E
HP 4 year Next Business Day Service for Color LaserJet Pro MFP M479	UB9S7E
HP 4 year Next Business Day Service for LaserJet Pro M404 M405 M304 M305	UB9T9E
HP 4 year Parts Exchange Service for Color LaserJet Pro MFP M479	UB9T3E
HP 5 year Next Business Day Service for Color LaserJet Pro MFP M479	UB9S8E
HP 5 year Next Business Day Service for LaserJet Pro M404 M405 M304 M305	UB9U0E
HP 5 year Parts Exchange Service for Color LaserJet Pro MFP M479	UB9T4E
HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)	U9JT1E

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Black and White Laser Toner Printer Cartridges

HP 58A Black Original LaserJet Toner Cartridge	CF258A
HP 58X High Yield Black Original LaserJet Toner Cartridge	CF258X
HP 59A Black Original LaserJet Toner Cartridge	CF259A
HP 59X High Yield Black Original LaserJet Toner Cartridge	CF259X
HP 76A Black Original LaserJet Toner Cartridge	CF276A
HP 76X High Yield Black Original LaserJet Toner Cartridge	CF276X
HP 77A Black Original LaserJet Toner Cartridge	CF277A
HP 77X High Yield Black Original LaserJet Toner Cartridge	CF277X

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper Glossy 150 g/m2 A4 (210 x 297 mm) 150 sheets	CG965A
HP Everyday Business Paper Glossy 32 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN08A
HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN10A
HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV80A
HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN05A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM 20 lb 11 x 17 in. (279 x 432 mm) 250 sheets	HPM1720P
HP MultiPurpose20TM 20 lb 8.5 x 11 in. (216 x 279 mm) 500 sheets	HPM1120R
HP MultiPurpose20TM 20 lb 8.5 x 14 in. (216 x 356 mm) 500 sheets	HPM1420P

HP Paper for Multiple Uses

HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN07A

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Nov 21, 2026 9:49 AM UTC+0000