



Overview

The HP LaserJet Pro MFP M428-focus your time growing your business and staying ahead.

Winning in business means working smarter. The HP LaserJet Pro MFP M428 is designed to let you focus your time where it's most effective-growing your business and staying ahead of the competition.

Built to keep you—and your business moving forward

Scan files directly to Microsoft[®] SharePoint, email, USB, and network folders.[1]

Simply designed to uncomplicate your day

Set up this MFP fast, and easily manage device settings to help increase overall printing efficiency.

Best-in-class security- detect and stop attacks[6]

A suite of embedded security features help protect your MFP from being an entry point for attacks.[6]

Sustainability is smart business

Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner cartridges



Enhanced workflows Enhanced security

New user interface Energy efficient

[1] Some scan apps may require an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com

[6] Based on HP review of 2019 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://hp.com/go/PrintersThatProtect. For more information: http://hp.com/go/printersecurityclaims

Specifications

| Print Resolution Technologies | HP FastRes 1200, HP ProRes1200, Economode | |
|--------------------------------------|---|--|
| Print quality black (best) | Fine Lines (1200 x 1200 dpi) | |
| Print speed black (ISO, A4) | Up to 38 ppm (default) ; Up to 40 ppm (HP High Speed) | |
| Print speed black (ISO, letter) | Up to 40 ppm (default) ; Up to 42 ppm (HP High Speed) | |
| Print speed | Prints up to 40/42 ppm (A4/LTR) (HP High Speed) | |
| Functions | Print, Copy, Scan, Fax, Email | |
| Duplex printing | Automatic (default) | |
| Duty cycle (monthly, A4) | Up to 80,000 pages | |
| Duty cycle (monthly, letter) | Up to 80,000 pages ^[11] | |
| Printer smart software features | Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, HP ePrint, and HP Auto-On/Auto-Off Technology, Intuitive 2.7" touchscreen control panel, Scan/Print from Cloud using apps on the control panel, Job Storage with PIN printing, Print from USB, N-up printing, collation | |
| Copier smart software features | Instant-on copy; Duplex copy (2-sided to 2-sided option of "book-style" or "flip style"); up to 999 multiple copies; Scan once print many; Collation; Reduce/enlarge from 25 to 400% (custom page size presets, binding margin, and two pages to one page); Fit to page; Brightness (lighter/darker); Quality (draft/normal/best); ID copy; Enhancements (optimize for content with presets: none, text, photo, mixed); Copy preview (scan glass only) | |
| Scanner advanced features | Single-pass 2-sided scanning ADF, Scan to cloud (Google Drive and DropBox) Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Microsoft SharePoint [®] , Scan to computer with software, Fax archive to network folder, Fax archive to email, Fax to computer, Enable/disable fax, Quick Sets | |
| Fax smart software features | Permanent fax memory backup; Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax log; HP Digital Fax | |
| Energy savings feature technology | HP Auto-On/Auto-Off Technology; Instant-on Technology | |
| Replacement cartridges | AMS: For distribution and use in North America and Latin America only: HP 58A Black LaserJet Toner Cartridge (~3,000 pages), CF258A HP 58X Black LaserJet Toner Cartridge (~10,000 pages), CF258X; EMEA: For distribution and use in Europe, Middle East, Russia, CIS, and Africa only: HP 59A Black LaserJet Toner Cartridge (~3,000 pages), CF259A HP 59X Black LaserJet Toner Cartridge (~10,000 pages), CF259X; APJ: For distribution and use only in Asia Pacific - excluding China (PRC) and India: HP 76A Black LaserJet Toner Cartridge (~3,000 pages), CF276A HP 76X Black LaserJet Toner Cartridge (~10,000 pages), CF276X ^[3] | |
| Supplies feature | HP JetIntelligence Cartridge | |
| Connectivity, standard | 1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE) | |
| Modem | 33.6 kbps | |

| Network capabilities | Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X | |
|---|---|--|
| Mobile printing capability | HP Smart App; HP ePrint; Apple AirPrint™; Mobile Apps; Mopria™ Certified; Google Cloud Print™ | |
| Network protocols, supported | TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download | |
| Software included | No software solutions are included in the Box, Download software at http://123.hp.com/laserjet or http://hp.com | |
| Compatible Operating Systems | Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave | |
| Sustainable impact specifications | Mercury-free | |
| Energy star certified | Yes | |
| Ecolabels | CECP; Blue Angel; EPEAT [®] Silver registered; ENERGY STAR [®] certified ^[16] | |
| Blue Angel compliant | Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies | |
| Copy speed (black, normal quality, A4) | Up to 38 cpm | |
| Copy speed black (normal, letter) | Up to 40 cpm | |
| Copy speed black duplex (A4) | Up to 31 cpm | |
| Copy speed black duplex (Letter) | Up to 33 cpm | |
| Digital sending standard features | Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Microsoft SharePoint®, Scan to computer with software, Fax archive to network folder, Fax archive to email, Fax to computer, Enable/disable fax, Quick Sets | |
| Fax Resolution Black (best) | Up to 300 x 300 dpi (halftone enabled) | |
| Faxing | Yes | |
| Scan speed (normal, A4) | Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color) | |
| Scan speed (normal, letter) | Up to 31 ppm/49 ipm (b&w), up to 21 ppm/36 ipm (color) | |
| Scan file format | PDF, JPG, TIFF | |
| Scan input modes | Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA | |
| Scan technology | Contact Image Sensor (CIS) | |
| Scanner type | Flatbed, ADF | |
| Display area (imperial) | 2.13 x 1.59 in | |
| Display area (metric) | 5.4 x 4.05 cm | |
| Display | 2.7" (6.86 cm) intuitive color touchscreen (CGD) | |
| | | |

| Minimum dimensions (W x D x H) | 420 x 390 x 323 mm (without trays and covers not extended) | |
|--------------------------------|---|--|
| Minimum dimensions (W x D x H) | 16.54 x 15.35 x 12.72 in (without trays and covers not extended) | |
| Weight | 12.6 kg | |
| Weight | 27.78 lb | |
| Power consumption | 510 watts (active printing), 7.5 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Wake on LAN, enabled at shipment), 0.06 watts (Auto-off/Manual-on), 0.06 (Manual Off) ^[2] | |
| Power supply type | Internal (Built-in) power supply | |
| What's in the box | HP LaserJet Pro M428fdn; Preinstalled HP Black LaserJet Toner Cartridge (59A for EMEA, 58A for AMS, 76A for AP, yield ~3,000 pages); Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord; Phone cord; USB cable (AP Only). HP printer software is available at http://www.hp.com/support ^[17] | |
| Manufacturer Warranty | One-year Bench/Depot Repair warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4E; wty ID A033) | |

Additional specifications

| Accessories | HP LaserJet 550-sheet Feeder Tray D9P29A; HP v222w 16 GB Mini USB Drive P0R81AA | |
|--|---|--|
| Acoustic power emissions (active scan) | 6.3 Bel(A) (Scanning with ADF running) | |
| Acoustic power emissions (active, printing) | 6.7 Bel(A) (Printing at 38 ppm) | |
| Acoustic power emissions (ready) | Inaudible | |
| Acoustic pressure emissions bystander (active scan) | 48 dB(A) (Scanning with ADF running) | |
| Acoustic pressure emissions bystander (active, printing) | 53 dB(A) | |
| Acoustic pressure emissions bystander (ready) | Inaudible | |
| Auto fax reduction supported | Yes | |
| Automatic document feeder capacity | Standard, 50 sheets | |
| Automatic paper sensor | No | |
| Bit depth | 24-bit | |
| Bottom margin (A4) | 5 mm | |
| Business filter | cMPS | |
| Cable included | Yes, 1 USB cable (AP only); No, please purchase USB cable separately (EMEA, Americas) | |
| Cartons per layer | 6 | |
| Certifications and compliances | CSA (Canada), ANZ (Australia & New Zealand), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), KC & KCC (South Korea), NOM (Mexico), Malaysia, Singapore, Chile, Vietnam, Eastern European approvals, CE Marking, FCC approval, BIS(India), S-Mark(Argentina), UL listed and etc. | |
| Color or black | Black and white | |
| Color scanning | Yes | |
| Compatible Network Operating Systems | Windows 11; Windows 8; Windows 7; Windows Server; Linux; Citrix; UNIX | |
| Component type | Printer | |
| Control panel | 2.7" Color Touchscreen | |
| Copier scaling (ADF) | 25 to 400% | |
| Copier settings | ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults | |
| Copies, maximum | Up to 999 copies | |

| Copy reduce / enlarge settings | 25 to 400% | |
|---|---|--|
| Copy resolution (black text) | Up to 600 x 600 dpi | |
| Copy resolution (color text and graphics) | Up to 600 x 600 dpi | |
| Count of layers in pallet | 5 (NA), 4 (EMEA,AP) | |
| Country of origin | Made in China | |
| Distinctive ring detection supported | Yes | |
| Downloadable software | From http://123.hp.com, HP Easy Start (Guided Software Install for Windows and Mac), From http://hp.com for Windows OS, Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From http://hp.com for Mac OS, HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin, For Mobile OS, iOS For more information see http://hp.com/go/businessmobileprinting, Android For more information see http://hp.com/go/businessmobileprinting, From http://hp.com for printer administrators, Printer Administrator Resource Kit (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows), SAP Print Drivers for more information see http://support.hp.com/us- en/document/c05051702, HP Web JetAdmin, HP JetAdvantage Security Manager, HPLIP Linux Printer Driver for more information see http://hplipopensource.com/hplip-web/index.html, Unix Model Script Printer Driver for more information see http://hpl.com/go/unixmodelscripts, ReadIris | |
| Driver updates | Latest supported operating systems and Print drivers available at http://www.hp.com/support/ljM428MFP | |
| Duplex ADF scanning | Yes | |
| Duty cycle note | Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. | |
| Dynamic security | Dynamic security enabled printer | |
| Electromagnetic compatibility | CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6; | |
| Engine life | 200000 | |
| Enhanced scanning resolution | Up to 1200 x 1200 dpi | |
| Envelope Feeder | No | |
| Fax Auto Redial | Yes | |
| Fax Broadcast Locations | 119 | |
| Fax PC Interface Supported | Yes, only for sending | |
| Fax Polling | Yes (receive only) | |
| Fax Speed Dials, Maximum Number | Up to 120 numbers | |

| Fax Transmission Speed | 33.6 kbps |
|---------------------------------------|---|
| Fax delayed sending | Yes |
| Fax forwarding | Yes |
| Fax memory | Up to 400 pages |
| Fax memory | Up to 400 pages |
| Fax phone TAM interface supported | Yes |
| Fax resolution black | Up to 203 x 196 dpi |
| Fax telephone mode supported | Yes |
| Fax transmission speed (letter) | 3 sec per page ^[15] |
| Finished output handling | Sheetfeed |
| First copy out black (A4) | As fast as 7.2 sec |
| First copy out black (A4, sleep) | As fast as 9.5 sec |
| First copy out black (letter) | As fast as 6.8 sec |
| First copy out black (letter, sleep) | As fast as 9.1 sec |
| First page out black (A4, ready) | As fast as 6.3 sec |
| First page out black (A4, sleep) | As fast as 8.8 sec |
| First page out black (letter, ready) | As fast as 6.1 sec |
| First page out black (letter, sleep) | As fast as 8.6 sec |
| Fonts and typefaces | 84 scalable TrueType fonts |
| Input capacity | Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets) |
| Internal Storage | No |
| Junk fax barrier | Yes, CSID matching only (Caller ID not supported) |
| Left margin (A4) | 4 mm |
| Levels of grayscale | 256 |
| Mac compatible | Yes |
| Maximum Input Capacity (envelopes) | Up to 10 envelopes |
| Maximum Memory | 512 MB |
| Maximum dimensions (W x D x H) | 16.93 x 25 x 12.8 in |
| Maximum dimensions (W x D x H) | 430 x 634 x 325 mm |
| Maximum input capacity (sheets) | Up to 900 sheets (with Optional 550-sheet tray) |
| Maximum output capacity (sheets) | Up to 150 sheets |
| Maximum print area | 207.4 x 347.1mm |
| Media size (ADF) | Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm |
| | |

| Media size, tray 1 | Letter; Legal; Executive; Oficio (8.5 x 13 in); A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 5 x 8 in; B6 (JIS); Statement | |
|--|---|--|
| Media size, tray 2 | Letter; Legal; Executive; Oficio (8.5 x 13 in); A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 5 x 8 in; B6 (JIS); Statement | |
| Media size, tray 3 | Letter; Legal; Executive; Oficio (8.5 x 13 in); A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 5 x 8 in; B6 (JIS); Statement | |
| Media sizes supported | Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); Custom Size; 5 x 8 in; Statement | |
| Media sizes supported | Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (JIS) | |
| Media sizes supported, key | 10 x 15 cm; A4; Envelopes | |
| Media sizes supported, key | 4 x 6 in; Letter; Legal; Envelopes | |
| Media sizes, custom | Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.13 x 5.85 to 8.5 x 14 in | |
| Media sizes, custom | Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm | |
| Media type and capacity, ADF | Sheets: 50 uncurled | |
| Media type and capacity, tray 1 | Sheets: 100; Envelopes: 10 | |
| Media type and capacity, tray 2 | Sheets: 250 | |
| Media type and capacity, tray 3 | Sheets: 550 (optional) | |
| Media types | Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; | |
| Media weight (tray 1) | 60 to 200 g/m ² | |
| Media weight (tray 2) | | |
| | 60 to 120 g/m ² | |
| Media weight (tray 3) | 60 to 120 g/m ² 60 to 120 g/m ² (optional 550-sheet tray) | |
| Media weight (tray 3) Media weight, supported | - | |
| | 60 to 120 g/m² (optional 550-sheet tray) | |
| Media weight, supported | 60 to 120 g/m² (optional 550-sheet tray) Tray 1: 16 to 46.6 lb; tray 2, optional 550-sheet tray 3: 16 to 32 lb | |
| Media weight, supported Media weight, supported | 60 to 120 g/m ² (optional 550-sheet tray) Tray 1: 16 to 46.6 lb; tray 2, optional 550-sheet tray 3: 16 to 32 lb Tray 1: 60 to 200 g/m ² ; tray 2, optional 550-sheet tray 3: 60 to 120 g/m ² | |
| Media weight, supported Media weight, supported Media weights, supported ADF | 60 to 120 g/m ² (optional 550-sheet tray) Tray 1: 16 to 46.6 lb; tray 2, optional 550-sheet tray 3: 16 to 32 lb Tray 1: 60 to 200 g/m ² ; tray 2, optional 550-sheet tray 3: 60 to 120 g/m ² 16 to 32 lb | |

| Minimum System Requirements for Macintosh | 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com; | |
|--|---|--|
| Native scan file format | PDF; JPG | |
| Number of print cartridges | 1 (black) | |
| Number of users | 3-10 Users | |
| Operating humidity range | 10 to 80% RH (non-condensing) | |
| Operating temperature range | 50 to 90.5°F | |
| Operating temperature range | 10 to 32.5℃ | |
| Output capacity | Up to 150 sheets | |
| Package dimensions (W x D x H) | 19.56 x 15.66 x 19.29 in | |
| Package dimensions (W x D x H) | 497 x 398 x 490 mm | |
| Package weight | 34.1 lb | |
| Package weight | 15.5 kg | |
| Page yield (set-up/inbox cartridges) | ~3000 pages black | |
| Pallet dimensions | 47.24 x 39.37 x 102.56 in (NA), 47.24 x 39.37 x 83.27 in (EMEA, AP) | |
| Pallet dimensions (W $	imes$ D $	imes$ H) | 1200 x 1000 x 2605 mm (NA), 1200 x 1000 x 2115 mm (EMEA, AP) | |
| Pallet weight | 487.7 kg (NA), 394.7 kg (EMEA, AP) | |
| Pallet weight | 1072.9 lb (NA), 868.3 lb (EMEA, AP) | |
| Paper handling input, optional | Optional third 550-sheet tray | |
| Paper handling input, standard | 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) | |
| Paper handling output, standard | 150-sheet output bin | |
| Paper trays, maximum | 3 | |
| Paper trays, standard | 2 | |
| Power | 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, product varies by part number with # Option code identifier) | |
| Print Technology | Laser | |
| Print colors | No | |
| Print languages | HP PCL 6, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster | |
| Print quality black (normal) | Normal (native 600 x 600 dpi; enhanced up to 4800 x 600 dpi) | |
| Print resolution black (fine lines) | Fine Lines (1200 x 1200 dpi) | |
| Print speed black (Landscape, A5) | Up to 63 ppm | |
| Print speed black (Portrait, A5) | Up to 14 ppm | |
| Print speed duplex (A4) | Up to 31 ipm | |
| | | |

| Print speed duplex (letter) | Up to 33 ipm | |
|--|---|--|
| Print speed footnote number (A5) | [9] | |
| Print technology | Laser | |
| Printer Management | HP Printer Assistant, HP Utility (Mac), HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) | |
| Printer black pages (MPV black) | 1200 | |
| Processor speed | 1200 MHz | |
| Product long name specifications | HP LaserJet Pro MFP M428fdn - Print, Copy, Scan, and Fax; Prints up to 40 ppm (Letter); Scan to email/Folder/USB/Cloud; Up to 80,000 page duty cycle; 750-4,000 recommended monthly page volume; Gigabit ethernet networking; Auto-duplex printing; Single-pass 2 sided scanning | |
| Product short name specifications | HP LaserJet Pro MFP M428fdn, Black and white, Printer for Business, Print, Copy, Scan, Fax, Email, Scan to email; Two-sided scanning | |
| Quantity per pallet | 30 (NA), 24 (EMEA,AP) | |
| RMN number | SHNGC-1801-00 | |
| Recommended media weight (duplex) | 16 to 32 lb | |
| Recommended media weight (duplex) | 60 to 120 g/m² | |
| Recommended monthly page volume | 750 to 4000 ^[12] | |
| Recommended monthly scan volume | 750 to 4000 | |
| Recommended monthly scan volume note | 750 - 4,000 | |
| Recommended operating humidity range | 30 to 70% RH | |
| Recommended operating temperature range | 15 to 27°C | |
| Recommended operating temperature range | 59 to 80.6°F | |
| Resolution | Up to 1200 x 1200 dpi | |
| Resolution (black and white, standard mode) | 203 x 98 dpi | |
| Resolution (black and white, superfine mode) | Up to 300 x 300 dpi (no halftone) | |
| Resolution (black photo grayscale) | 300 x 300 dpi (halftone) | |
| Right margin (A4) | 4 mm | |
| Safety | IEC 60950-1:2005 +A1:2009+A2:2013/EN 60950-1:2006 +A11:2009+A1:2010+A12:2011+A2:2013; IEC 60825-1:2014/EN 60825- 1:2014 (Class 1 Laser/LED Product); IEC 62479:2010/EN 62479:2010; | |
| | | |

| Scan resolution, hardware | Flatbed (Up to 1200 x 1200 dpi); ADF (Up to 300 x 300 dpi) | |
|---|---|--|
| Scan resolution, optical | Up to 1200 x 1200 dpi | |
| Scan size (ADF), maximum | 216 x 356 mm | |
| Scan size (ADF), maximum | 8.5 x 14 in | |
| Scan size (ADF), minimum | 4 x 6 in | |
| Scan size (ADF), minimum | 102 x 152 mm | |
| Scan size, maximum | 8.5 x 11.7 in | |
| Scan size, maximum | 216 x 297 mm | |
| Scan speed duplex (normal, A4) | Up to 46 ipm (b&w), up to 34 ipm (color) | |
| Scan speed duplex (normal, letter) | Up to 49 ipm (b&w), up to 36 ipm (color) | |
| Security management | Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager | |
| | | |
| Segment (filter) | Business | |
| Segment (filter) Software scan file format | Business Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF; | |
| - | Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, | |
| Software scan file format | Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF; | |
| Software scan file format Standard media sizes (duplex) Standard media sizes (duplex, | Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF; A4; Oficio; Letter; Legal | |
| Software scan file format Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard output capacity | Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF; A4; Oficio; Letter; Legal Letter; Legal; Oficio; A4 | |
| Software scan file format Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard output capacity (envelopes) Storage device and direct print | Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF;A4; Oficio; Letter; LegalLetter; Legal; Oficio; A4Up to 10 envelopesUSB Printing; Optional job storage via external rear host USB port | |
| Software scan file format Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard output capacity (envelopes) Storage device and direct print support | Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF;A4; Oficio; Letter; LegalLetter; Legal; Oficio; A4Up to 10 envelopesUSB Printing; Optional job storage via external rear host USB port (Minimum 16GB) | |
| Software scan file format Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard output capacity (envelopes) Storage device and direct print support Storage temperature range | Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF;A4; Oficio; Letter; LegalLetter; Legal; Oficio; A4Up to 10 envelopesUSB Printing; Optional job storage via external rear host USB port (Minimum 16GB)-20 to 40°C | |
| Software scan file format Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard output capacity (envelopes) Storage device and direct print support Storage temperature range Storage temperature range | Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF;A4; Oficio; Letter; LegalLetter; Legal; Oficio; A4Up to 10 envelopesUSB Printing; Optional job storage via external rear host USB port (Minimum 16GB)-20 to 40°C-4 to 104°F | |
| Software scan file format Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard output capacity (envelopes) Storage device and direct print support Storage temperature range Storage temperature range Target user and print volume | Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF;A4; Oficio; Letter; LegalLetter; Legal; Oficio; A4Up to 10 envelopesUSB Printing; Optional job storage via external rear host USB port (Minimum 16GB)-20 to 40°C-4 to 104°FFor teams up to 10 users; Prints up to 4,000 pages/month | |
| Software scan file format Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard output capacity (envelopes) Storage device and direct print support Storage temperature range Storage temperature range Target user and print volume Tariff numbers Telecom compliance (fax | Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF;A4; Oficio; Letter; LegalLetter; Legal; Oficio; A4Up to 10 envelopesUSB Printing; Optional job storage via external rear host USB port (Minimum 16GB)-20 to 40°C-4 to 104°FFor teams up to 10 users; Prints up to 4,000 pages/month(AM) 8443310000; (EU) 8443310000; (AP) 84433131Fax Telecom: ETSI ES 203 021; FCC Rules and Regulations 47 CFR Part 68; | |
| Software scan file format Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard output capacity (envelopes) Storage device and direct print support Storage temperature range Storage temperature range Target user and print volume Tariff numbers Telecom compliance (fax capability) | Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF;A4; Oficio; Letter; LegalLetter; Legal; Oficio; A4Up to 10 envelopesUSB Printing; Optional job storage via external rear host USB port (Minimum 16GB)-20 to 40°C-4 to 104°FFor teams up to 10 users; Prints up to 4,000 pages/month(AM) 8443310000; (EU) 8443310000; (AP) 84433131Fax Telecom: ETSI ES 203 021; FCC Rules and Regulations 47 CFR Part 68; Other Telecom approvals as required by individual countries. | |

| Typical electricity consumption (TEC) number | 1.144 kWh/Week (Blue Angel); 0.4125 kWh/Week (Energy Star 3.0) ^[18] |
|---|--|
| UNSPSC code | 43212110 |
| UPC number | (696) 194441428988; (697) 194441428995; (AB0) 192018914889; (ABT) 192018914919; (ABY) 192018914926; (AC8) 194441429008; (ACQ) 192018914933; (B13) 192018914940; (B19) 192018914957; (BAZ) 192018914964; (BBU) 192018914896; (BGJ) 192018914971; (BGM) 192018914902 |
| Warm-up time | As fast as 45 sec |
| Waste electrical and electronic weight | 12.6 kg |
| Web address for additional information | http://www.hp.com/go/support |

[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.

[3] Toner cartridges designed for distribution and use within a designated region only; will not work outside of designated region.

[11] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[12] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period

[15] Rates achieved with Fast(V.34), standard resolution and simple images.

[16] EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

[17] In box cartridge yields 3,000 black pages based on ISO/IWC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage.

[18] TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

HP Black and White Laser Toner Printer Cartridges

| HP 76X High Yield Black Original LaserJet Toner Cartridge | CF276X ★ |
|---|----------|
| HP 58A Black Original LaserJet Toner Cartridge | CF258A |
| HP 58X High Yield Black Original LaserJet Toner Cartridge | CF258X |
| HP 59A Black Original LaserJet Toner Cartridge | CF259A |
| HP 59X High Yield Black Original LaserJet Toner Cartridge | CF259X |
| HP 76A Black Original LaserJet Toner Cartridge | CF276A |
| HP 77A Black Original LaserJet Toner Cartridge | CF277A |
| HP 77X High Yield Black Original LaserJet Toner Cartridge | CF277X |

HP Business Papers

HP Business Papers for laser

| HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets | CG965A |
|--|--------|
| HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | Q6611A |
| HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | Q6543A |
| HP Enhanced Tri-Fold Business Paper Glossy 40 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | Q6612A |
| HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | 4WN08A |
| HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets | 7MV83A |
| HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | 4WN10A |
| HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets | 7MV80A |
| HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | 4WN05A |
| | |

HP Business Papers for laser and inkjet

| HP HeavyWeight Project Paper Matte 40 lb 8.5 x 11 in. (216 x 279 mm) 250 sheets | Z4R14A |
|--|--------|
| HP Professional Business Paper Glossy 48 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | Q1987A |

★ : Recommended

HP Paper for Multiple Uses

HP Recycled Paper

| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN07A |
|---|--------|
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN11A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 7MV81A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 7MV82A |

HP Paper Designed for Inkjet Printers

HP Inkjet Photo Paper

| HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 | 6MF93A |
|--|---------|
| sheets | ACC IND |

Accessories

Paper Handling

Input Trays

HP LaserJet Pro 550-sheet Feeder Tray

★ : Recommended

D9P29A \star

Services

HP Care Pack Services

 \star : Recommended

Imaging and Printing Hardware Support Onsite Svc

| HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP M428 M429 M329 | UB9S2PE |
|--|---------|
| HP 2 year 4-hour 9x5 Service for LaserJet Pro MFP M428 M429 M329 | U05XHE |
| HP 2 year Next Business Day Service for LaserJet Pro MFP M428 M429 M329 | U05XGE |
| HP 3 year Next Business Day Service for LaserJet Pro MFP M428 M429 M329 | UB9R7E |
| HP 4 year Next Business Day Service for LaserJet Pro MFP M428 M429 M329 | UB9R8E |
| HP 5 year Next Business Day Service for LaserJet Pro MFP M428 M429 M329 | UB9R9E |

Imaging and Printing Commercial Care Pack Services

| HP 1 year Post Warranty Return to Depot Service for LaserJet Pro MFP M428 M429 M329 | UB9S5PE |
|--|---------|
| HP 3 year Return to Depot Service for LaserJet Pro MFP M428 M429 M329 | UB9S1E |
| HP Installation Service with network configuration for Personal Scanner and Printer (1 unit) | U9JT1E |

Solutions

HP Document and Workflow Solutions

HP Document and Workflow Solutions Mobile Printing

HP Roam for Business **HPROAM HP Document and Workflow Solutions Print Management**

HP Universal Print Driver

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Apr 26, 2024 4:33 PM UTC+0000

★ : Recommended

HPUNIVPRNTDRV