



Poly Savi 7220 Office Binaural DECT 1880-1900 MHz Headset (8D3G8AA)

Overview

Move freely, get more done

Help office workers be more productive — it's easier than you think. The Savi 7200 office series of DECT™ wireless headsets for desk phones are crowd pleasers that let workers roam far. Compatible with 800+ desk phones, they're cost effective, too.

Hands-free productivity

Everyone in the office could use more flexibility. They can roam confidently 400 ft / 120 m from the headset base with up to 12 hours of talk time. And collaboration is simple, since teams can conference up to four headsets on a single base.

DECT™ Adaptive Power

Optimize range, save power, and maximize office space with the DECT™ adaptive power system. It automatically adjusts wireless signal strength based on distance from the headset base.

Easy integration

Savi 7200 wireless headsets offer instant integration with over 800 analog and IP desk phones from industry leading makers – including a wide range of phones that Poly offers.

Features

Roam farther

Give workers more flexibility and hands-free productivity with a roaming range of up to 120 m / 400 ft from the headset base.

12 hours talk time

Build more confidence into every call with up to 12 hours of talk time with each charge.

Training made easy

Collaboration is easier with conferencing of up to 4 headsets on one base.

Charge indicator

Provide the peace of mind that comes from knowing headsets are always fully charged with the headset docking charge indicator.

Keep conversations private

Help make every conversation clearer, with a flexible noise-canceling microphone boom that's easy to adjust for optimal placement on every call.

Desk phone compatibility

Take advantage of one-stop shopping, since these headsets are compatible with the wide range of phones that Poly offers.

Specifications

Audio	Noise cancellation (NC)
Dimensions (W x D x H)	155 x 166 x 67 mm
Dimensions (W x D x H)	6.1 x 6.53 x 2.63 in
Package dimensions (W x D x H)	190 x 210 x 55 mm
Package weight	300 g
Battery life	Up to 12 hours (talk time)
Special features	Adjustable headband
UPC number	(ABB) 196548579037; (ABG) 196548579020; (UUF) 196548579006
Manufacturer Warranty	Poly standard two-year limited warranty
What's in the box	Wireless headset; Office base; AC power adapter; AC interchangeable plugs; Telephone cable; Safety guide; Warranty card; Quick start guide

Additional specifications

Acoustic protection technology	SoundGuard ^[1]
Battery type	Rechargeable Li-ion polymer
Button user controls	Call answer/end; Mute; Volume +/-; Power on/off
Cartons per layer	10
Cartons per pallet	60
Charge time	3 hours
Color	Black
Connection type	RJ-11
Country of origin	Made in Mexico
ECCN	5A992
Ear cushions	Artificial leather (surface material)
HTS code	8517620090
Headphone type	On-ear (stereo)
Indicator light	On call
Microphone type	Bidirectional
Multiple order quantity	5
Package dimensions (W x D x H)	7.48 x 8.26 x 2.16 in
Package weight	0.66 lb
Paired devices	Up to 4
Pallet (layers)	6
Pallet dimensions	40 x 48 x 58.66 in
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Pallet weight	357 kg
Pallet weight	787.05 lb
Products per pallet	300
Products per pallet layer	50
Speaker bandwidth	300 Hz to 3.3 kHz (narrowband mode); 100 Hz to 6.8 kHz (wideband mode)
UNSPSC code	43191638
Wireless range	Up to 120 m from base
Wireless range (imperial)	Up to 400 ft from base

[1] Protects against Acoustic Shock by limiting sounds to below 118 dBA.

Services

Communication & Collaboration

★ : Recommended

Poly Support Services

3 year Poly+ Savi Service	PSAVI312 ★
3 year Partner Poly+ Savi Service	PSAVI362

Hybrid Work Solutions

Audio

★ : Recommended

Audio Accessories

Poly APA-24 (ALCATEL) Electronic Hookswitch TAA	85Q52AA	
Poly APC-43 Electronic Hookswitch TAA	85Q55AA	
Poly APD-80 Electronic Hookswitch TAA	85Q58AA	
Poly APN-91 Electronic Hookswitch TAA	85Q59AA	
Poly APP-51 Electronic Hookswitch TAA	85Q60AA	
Poly APS-11 Electronic Hookswitch TAA	85Q78AA	
Poly APU-76 Electronic Hookswitch TAA	85R00AA	
Poly APV-63 Electronic Hookswitch TAA	85R01AA	
Poly Busy Light (Angle Plug)	920Q4AA	
Poly EHS 3.5mm to 3.5mm Cable	85R17AA	
Poly HL10 Handset Lifter	784Q1AA	
Poly HL10 Handset Lifter TAA	8R713AA	
Poly HL10 Handset Lifter with Straight Plug TAA	784Q2AA	
Poly HL10 Lifter Arm +Ring Detector Accessory	8A7E3AA	
Poly RD-1 Electronic Hookswitch	85R71AA	
Poly Savi 7200 Battery with Removal Tool	85R92AA	
Poly Savi 7200 Leatherette Ear Cushion (1 Piece)	85Q53AA	
Poly Savi 7200 USB-C Charging Cable	85R96AA	
Poly Savi 7210 Monaural DECT 1880-1900 MHz Top	8Y9C0AA	
Poly Savi 7210 Monaural DECT 1920-1930 MHz Top	783Q5AA	
Poly Savi 7220 Stereo DECT 1880-1900 MHz Top	8Y9C1AA	
Poly Savi 7220 Stereo DECT 1920-1930 MHz Top	783Q6AA	
Poly Savi D400 DECT 1920-1930 MHz Dongle	8L550AA	
Poly Savi D400 Microsoft Teams Certified DECT 1920-1930 MHz Dongle	8L552AA	
Poly Savi D400 UC DECT 1880-1890 MHz Dongle	8J8V9AA	
Poly Savi D400 UC DECT 1880-1900 MHz Dongle	8J8V7AA	
Poly Savi D400 UC DECT 1893-1906 MHz Dongle	8J8V6AA	
Poly Savi D400 UC DECT 1910-1920 MHz Dongle	8J8V8AA	obsolete
Poly Savi D400 UC Microsoft Teams Certified DECT 1880-1900 MHz Dongle	8J8W1AA	
Poly Savi D400 UC Microsoft Teams Certified DECT 1893-1906 MHz Dongle	8J8W0AA	

Poly Savi D400 UC Microsoft Teams Certified DECT 1910-1920 MHz Dongle	8J8W2AA	obsolete
Poly Savi Office Power Supply with Right Angled Plug -9V 1000mA	8L5A2AA	
Poly Savi Office S2 Telephone Cable	85R55AA	
Poly Savi Office Straight Plug Online Indicator	85R52AA	
Poly Savi Office Telephone Interface Cable	85R57AA	
Poly Savi Office Universal AC Power Supply with Straight Plug -9V 1000mA	85R59AA	

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Dec 22, 2024 9:51 AM UTC+0000