



Poly Blackwire 8225 Stereo Microsoft Teams Certified USB-C Headset +USB-C/A Adapter (8X225AA)

Overview

Stay distraction-free on calls

Is background noise affecting your productivity? Reduce noise and increase focus with the Poly Blackwire 8225 headset with a noise-canceling microphone enhanced with Acoustic Fence technology and advanced hybrid active noise canceling (ANC).



Sound like a winner

With the Blackwire 8225, your voice is the only thing heard, not the chaos around you. Its noise-canceling microphone with Acoustic Fence technology puts you in a quiet office, even if you're in a noisy kitchen.

Long-lasting comfort

The Blackwire 8225 is crafted from premium materials with a lightweight design. You will get a comfortable, customized fit using adjustment markers and 180° pivoting speakers. You'll fall in love with the aesthetic design and robust look and feel.

Stay focused

It's no secret that tuning out background noise makes you more productive. Hybrid active noise canceling (ANC) makes it easy to escape the noise around you. And three ANC settings mean you can fine-tune your level of quiet where you work.

Features

Advanced hybrid ANC

Optimize audio comfort and quality with advanced hybrid active noise canceling (ANC) by choosing between three settings.

Connectivity options

Enhanced connectivity for your devices with a USB Type-C® cord and tethered USB-A adapter.

Inline control

Easy-to-use inline call control with call answer / end, mute, volume up / down buttons and a three-setting ANC switch.

Acoustic Fence technology

Reduce disruptions from close talkers and environmental noise with the flexible, noise canceling microphone enhanced with Acoustic Fence technology.

Lightweight design

Padded headband and soft leatherette ear cushions provide all day comfort.

Certified for Microsoft Teams

Full Microsoft Teams certification takes your Microsoft Teams experience to the next level with a button for instant access to the app and more.

Specifications

Audio Features	Hybrid Active noise cancellation (ANC); Microsoft Teams Open Office certified; Microphone noise cancellation with Acoustic Fence technology
Product Dimensions (metric)	155 x 32 x 18 mm
Product Dimensions (imperial)	6.1 x 1.25 x 7.1 in
Weight (metric)	186 g
Weight (imperial)	0.43 lb
Package Dimensions (metric)	183 x 209 x 55 mm
Package Weight (metric)	300 g
Manufacturer Warranty	Poly standard two-year limited warranty
What Is In The Box	Carrying case; User guide; Headset; USB Type-C® to USB Type-A adapter

Additional specifications

Acoustic Protection Technology	SoundGuard Digital ^[1,2]
Boom Mic Length (imperial)	0.44 ft
Boom Mic Length (metric)	135 mm
Boom Mic Rotation	280°
Button User Controls	Call answer/end; Mute; Volume +/-; ANC: off, low, high
Cable Length (imperial)	2.07 ft (inline module to headset); 4.89 ft (USB to inline module); 7.19 ft (total USB to headset)
Cable Length (metric)	63 cm (inline module to headset); 149 cm (USB to inline module); 219 cm (total USB to headset)
Cartons Per Layer	10
Cartons Per Pallet	80
Certified Collaboration Software	Microsoft Teams certified; Works With Chromebook certified
Color	Black
Compatibility Statement	Compatible with PCs via USB Type-C® cable or USB Type-C®/A adapter
Compatible Operating Systems	Windows 11; Windows 10; macOS
Connection Type	USB Type-C®/A
Connection Type	Wired: USB Type-C®, USB Type-C®/A adapter
Ear Cushions	Artificial leather (surface material)
Ecolabels	TCO Certified
Headphone Type	On-ear (stereo)
Impedance	32 ohm
Indicator Light	On call
Layers Per Pallet	8
Management Software	Poly Lens ^[3]
Master Carton Dimension (imperial)	7.67 x 23.38 x 8.97 in
Master Carton Dimension (metric)	19.5 x 59.4 x 22.8 cm
Master Carton Weight (imperial)	0.75 lb
Master Carton Weight (metric)	0.34 kg
Microphone Bandwidth	100 Hz to 10 kHz
Microphone Type	Noise cancelling
Multiple Order Quantity	10
Package Dimensions (imperial)	7.48 x 8.26 x 2.16 in
Package Weight (imperial)	0.66 lb

Pallet Dimensions (imperial)	40 x 48 x 76.37 in
Pallet Dimensions (metric)	101.6 x 121.9 x 194 cm
Pallet Weight (imperial)	787.05 lb
Pallet Weight (metric)	357 kg
Products Per Pallet	800
Products per Pallet Layer	100
Sensitivity (Microphone)	10 dB SLR
Sensitivity (Speaker)	6 dB RLR
Signal-To-Noise Ratio	>24 dB
Speaker Bandwidth	200 Hz to 6.8 kHz (speech mode); 20 Hz to 20 kHz (media mode)
Speaker Size	32 mm
UC Compatibility	Microsoft Teams
UNSPSC Code	43191638
Wearing Style	Stereo

[1] SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACIF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted average (TWA).

[2] Requires Poly Lens Desktop App to enable SoundGuard Digital features.

[3] Requires downloadable software on Poly.com/lens. Host PC requires Windows 10 or higher.

Services

Communication & Collaboration

★ : Recommended

Poly Support Services

3 year Poly+ Blackwire Service	PBLKWIRE312 ★
3 year Partner Poly+ Blackwire Service	PBLKWIRE362

Hybrid Work Solutions

Audio

★ : Recommended

Audio Accessories

Poly Blackwire 3200 Leatherette Ear Cushions (2 Pieces)	85S24AA
Poly Blackwire 3200 USB-C Inline Controls USB-C/A Adapter	85R04AA
Poly Blackwire 3310/3320 Foam Ear Cushions (2 Pieces)	85S23AA
Poly Blackwire 3315/3325 Leatherette Ear Cushions (2 Pieces)	85S22AA
Poly Blackwire 5000 Leatherette Ear Cushions (2 Pieces)	85S19AA
Poly Blackwire 5200 Y Training Cable	85S08AA
Poly Blackwire 8225 Leatherette Ear Cushions (2 Pieces)	783Q9AA
Poly USB-A to USB-C Adapter	85Q48AA
Poly USB-C to USB-A Adapter	85Q49AA

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Jun 23, 2026 2:28 AM UTC+0000