



# HP ScanJet Enterprise Flow 5000 s5 (6FW09A)



## Overview

**Give your office high-volume scanning performance. Recommended for 7500 pages per day.**

Give your office powerful scan speed and accuracy. Built-in software and an 80-page automatic document feeder help you save time. Scan at up to 65 ppm/130 ipm.[2] Recommended for 7,500 pages per day.

### **Fast, smooth scanning—even unattended**

Capture entire documents with one-pass duplex scanning up to 130 ipm.[1,2]

### **Professional-grade scanning that helps save time**

Save time and simplify complex scan jobs with HP Scan Premium

### **Peak workflow performance. Smarter scanning.**

Identify new devices and gain insight into scanning with HP Web Jetadmin remote discovery and monitoring.[4]

## Features



One-pass duplex scanning

7500-page duty cycle



HP EveryPage, ultrasonic sensor

80-page ADF



HP Scan Premium

Scan originals in a variety of sizes and weights

---

*[1] Black-and-white scan speed measured at 300 dpi using included HP Scan Premium. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.*

*[2] Color scan speed measured at 300 dpi. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.*

*[4] HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>*

## Specifications

<b>Scanner Advanced Features</b>	Auto exposure, Auto threshold, Auto detect color, Background smooth/removal, Auto detect size, Straighten content, Enhance content, Multi-streaming, Auto feed, Multi-feed detection sensor, Advanced multi-feed detection, Auto orient, Multi-color dropout, Channel color dropout, Edge erase, Delete blank page, Merge pages, Hole fill, Digital stamps, Metadata capture, PDF permissions, Document separation (Blank page, Barcode, Zonal barcode, Zonal OCR)
<b>Connectivity, Std</b>	USB 3.0
<b>Software Included</b>	Windows: HP WIA scan driver, HP TWAIN scan driver (32-bit and 64-bit), HP Scan Premium, HP Scanner Tools Utility, OpenText ISIS
<b>Compatible Operating Systems</b>	Windows 11; Windows 10; Windows 8.1; Windows 7; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina; Linux
<b>Sustainability Specifications</b>	RoHS-compliant
<b>Energy Star Certified</b>	Yes
<b>Ecolabels (fixed)</b>	CECP; ENERGY STAR® 3.0 certified; EPEAT® Silver <sup>[2]</sup>
<b>Digital Sending Standard Features</b>	Scan to PC, Scan to USB Drive
<b>Scan File Format</b>	For text & images: PDF, PDF/A, Encrypted PDF, JPEG, PNG, BMP, TIFF, Word, Excel, PowerPoint, Text (.txt), Rich Text (.rtf) and Searchable PDF
<b>Scan Input Modes</b>	Two scan modes (simplex/duplex) with convenient 2x16 character LCD on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA
<b>Scan Technology</b>	CMOS CIS (Contact Image Sensor)
<b>Scan Type</b>	Sheetfed
<b>Display Description</b>	2-line 16 character per line LCD display
<b>Product Dimensions (metric)</b>	310 x 198 x 190 mm
<b>Product Dimensions (imperial)</b>	12.2 x 7.8 x 7.5 in
<b>Weight (metric)</b>	3.8 kg
<b>Weight (imperial)</b>	8.4 lb
<b>Power Consumption Description</b>	4.1 watts (ready), 38 Watts (scanning), 1.3 watts (sleep), 0.1 watts (off), 0.1 watts (auto-off) <sup>[1]</sup> <i>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device. )</i>
<b>Power Supply Type</b>	External power adapter
<b>What Is In The Box</b>	Power cord; Power Adapter; USB Cable; Scanner Engine; Flyers; Install Guide
<b>Manufacturer Warranty</b>	One-year bench limited warranty whole unit replacement, phone and Web support included. Warranty may vary by country as required by law. Go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP world-class service and support options in your region.

## Additional specifications

<b>Accessories</b>	HP SJ 5000 s4/7000 s3 Roller Replacement Kit (L2756A : 100,000 sheets); HP 5-pack Carrier Sheet Kit (8PA50A); 10 Pack Cleaning Cloth Kit (C9943B)
<b>Acoustic Power Emissions (active, printing)</b>	65 (dB), 6.5 (B)
<b>Auto Document Feeder Capacity</b>	Standard, 80 sheets
<b>Bit Depth</b>	24-bit (external), 48-bit (internal)
<b>Business Filter</b>	cMPS
<b>Cartons Per Layer</b>	12
<b>Color Scanning</b>	Yes
<b>Component Type</b>	Printer
<b>Control Panel</b>	2-line 16 character per line LCD display, Simplex button, Duplex button, Cancel button, Power button with a LED, Up button, Down button and Tool button
<b>Count of Layers In Pallet</b>	6
<b>Daily US Letter or A4</b>	Recommended daily duty cycle: 7500 pages
<b>Duplex ADF Scanning</b>	Yes
<b>Ecolabels Footnote</b>	EPEAT® registered where applicable. EPEAT registration varies by country. See <a href="http://www.epeat.net">http://www.epeat.net</a> for registration status by country.
<b>Electromagnetic Emission Standard</b>	CISPR 22:2008 & CISPR 32: 2012/ EN 55032:2012 - Class B, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6, GB9254-2008, GB17625.1-2012
<b>Grayscale Levels</b>	256
<b>In Box Cable</b>	Power cord; power adapter; USB cable
<b>Light Source (scanning)</b>	LED
<b>Mac Compatible</b>	Yes
<b>Max Dimensions (imperial)</b>	12.2 x 17.7 x 12.6 in
<b>Max Dimensions (metric)</b>	310 x 448 x 319 mm
<b>Media Size, ADF</b>	U.S.-Letter: 215.9 x 279.4 mm (8.5 x 11 in); U.S.-Legal: 215.9 x 355.6 mm (8.5 x 14 in); U.S.-Executive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in); Custom: 5.08 x 7.36 cm to 21.6 x 309.9 cm (2.0 x 2.9 in to 8.5 x 122 in)
<b>Media Types</b>	Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed, Plastic cards (up to 1.24 mm)
<b>Media Weights Supported, ADF (imperial)</b>	11.4 to 93.3 lb

<b>Media Weights Supported, ADF (metric)</b>	43 to 350 g/m <sup>2</sup>
<b>Multi Feed Detection</b>	Yes
<b>Operating Humidity Range</b>	15 to 80% RH
<b>Operating Humidity Range (recommended)</b>	30% to 70% relative humidity (RH)
<b>Operating Temperature Range (celsius)</b>	10 to 35°C
<b>Operating Temperature Range (fahrenheit)</b>	50 to 95°F
<b>Operating Temperature Range (recommended celsius)</b>	17.5 to 25°C
<b>Operating Temperature Range (recommended fahrenheit)</b>	63.5 to 77°F
<b>Output Resolution Dpi Settings</b>	75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi
<b>Package Dimensions (imperial)</b>	15.6 x 9.76 x 11.9 in
<b>Package Dimensions (metric)</b>	397 x 248 x 303 mm
<b>Package Weight (imperial)</b>	12.3 lb
<b>Package Weight (metric)</b>	5.6 kg
<b>Pallet Dimensions (imperial)</b>	47.2 x 39.4 x 77.6 in
<b>Pallet Dimensions (metric)</b>	1200 x 1000 x 1972 mm
<b>Pallet Weight (imperial)</b>	939 lb
<b>Pallet Weight (metric)</b>	426 kg
<b>Power Supply Required</b>	Input Voltage range: 90 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use
<b>Printer Black Pages (MPV Black)</b>	1260
<b>Printer Color Pages (MPV Color)</b>	840
<b>Processor Speed</b>	ARM-1176 666 MHz
<b>Product Long Name Specifications</b>	HP ScanJet Enterprise Flow 5000 s5 Scanner; Scan speed 65 ppm/130 ipm (@300 ppi BWGC); Max Resolution: ADF 600 x 600 ppi optical, ADF 1200 x 1200 ppi software; Up to 7,500 pages per daily duty cycle; 2-Lines LCD display + Buttons
<b>Quantity Per Pallet</b>	72
<b>RMN Number</b>	SHNGD-1604
<b>Safety Approvals and Requirements</b>	IEC 60950-1:2005 +A1:2009+A2:2013/EN60950-1:2006 +A11:2009 +A1:2010+A12:2011+A2:2013; IEC 62479:2010 / EN 62479:2010; IEC 62471:2006/ EN62471:2008; GB4943-2011
<b>Scan Resolution, Hardware</b>	600 x 600 dpi
<b>Scan Resolution, Optical</b>	Up to 600 dpi
<b>Scan Size Maximum (ADF, Imperial)</b>	8.5 x 122 in
<b>Scan Size Maximum (ADF,metric)</b>	216 x 3100 mm

<b>Scan Size Minimum (ADF, imperial)</b>	2 x 2 in
<b>Scan Size Minimum (ADF, metric)</b>	50.8 x 50.8 mm
<b>Scan Speed ADF (A4)</b>	Up to 65ppm/130 ipm
<b>Scan Speed ADF (letter)</b>	Up to 65ppm/130 ipm
<b>Scan Speed Footnote</b>	Sheet feed speeds: (All resolutions up to and including 300 ppi) Simplex 65 A-4 pages per minute Duplex 130 A-4 images per minute
<b>Scanning Options (ADF)</b>	Single-pass duplex
<b>Security Management</b>	Power button to on/off device
<b>Standard Memory</b>	512 MB
<b>Storage Temperature Range (celsius)</b>	-40 to 60°C
<b>Storage Temperature Range (fahrenheit)</b>	-40 to 140°F
<b>System Requirements, Macintosh, Minimum</b>	macOS Catalina 10.15, macOS Mojave 10.14, macOS High Sierra 10.13; 1 GB HD; Internet required; USB
<b>System Requirements, Minimum</b>	Microsoft® Windows® 11, 10, 8.1, 7: 32-bit and 64-bit, 2008 R2, 2012 R2, 2016, 2019, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer
<b>Tariff Numbers</b>	8471608000
<b>Twain Version</b>	Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a
<b>UNSPSC Code</b>	43211711
<b>UPC Number</b>	(201) 193905029860; (AB2) 193905029921; (ABG) 193905029938; (ABT) 193905029884; (ABY) 193905029891; (AC4) 193905029976; (AC8) 193905029983; (ACJ) 193905029945; (ACQ) 193905029914; (AKV) 193905029990; (B13) 193905252657; (B19) 193905029877; (BAZ) 193905029907; (BBU) 193905029952; (BGJ) 193905029969

[1] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

[2] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

## Ink/Toner/Paper/Printer Supplies

### HP Maintenance Kits

★ : Recommended

#### HP ScanJet Maintenance Kits

HP ScanJet 5000 s4/7000 s3 Roller Replacement Kit

**L2756A ★**

HP 5-pack Carrier Sheet Kit

**8PA50A**

## Services

### Document & Printing

★ : Recommended

#### Support Services (for Document & Printing)

HP 1 year Post Warranty Next business day Exchange Scanjet 5000x Hardware Service	UH373PE
HP 1 year Post Warranty Next business day Onsite Exchange ScanJet 5000x Hardware Service	UH374PE
HP 3 year Next business day Exchange ScanJet 5000x Hardware Service	UH370E
HP 3 year Next business day Onsite Exchange ScanJet 5000x Hardware Service	UH372E
HP 4 year Next business day Exchange Scanjet 5000x Service	U0MF6E
HP 4 year Next business day Onsite Exchange 5000x Hardware Support	U0MF7E
HP 5 year Next business day Exchange Scanjet 5000x Service	U0MF5E
HP 5 year Next business day Onsite Exchange 5000x Hardware Support	U0QN0E
HP Installation Service with network configuration for Workgroup Printer (1 unit)	U9JT2E

## Accessories

### Maintenance and Cleaning Kits

★ : Recommended

#### Cleaning Kits

HP ADF Cleaning Cloth Package	C9943B
-------------------------------	--------

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Jun 02, 2026 8:45 PM UTC+0000