HP LaserJet MFP M440dn (8AF47A)

Overview

Count on legendary HP performance and reliability at an affordable price.

Surpass your office printer expectations with the speed, quality, and efficiency of HP LaserJet office printers.

A printer to handle your printing volume needs

Simplify workflows with automatic paper-handling solutions, efficient scan solutions, and copying.[1,2]

Reliable and productive

Bring together remote monitoring and shared resources to help optimize your print environment.[3]

Get great value from your office printer

Help maximize value and minimize budget impact with an attractive purchase price and affordable running costs.

Features

High print speed	Standard networking
Scan to Email/SMB/FTP	1200 x 1200 dpi
Job accounting	PIN print

---

[1] Automatic two-sided printing is standard on HP LaserJet MFP "dn" and "nda" models.

[2] Reversing automatic document feeder is standard on HP LaserJet MFP "nda" models. Requires a separate purchase for "dn" models. Installation from HP Authorized service provider only.

[3] Not all HP Web Jetadmin features are supported. HP Web Jetadmin is available for download at no additional charge at http://hp.com/go/webjetadmin.

Specifications

Print Resolution Black (best)	Up to 1200 x 1200 dpi
Print Speed Black (normal, A4)	Up to 24 ppm
Print Speed Black (normal, letter)	Up to 24 ppm
Print Speed	Print speed up to 24 ppm (black)
Print Margin Bottom (A4)	4.5 mm
Print Margin Left (A4)	4.5 mm
Print Margin Right (A4)	4.5 mm
Print Margin Top (A4)	4.5 mm
AIO Functions	Print, Copy, Scan
Duplex Print Options	Automatic (standard)
Duty Cycle (monthly, A4)	Up to 50,000 pages per month
Duty Cycle (monthly, letter)	Up to 50,000 pages per month[4]
Printer Smart Software Features	4 line LCD, 4 Quick-set button Copy
Copier Smart Software Features	ID Copy, Book Copy, N-UP, Reduce/Enlarge
Scanner Advanced Features	Scan to E-mail; Scan to FTP; Scan to SMB; Scan to PC
Replacement Cartridges	HP Original 335A LaserJet Toner Cartridge (yield ~7,400 ISO pages*) W1335A, HP Original 335X High-Yield Black LaserJet Toner Cartridge (yield ~13,700 ISO pages*) W1335X, HP 57A Original LaserJet Imaging Drum (yield ~80,000 pages) CF257A
Connectivity, Std	Hi-Speed USB 2.0 Device, Ethernet 10/100 Base TX
Network Capabilities	Standard (build-in 10/100 Base TX Ethernet)
Wireless Capability	No
Supported Network Protocols	IP Management: DHCP, DHCPv6, BOOTP, AutoIP, Static; Discovery Protocol: UPnP, mDNS, DNS, WINS; Printing Protocol: TCP/IP (9100), TCP/IP (9100)v6, LPR, LPRv6, IPP, WSD; Management Protocol: SNMPv1.2, SNMPv1.2(IPv6), SNMPv3, SNMPv3(IPv6), HTTP; Scan Protocol: Twain for Network, SMTP, SMB, FTP; Security Protocol: IPSec
Software Included	Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Driver, HP MFP Scan, HP Scan to PC Lite
Compatible Operating Systems	Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux : 5, 6, 7, Fedora : 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, openSUSE : 112, 11.4, 12.1, 121.2, 12.3, 13.1, 13.2, 42.1, Ubuntu : 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop : 10, 11, 12, Debian : 6, 7, 8, 9, Linux Mint : 15, 16, 17, 18[7] *(Windows 7 or higher)*
Sustainability Specifications	Mercury free

Energy Star Certified	No
Copy Speed Black (normal A4)	Up to 24 cpm
Copy Speed Black (normal, letter)	Up to 24 cpm
Digital Sending Standard Features	Scan to Email(SMTP over SSL); Send to FTP; Send to SMB; Scan to PC; Scan to WSD; Local Address Book;
Scan Speed (normal, A4)	Up to 33 ipm(b&w); Up to 33 ipm(color)
Scan Speed (normal, letter)	Up to 33 ipm(b&w), Up to 33 ipm(color)
Scan File Format	PDF, JPEG, TIFF
Scan Technology	Digital-CMOS Image Sensors (D-CIS)
Scan Type	Flatbed
Display Area (imperial)	2.32 x 1.2 in
Display Area (metric)	59 x 30.5 mm
Display Description	4-line LCD
Product Dimensions W x D x H (metric)	560 x 540 x 417 mm
Product Dimensions W x D x H (imperial)	22.05 x 21.26 x 16.42 in
Weight (metric)	25.4 kg (includes supplies)
Weight (imperial)	56 lb
Power Consumption Description	580 watts (Active Printing), 80 watts (Ready) 0.7 watts (Sleep), 0.2 watts (Off)[2]
Power Supply Type	Built-in Universal Power supply
What Is In The Box	Power cord; Toner Cartridge; User Guide[1]
Manufacturer Warranty	One-year, on-site limited warranty

Additional specifications

Acoustic Power Emissions (active, printing)	6.6 B(A) (printing at 24 ppm)
Acoustic Power Emissions (ready)	Inaudible
Acoustic Pressure Emissions Bystander (active, printing)	51 dB(A)
Acoustic Pressure Emissions Bystander (ready)	Inaudible
Automatic Paper Sensor	No
Bit Depth	24-bit
Business Filter	cMPS
Cartons Per Layer	2
Certifications and Compliances	Department of Industrial Standards of Cambodia, Certificate for China Compulsory Product Certification - CCC (China), Bureau of Indian Standards - BIS Registration (India), PSB Singapore, Eastern European country approvals, CE Marking and other Safety & EMC certification approvals as required by individual countries
Color Scanning	Yes
Color or Black (filter)	Black and white
Compatible Network Operating Systems	Windows OS compatible with In-Box Driver; Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services; Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from http://www.hp.com; Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services) ; Windows 8 (32-bit / 64-bit) recommend v5.86+, 8.1 recommend v5.94+, Windows 7 (32-bit / 64-bit) recommend v5.82+, Windows Vista (32-bit / 64-bit) recommend v5.82+, Windows XP / SP3 (3-bit / 64-bit) recommend v5.82+
Component Type	Printer
Control Panel	4-Line LCD, power button LED (White 1EA) Navi. Key LED (White 4EA) status LED (Green 1EA, Orange 1EA),power key, start key, stop key, cancel key, reset key, numerical key (12EA),Navi. Key (4EA),OK key, menu key (2EA),mode key (2EA),function key (4EA)
Copier Reduce/enlarge	25 to 400%
Copier Scaling (ADF)	25 to 400%
Copier Settings	600 x 600 dpi x 2 bit; Originals content settings: Text, Text/Photo, Photo, Map; Reduce/Enlarge scaling: 25 to 400% ; Copy qty settings: 1 to 999; Darkness controls: 11 levels (Light, Normal, Dark); Collation: Yes (Limited); N-up: A3: 2/4/8/16-up; A4: 2/4/8-up

Copy Resolution, Black Text	Up to 600 x 600 dpi
Copy Speed Black (normal, A3)	Up to 13 cpm
Copy Speed Black (normal, Tabloid)	Up to 13 cpm
Count of Layers In Pallet	3
Downloadable Software	V3 Print Driver with Lite SM, TWAIN/WIA Driver, HP MFP Scan, HP Scan to PC Lite
Driver Updates	Latest printer driver upgrade information available from HP Support web site at http://www.hp.com/support/ljM440MFP
Duplex ADF Scanning	Yes
Duty Cycle Note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Dynamic security	Dynamic security enabled printer
Electromagnetic Emission Standard	CISPR 32: 2012/EN 55032: 2012 Class A, EN 61000-3-2: 2014, EN 61000-3-3:2013, EN 55024:2010, EN 55035:2017, GB9254-2008, GB17625.1-2012, EMC Directive 2014/30/EU with CE Marking (Europe), other EMC approvals as required by individual countries.
Email Addresses Stored	200
Engine life	200000
Envelope Feeder	No
FCC Class A Emissions	FCC Class A emissions - for use in commercial environments, not residential environments
File Formats	PDF; JPEG; TIFF
First Copy Out Black (A4)	As fast as 7.1 sec
First Copy Out Black (A4, sleep)	As fast as 21.6 sec
First Copy Out Black (letter)	As fast as 7.1 sec
First Copy Out Black (letter, sleep)	As fast as 21.6 sec
First Page Out Black (A4, ready)	As fast as 7.7 sec
First Page Out Black (A4, sleep)	As fast as 21.6 sec
First Page Out Black (letter, ready)	As fast as 7.7 sec
First Page Out Black (letter, sleep)	As fast as 21.6 sec
Fonts and Typefaces	49 Scalable Fonts / 1 Bitmap
Grayscale Levels	256
In Box Cable	(AP) No, please purchase USB cable separately; (EMEA) 1 USB cable for PC to Printer connection
Input Capacity, Max	Up to 600 Sheets
Input Capacity, Max, Envelopes	Occasional use only
Input Capacity, Std	Up to 350 Sheets

Key Media Sizes Supported (imperial)	Letter; Legal; 11 x 17 in
Key Media Sizes Supported (metric)	A4; A3
Mac Compatible	No
Max Dimensions W x D x H (imperial)	37.8 x 42.9 x 36.7 in
Max Dimensions W x D x H (metric)	960 mm x 1090 mm x 933 mm
Max Number Of Copies	Up to 999 copies
Media Handling, Document Finishing	No
Media Size, Tray 1 (metric)	A3, A4, A5, A6, B4 (JIS), B5 (JIS), Oficio, 8K, 16K, Envelope DL, Envelope C4, Envelope C5, Envelope C6, 4x6, 98 x 148 mm to 297 x 432 mm
Media Size, Tray 2 (metric)	A4; A5; B4 (JIS); B5 (JIS); Oficio; 16K; 148 x 210 to 297 x 354 mm
Media Size, Tray 3 (metric)	Tray 1: 60 to 163 g/m²
Media Sizes Custom (imperial)	Tray 2: 60 to 110 g/m²
Media Sizes Custom (metric)	Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 354 mm;
Media Type and Capacity Tray 1	Sheets: 100
Media Type and Capacity Tray 2	Sheets: 250
Media Type and Capacity Tray 3	Optional Tray 3; Sheets: 250
Media Types	Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycled, Intermediate, Letterhead, Prepunched
Media Weights Supported, By Paper Path (Imperial)	Tray 1: 16 to 43 lb; Tray 2: 16 to 29 lb
Media Weights Supported, By Paper Path (metric)	Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m²
Media Weights Supported, Tray 1 (metric)	Tray 1: 60 to 163 g/m²
Media Weights Supported, Tray 2 (metric)	Tray 2: 60 to 110 g/m²
Model Number	M440dn
Native Scan File Format	PDF; JPG; TIFF
Number of Simultaneous Users (local + network)	Over 25 Users
Operating Humidity Range	20 to 80% RH
Operating Humidity Range (recommended)	20 to 80% RH
Operating Temperature Range (celsius)	10 to 30°C
Operating Temperature Range (fahrenheit)	50 to 86°F

Operating Temperature Range (recommended celsius)	10 to 30°C
Operating Temperature Range (recommended fahrenheit)	50 to 86°F
Orderable Supplies	HP Original 335A LaserJet Toner Cartridge (W1335A), HP Original 335X High-Yield Black LaserJet Toner Cartridge (W1335X), HP 57A Original LaserJet Imaging Drum (CF257A)
Output Capacity, Max	Up to 250 Sheets
Output Capacity, Std	Up to 250 Sheets
Output Capacity, Std, Envelopes	Occasional use only
Output Capacity, Std, Transparencies	No
Package Dimensions W x D x H (imperial)	29.1 x 28.4 x 26.7 in
Package Dimensions W x D x H (metric)	738 x 721 x 678 mm
Package Weight (imperial)	69.44 lb
Package Weight (metric)	31.5 kg
Page Yield Footnote	Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies"
Pallet Dimensions (imperial)	EMEA/AMS : 29.5 x 57.2 x 80.3 in, APJ : 29.5 x 57.2 x 84.8 in
Pallet Dimensions W x D x H (metric)	EMEA/AMS :750 x 1454 x 2040mm, APJ :750 x 1454 x 2154mm
Pallet Weight (imperial)	EMEA/AMS : 416.67 lb, APJ : 438.71 lb
Pallet Weight (metric)	EMEA/AMS : 189 kg, APJ : 199 kg
Paper Handling Optional/input	Optional 250 sheets
Paper Handling Optional/output	No
Paper Handling Standard/input	Tray 1: 100 sheet, Tray 2: 250 sheet
Paper Handling Standard/output	Up to 250 Sheets
Paper Trays, Maximum	3
Paper Trays, Standard	2
Power Supply Required	AC 220 - 240V: 50/60Hz. Not dual voltage, power supply varies by part number with # Option code identifier.
Print Cartridges/Bottle, Number	2 (black)
Print Colors	No
Print Languages, Standard	PS
Print Resolution Black (Fine Lines)	Up to 1200 x 1200 dpi
Print Resolution Black (normal)	Up to 600 x 600 dpi
Print Speed Black (Landscape, A5)	Up to 24 ppm

Print Speed Black (normal A3)	Up to 13 ppm
Print Speed Black (normal, tabloid)	Up to 13 ppm
Print Speed Black Duplex (A3)	Up to 8 ppm
Print Speed Black Duplex (A4)	Up to 12 ppm
Print Speed Black Duplex (Letter)	Up to 12 ppm
Print Speed Black Duplex (Tabloid)	Up to 8 ppm
Print Technology	Laser
Printable Area Maximum (metric)	297 x 914 mm
Printer Black Pages (MPV Black)	1400
Printer Management	HP Web Jetadmin
Processor Speed	600 MHz
Product Long Name Specifications	HP LaserJet MFP M440dn, Black and white Printer for Business, Print, Copy, Scan
Product Short Name Specifications	HP LaserJet M440dn Multifunction Black and white Printer, Ethernet Only; Copier, Scanner
Quantity Per Pallet	6
RMN Number	SEOLA-1907-02
Recommended Media Weight (duplex, imperial)	16 to 29 lb
Recommended Media Weight (duplex, metric)	60 to 110 g/m²
Recommended Monthly Page Volume	2000 to 5000[5]
Recommended Monthly Page Volume Note	HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Safety Approvals and Requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International), EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU), IEC 60825-1:2014, EN60825-1:2014 (Class 1 Laser/LED Device), Low Voltage Directive 2014/35/EU with CE Marking (Europe) GB4943.1-2011; other safety approvals as required by individual countries
Scan Resolution, Enhanced	Up to 4800 × 4800 dpi
Scan Resolution, Hardware	Up to 600 × 600 dpi
Scan Resolution, Optical	Up to 600 dpi
Scan Size Maximum (flatbed, imperial)	11.69 x 17 in
Scan Size Maximum (flatbed, metric)	297 x 432 mm
Scan Speed (normal, A3)	Up to 21 ipm(b&w), Up to 14 ipm(color 200dpi), Up to 9 ipm(color 300dpi)
Scan Speed (normal, Tabloid)	Up to 21 ipm(b&w), Up to 14 ipm(color 200dpi), Up to 9 ipm(color 300dpi)

Security Management	Embedded Web Server: password protection/encryption, Secure Erase of Client Data, configurable login failure policy, configurable auto logout, Certificate Management, Pre-Shared Key Authentication, Support for WJA-10, IPv4/v6/mac address filtering, SMTP server Certificate Validation, Encrypted Customer Data Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP over SSL/TLS, IPsec, SNMPv3
Sensor Resolution	Up to 600 x 600 dpi
Software Scan File Format	Windows Scan SW supports file format: RAW(BMP), JPG, PDF, PNG, TIFF
Standard Media Sizes (duplex, Imperial)	16 to 29 lb
Standard Media Sizes (duplex, metric)	60 to 110 g/m²
Standard Media Sizes Supported (imperial)	Letter, Legal, executive, statement, 4x6 in, 5x7 in, 5x8 in, 11x17, Oficio 8.5x13 in, envelopes (Monarch, DL, C5, C6, No. 9, No. 10)
Standard Media Sizes Supported (metric)	A3; A4; A5; A6; B4 (JIS); B5 (JIS); 8K; 16K; Oficio 216x340mm
Standard Memory	512 MB
Storage Temperature Range (celsius)	-20 to 40°C
Storage Temperature Range (fahrenheit)	-4 to 104°F
System Requirements, Minimum	CD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; (For OS hardware requirements see microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2) / RAM 512 MB (1 GB) / Free HDD space 1 GB (2 GB) for Linux
Tariff Numbers	84433100
Technology	Laser
Twain Version	Version 2.1
Typical Electricity Consumption (TEC) Footnote	Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 230V for Blue Angel.
Typical Electricity Consumption (TEC) number	1.100 kWh/Week[6]
UNSPSC Code	43212110
UPC Number	(ACJ) 194441126136; (BBU) 194441017304
Warm-up Time	29 sec
What Is In The Box Footnote	Ships with One HP Original Black LaserJet Introductory Toner cartridge (yield ~4,000 pages), One HP Original Imaging Drum (yield ~80,000 pages). Declared yield value in accordance with ISO/IEC 19752 in continuous printing. Actual yields vary considerably based on images printed and other factors. For more information visit: http://www.hp.com/go/learnaboutsupplies

[1] Ships with One HP Original Black LaserJet Introductory Toner cartridge (yield ~4,000 pages), One HP Original Imaging Drum (yield ~80,000 pages). Declared yield value in accordance with ISO/IEC 19752 in continuous printing. Actual yields vary considerably based on images printed and other factors. For more information visit: http://www.hp.com/go/learnaboutsupplies

[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 230V device.

[4] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[5] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

[6] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 230V for Blue Angel.

[7] Windows 7 or higher

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Black and White Laser Toner Printer Cartridges

HP 336X High Yield Black Original LaserJet Toner Cartridge	**W1336X ★**
HP 336A Black Original LaserJet Toner Cartridge	**W1336A ★**
HP 335A Black Original LaserJet Toner Cartridge	W1335A
HP 335X High Yield Black Original LaserJet Toner Cartridge	W1335X

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper Glossy 150 g/m2 A4 (210 x 297 mm) 150 sheets	CG965A
HP Everyday Business Paper Glossy 32 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN08A
HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN10A
HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets	7MV80A
HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN05A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM 20 lb 11 x 17 in. (279 x 432 mm) 250 sheets	HPM1720P
HP MultiPurpose20TM 20 lb 8.5 x 11 in. (216 x 279 mm) 500 sheets	HPM1120R
HP MultiPurpose20TM 20 lb 8.5 x 14 in. (216 x 356 mm) 500 sheets	HPM1420P

HP Paper for Multiple Uses

HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN07A

Accessories

Printer Accessories

★ : Recommended

LaserJet Options

HP 250 Sheet Paper Tray Stand	58D79A

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Nov 20, 2026 5:44 PM UTC+0000