HP DesignJet T210 24-in Printer (8AG32A)



Overview

Easy and affordable printing in the world's smallest plotters[1]

Designed to fit your office, budget, and the way you work, the world's smallest plotters[1] provide outstanding simplicity. Send multiple files in just one click.[3] Print your A1/D plot as fast as 35 seconds. 500 MB memory.

Extreme simplicity

Save time with the world's easiest job submission[2]—send multiple files in one click with HP Click.[3]

Fits the way you work

Avoid waiting by the printer with high-speed printing as fast as 35 seconds per A1/D plot.

Fits your office and budget

Save space with the world's smallest plotters[1] designed to fit your office.

---

[1] HP DesignJet T200 series printers are up to 38% smaller compared to competitive alternatives with comparable size and features as of January, 2020. The world's smallest large-format plotters based on most compact footprint.

[2] Three-click printing with HP Click software compared to up to 11 clicks with competitive alternatives when printing 5 files of different sizes. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files. Based on testing the HP DesignJet T250 24-in Printer, from job prep to print is up to 2X faster than competitive alternatives with comparable size and features as of January, 2020.

[3] One-click printing with HP Click software. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

Specifications

Print Resolution Color (best)	Up to 2400 x 1200 optimized dpi
AIO Functions	Print
Connectivity, Std	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11a/b/g/n, Wi-Fi Direct
Software Included	HP Click App, HP Click Driver for Windows 11, HP Smart app, HP Print Preview for Windows, HP Easy Start, HP DesignJet Utility for Windows, HP Support Assistant
Technical Features	Wi-Fi;Color Touchscreen;Start-up Ink Cartridges;USB port for PC connection;Max resolution 2400 x 2400 dpi;Roll cover accessory;Automatic sheet feeder accessory;Output stand bin accessory
Sustainability Specifications	More sustainable design reduces CO2e up to 7.3 tons/year by units sold by using up to 30% UL Validated recycled plastic.; Free, convenient HP ink cartridge and printhead recycling with HP Planet Partners; FSC®-certified papers and a range of recyclable HP media with a take-back program; ENERGY STAR® certified; EPEAT® registered
Energy Star Certified	Yes
Product Dimensions W x D x H (metric)	1013 x 440 x 285 mm
Product Dimensions W x D x H (imperial)	39.9 x 17.3 x 11.2 in
Weight (metric)	21.5 kg
Weight (imperial)	47.4 lb
Power Consumption Description	<35 W (printing), <5.6 W (ready), <2.1 W (sleep), <0.2 W (off)
Environmental Certifications	ENERGY STAR; WEEE; EU RoHS; EAEU RoHS; REACH; ErP; EPEAT Gold
What Is In The Box	HP DesignJet T210 24-in Printer, printhead, introductory ink cartridges, spindle, quick reference guide, setup poster, power cord
Manufacturer Warranty	One-year limited hardware warranty

Additional specifications

AIO Functions (filter)	Print
Accessories	3C753A HP DesignJet T200/T600 24-in Printer Stand;8AJ60A HP DesignJet T200/T600 Automatic Sheet Feeder;9GF94A HP DesignJet T200/T600 24-in Roll Cover;B3Q36A HP DesignJet 24-in Spindle
Acoustic Power Emissions (active, printing)	5.8 B(A) (operating), <3.4 B(A) (idle)
Acoustic Pressure Emissions	42 dB(A) (operating), <16 dB(A) (idle)
Cartridge Size (filter)	Less than 130 ml
Color Ink Technology (filter)	Pigment; Dye
Dynamic security	Dynamic security enabled printer
Electromagnetic Emission Standard	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC/RED Directives), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class B product: Korea (KCC)
Hard Disk	None
Ink Drop	5.5 pl (C, M, Y); 12 pl (K)
Ink Types	Dye-based (C, M, Y); pigment-based (K)
Line Accuracy	±0.1%[3]
Maximum Optical Density (black)	8 L* min/2.10 D[4]
Media Handling, Document Finishing	Sheet feed, roll feed; automatic horizontal cutter
Media Sizes Custom (imperial)	8.3 x 11 to 24 x 74.7 in
Media Sizes Custom (metric)	210 x 279 to 610 x 1897 mm
Media Sizes Standard (imperial Rolls)	11 to 24 in
Media Thickness (by paper path)	Up to 11.8 mil
Media Thickness Maximum (imperial)	0.012 in
Media Thickness Maximum (metric)	Up to 0.3 mm
Media Types	Bond and coated paper (bond, coated, heavyweight coated, plain, bright white, blueprint), technical paper (natural tracing), film (clear, matte), photographic paper (satin, gloss, semigloss, polypropylene), self-adhesive (adhesive, polypropylene)
Media Weight Recommended (imperial)	0.0123 to 0.0573 lb/ft²
Media Weight Recommended (metric)	60 to 280 g/m²
Media Width Maximum (imperial)	24 in
Media Width Maximum (metric)	610 mm

Media sizes standard (metric rolls)	279 to 610 mm
Model Size (imperial)	24 in
Model Size (metric)	610 mm
Non-Printable Area (imperial cut-sheet)	0.2 x 0.2 x 0.2 x 0.7 in (manual feed); 0.2 x 0.2 x 0.2 x 0.2 in (input tray)
Non-Printable Area (metric cut-sheet)	5 x 5 x 5 x 17 mm (manual feed); 5 x 5 x 5 x 5 mm (input tray)
Non-operating Humidity Range	0 to 95% RH
Non-printable Area Roll Media (imperial)	0.2 x 0.2 x 0.2 x 0.2 in
Non-printable Area Roll Media (metric)	5 x 5 x 5 x 5 mm
Number of Cartridges (filter)	4
Operating Altitude (imperial)	Up to 9843 ft
Operating Altitude (metric)	Up to 3000 m
Operating Humidity Range	20 to 80% RH
Operating Temperature Range (celsius)	5 to 40ºC
Operating Temperature Range (fahrenheit)	41 to 104ºF
Orderable Supplies	HP Original Ink: HP 712 cartridges (Black, Cyan, Magenta, Yellow), and HP 713 printhead
Package Dimensions W x D x H (imperial)	45.5 x 22.6 x 15.9 in
Package Dimensions W x D x H (metric)	1155 x 575 x 405 mm
Package Weight (imperial)	61.7 lb
Package Weight (metric)	28 kg
Page Yield, Color, High Capacity	20 ml of ink yields 101 A1/D pages, taking into account maintenance routines[2]
Playbook TS Icon Connectivity	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png
Playbook TS Icon Dimensions AiO	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192862.png
Playbook TS Icon Display AiO	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169148.png
Post Consumer Recycled Plastic In Hardware by weight of plastic	30%
Power Supply Required	Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max
Print Cartridge/Bottle Volume (metric)	80 ml (K); 38 ml (K); 29 ml (C, M, Y)
Print Cartridge/Bottle, Color(s)	Cyan, magenta, yellow, black

Print Cartridges/Bottle, Number	4 (C, M, Y, K)
Print Head Nozzles	1376
Print Heads	1 (cyan, magenta, yellow, black)
Print Languages, Standard	JPEG, URF
Print Multi-size Files In One Click	Yes
Print Speed (filter)	Greater than 30 sec/page on D size
Print Speed (imperial)	45 sec/page on D, 59 D prints per hour[1]
Print Speed (metric)	45 sec/page on A1, 59 A1 prints per hour[1]
Print Technology	HP Thermal Inkjet
Printer Drivers Included	Raster driver for Windows and macOS; HP Click Driver for Windows 11
Printing Path	Print Anywhere with HP Smart app, HP Click App, HP Click Driver for Windows 11, HP driver for macOS, HP driver for Windows, printing support for Chrome OS, email printing, HP Print Service Plugin for Android, Apple AirPrint
Product Logos	AirPrint; ENERGY STAR; EPEAT Gold; Gold IPv6 Ready; Hi-Speed USB; UL Validated; Wi-Fi CERTIFIED; Windows 10 Compatible
Product-specific Additional Information Pointer	http://www.hp.com/go/designjett210
Recommended Media	HP Universal Bond Paper (FSC® certified)[5] (recyclable)[6];HP Coated Paper (FSC® certified)[5] (recyclable)[6];HP Heavyweight Coated Paper (FSC® certified)[5] (recyclable)[6]
Remote Print Enabled	Yes
Roll External Diameter	100 mm
Roll External Diameter (imperial)	3.9 in
Roll Maximum Input	1
Roll Maximum Weight (imperial)	9 lb
Roll Maximum Weight (metric)	4.1 kg
Safety Approvals and Requirements	USA and Canada (CSA certified); EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS); Mexico (NYCE)
Standard Media Sizes Supported (imperial)	A, B, C, D
Standard Media Sizes Supported (metric)	A4, A3, A2, A1
Standard Memory	512 MB
Storage Temperature Range (celsius)	-25 to 55ºC
Storage Temperature Range (fahrenheit)	-13 to 131ºF
Supported Applications, Primary	Line drawings; Presentations; Renderings
Sustainability Impact (filter)	ENERGY STAR®; EPEAT®

Technology	Ink
Theoretical Minimum Line Width (imperial)	0.0008 in
Theoretical Minimum Line Width (metric)	0.02 mm
UNSPSC Code	43212104
UPC Number	194850019708

Ink/Toner/Paper/Printer Supplies

Ink Supplies

★ : Recommended

HP Graphic Arts Inks/Printheads

HP 712 2-pack 80-ml Black DesignJet Ink Cartridges	3WW89A
HP 712 29-ml Cyan DesignJet Ink Cartridge	3ED67A
HP 712 29-ml Magenta DesignJet Ink Cartridge	3ED68A
HP 712 29-ml Yellow DesignJet Ink Cartridge	3ED69A
HP 712 3-pack 29-ml Cyan DesignJet Ink Cartridge	3ED77A
HP 712 3-pack 29-ml Magenta DesignJet Ink Cartridge	3ED78A
HP 712 3-pack 29-ml Yellow DesignJet Ink Cartridge	3ED79A
HP 712 38-ml Black DesignJet Ink Cartridge	3ED70A
HP 712 80-ml Black DesignJet Ink Cartridge	3ED71A
HP 712B 38-ml Black DesignJet Ink Cartridge	3ED28A
HP 712B 80-ml Black DesignJet Ink Cartridge	3ED29A
HP 713 DesignJet Printhead Replacement Kit	3ED58A

Accessories

Paper Handling

★ : Recommended

Spindles

HP DesignJet 24-in Spindle	B3Q36A

Automatic Document Feeders

HP DesignJet T200/T600 Automatic Sheet Feeder	8AJ60A

Cabinets and Stands

Printer Cabinets and Stands

HP DesignJet T200/T600 24-in Printer Stand	3C753A

Cases and Covers

Printer Covers

HP DesignJet T200/T600 24-in Roll Cover	9GF94A

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Nov 28, 2026 10:02 PM UTC+0000