



HP 1-liter UV Printhead Flush (CH122A)

Overview

HP UV Printhead Flush, 1 liter

Printhead flush in a 1-liter bottle.

Specifications

Ink types	Pigment-based
Print Technology	Ink
Print cartridge volume delivered	1 liter
Operating temperature range	20 to 30° C
Operating humidity range	20 to 80% RH
Compatibility	HP Designjet H35000 Printer series, HP Designjet H45000 Printer series, HP Scitex FB910, ColorSpan 5400uv series, ColorSpan 9840uv
UPC number	883585786831
Minimum dimensions (W x D x H)	88.9 x 88.9 x 238.25 mm
Minimum dimensions (W x D x H)	3.5 x 3.5 x 9.38 in
Package dimensions (W x D x H)	88.9 x 88.9 x 238.25 mm
Package dimensions (W x D x H)	3.5 x 3.5 x 9.38 in
Package weight	1.25 kg
Package weight	2.76 lb

Additional specifications

Operating temperature range	68 to 85° F
Print technology	Piezo-OEM
UNSPSC code	43212104

Disclaimer — Copyright

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Dec 02, 2021 5:54 AM UTC+0000