HP Color LaserJet Pro 4203dw Printer ()

Overview

Fast color printing and easy set up.

Get a blazing fast color printer and easy set up with LaserJet Pro.

Maximum productivity in full color

Support your business workteam with this compact, high-performing, color printer, ideal for up to 10 users.

DM: Advance your security with HP Wolf Pro EM: Set up and manage from a single dashboard [2]

DM: Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are. EM: Connect your printer fleet. Robust features and smart tools help your people do more, wherever work happens. [1]

DM: Simple set up EM: Get more done with smart productivity features [1,2]

DM: Quickly set up your printers so you can focus more on your business. EM: The ultimate document workflow management app for today's flexible-working small-to-medium sized businesses. [1]

DM: Sustainable printing [4,6,13] EM: Advance your security with HP Wolf Pro

DM: Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing. [13,15] EM: Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are.

Features

DM: Business team solution EM: Large workteam solution

Blazing fast speed

DM: Self-healing Wi-Fi® [7] EM: Flexible connectivity [7][7]

True-to-life colors [14][14]

HP Web Jetadmin. [3][3]

---

[1] Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.

[3] HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

[4] HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart

[6] Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.

[7] Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 112 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: www.hp.com/go/mobileprinting

[13] Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJet/plasticreductions.

[14] Standard print mode for HP Color LaserJet Pro series with HP TerraJet technology compared to predecessors. See hp.com/TerraJet/colors.

[15] HP calculations based on Energy Star® normalized TEC data in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJet/energysaving.

Specifications

Print Resolution Technologies	HP ImageREt 2400
Print Resolution Black (best)	Up to 600 x 600 dpi; Up to 38,400 x 600 enhanced dpi
Print Resolution Color (best)	Up to 600 x 600 dpi
Print Speed Black (normal, A4)	Up to 33 ppm
Print Speed Black (normal, letter)	Up to 35 ppm
Print Speed Color (normal, A4)	Up to 33 ppm
Print Speed Color (normal, letter)	Up to 35 ppm
Print Speed	Print speed up to 35/33 ppm black & color (Letter/A4)
Print Margin Bottom (A4)	4.23 mm
Print Margin Left (A4)	4.23 mm
Print Margin Right (A4)	4.23 mm
Print Margin Top (A4)	4.23 mm
AIO Functions	Print
Duplex Print Options	Automatic
Duty Cycle (monthly, A4)	Up to 50,000 pages
Duty Cycle (monthly, letter)	Up to 50,000 pages
Printer Smart Software Features	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print quality mode, accepts a variety of paper sizes and types
Energy Savings Feature Technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Supplies Feature	TerraJet Cartridge
Supported Network Protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, Apple AirPrint™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog
Software Included	No software solutions are included in the Box only on http://hp.com or http://123.hp.com

Compatible Operating Systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 15 Sequoia; Linux; Citrix; Chrome OS *(Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://citrixready.citrix.com; Citrix Server 6.5; Citrix XenApp & XenDesktop 7.6; Linux- For more information see http://developers.hp.com/hp-linux imaging-and-printing; Novell iPrint server; Unix- For more information see http://hp.com/go/unixmodelscripts; Windows Server 2008 R2 64-bit ; Windows Server 2012 64-bit; Windows Server 2012 R2 64-bit; Windows Server 2016 64-bit; Windows Server 2019 64-bit; Windows Server 2022 64-bit; (All operating systems with the latest updates); Android; iOS; macOS Big Sur v11.0; macOS Catalina v10.15; macOS Monterey v12.0; macOS's-; Mobile OS's-; Win10; Win11; Windows Client OS (32/64 bit)-; (All operating systems with the latest updates))*
Sustainability Specifications	ENERGY STAR® certified; EPEAT® registered; Contains post-consumer recycled plastic
Fax	No
Display Area (imperial)	2.0 x 1.3 inch
Display Area (metric)	51.6(W) X 30.1(H) mm
Display Description	4-line back lit LCD
Product Dimensions W x D x H (metric)	421 x 427 x 288 mm
Product Dimensions W x D x H (imperial)	16.6 x 16.8 x 11.3 in
Weight (metric)	~16.33 kg
Weight (imperial)	~36 lb
Power Consumption Description	580 watts (active printing), 17 watts (ready), 0.7 watts (sleep), 0.7watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual-on), 0.07 watts (off) [5] *([5] Values based on 115V test results based on Energy Star test method.)*
Power Supply Type	Internal (built-in) Power Supply
Manufacturer Warranty	One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region.

Additional specifications

Accessories	HP Color LaserJet Pro 550 Sheet Paper Tray 28N93A
Acoustic Power Emissions (active scan)	N/A
Acoustic Power Emissions (active, printing)	6.2 B(A)
Acoustic Power Emissions (ready)	Inaudible
Acoustic Power Note	[6] Configuration tested: base model, simplex printing, A4 paper at an average of 34 ppm.
Acoustic Pressure Emissions Bystander (active scan)	N/A
Acoustic Pressure Emissions Bystander (active, printing)	51 dB(A)
Acoustic Pressure Emissions Bystander (ready)	Inaudible
Automatic Paper Sensor	No
Cartons Per Layer	6
Certifications and Compliances	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.
Color or Black (filter)	Color
Compatible Network Operating Systems	Windows Server; macOS 15 Sequoia; Linux; Citrix; UNIX; Novell; SAP
Control Panel	4-line LCD with rotational dial with push button for menu selection
Count of Layers In Pallet	4 (NA/APJ), 3 (EMEA)

Downloadable Software	From http://123.hp.com- HP Easy Start (Guided Software Install for Windows and Mac);From http://hp.com for Windows OS- Full-solution software and drivers; Basic-solution software and drivers; HP PCL6 XPS Discrete Print Driver; Product Documentation and Support;From http://hp.com for Mac OS-; HP Mac OS Print Driver; HP Easy Admin; HP Universal Fax Driver; HP Universal Scan Solution; For Mobile OS-; iOS For more information see http://hp.com/go/businessmobileprinting; Android For more information see: http://hp.com/go/businessmobileprinting; From http://hp.com for printer administrators-; Printer Administrator Resource Kit (Driver Configuration; Utility - Driver Deployment Utility - Managed Printing Administrator); HP Universal Print Drivers PCL6 GDI & PS GDI for Windows For more information on the supported operating systems go to http://support.hp.com; SAP Print Drivers for more information see http://support.hp.com/us-en/document/c05051702; HP Web JetAdmin; HP JetAdvantage Security Manager; HPLIP Linux; Printer Driver for more information see http://hplipopensource.com/hplip-web/index.html; Unix Model Script Printer Driver; For more information on the supported operating systems go to http://support.hp.com; Enter your product name and search; Click on User Guides and enter your product name and search for User Guide; Search for your (Product Name) - User Guide; Search for the Supported Operating Systems section; Supported Operating systems; For more information on the supported operating systems also see www.hp.com/go/upd; HP Smart Suite- Basic (Only supported on Windows 10 and above); HP Smart Suite- Advanced (Only supported on Windows 10 and above); HP SmartApp (Only supported on Windows 10 and above); HP SmartDriver; HP PrintScanDr; HP WebJetAdmin + Workpath; HP Command Center; Chrome Extension; Android Plug-in
Driver Updates	Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to http://www.hp.com/support/ (country/region may need to be selected) Select “Support”; Select “Software and Drivers”,Select “Printer”, Enter a product name/number, (The operating system is automatically detected), Select a driver or other software, Select “Download” for the software desired
Dynamic security	Dynamic security enabled printer
Ecolabels Footnote	[3] EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
Electromagnetic Emission Standard	CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries.
Envelope Feeder	No
First Page Out Black (A4, ready)	As fast as 9.5 sec
First Page Out Black (A4, sleep)	As fast as 10.2 sec
First Page Out Black (letter, ready)	As fast as 9.1 sec
First Page Out Black (letter, sleep)	As fast as 10.0 sec
First Page Out Color (A4, ready)	As fast as 10.5 sec
First Page Out Color (A4, sleep)	As fast as 10.5 sec
First Page Out Color (letter, ready)	As fast as 10 sec
First Page Out Color (letter, sleep)	As fast as 10.3 sec

Fonts and Typefaces	111 scalable TrueType fonts
Input Capacity, Max	Up to 850 sheets (with Optional 550-sheet tray)
Input Capacity, Max, Envelopes	Up to 15 envelopes
Input Capacity, Std	Up to 300 sheets
Key Media Sizes Supported (imperial)	4 x 6 in; Letter; Legal; Envelopes
Key Media Sizes Supported (metric)	10 x 15 cm; A4; Envelopes
Mac Compatible	Yes
Max Dimensions W x D x H (imperial)	16.6 x 25 x 16.5 in (with optional 550-sheet tray 3)
Max Dimensions W x D x H (metric)	421 x 636 x 420 mm (with optional 550-sheet tray 3)
Maximum Memory	512 MB NAND Flash, 512 MB DRAM
Media Handling, Document Finishing	Sheet feed
Media Size, Tray 1 (metric)	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5)
Media Size, Tray 2 (metric)	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5)
Media Size, Tray 3 (metric)	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double)
Media Sizes Custom (imperial)	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3.93 x 5.82 to 8.5 x 14 in; Duplex (all trays): 5.82 x 5.82 in to 8.5 x 14 in
Media Sizes Custom (metric)	Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm
Media Type and Capacity Tray 1	Sheets: 50; envelopes: 5
Media Type and Capacity Tray 2	Sheets: 250; envelopes: 10
Media Type and Capacity Tray 3	Sheets: 550
Media Types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Media Weights Supported, By Paper Path (metric)	60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)
Media Weights Supported, Tray 1 (metric)	60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers)
Media Weights Supported, Tray 2 (metric)	60 to 163 g/m² paper (up to 176 g/m² with postcard, up to 200 g/m² HP Color laser glossy photo papers)
Media Weights Supported, Tray 3 (metric)	Optional Tray 3: 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)
Memory Upgrade	Not available

Number of Simultaneous Users (local + network)	3-10 Users
Operating Humidity Range	10 to 80% RH (non-condensing)
Operating Humidity Range (recommended)	30 to 70% RH (non-condensing)
Operating Temperature Range (celsius)	10 to 32.5°C
Operating Temperature Range (fahrenheit)	50 to 90.5°F
Operating Temperature Range (recommended celsius)	15 to 27°C
Operating Temperature Range (recommended fahrenheit)	59 to 80.6°F
Output Capacity, Max	Up to 150 sheets
Output Capacity, Std	Up to 150 sheets
Output Capacity, Std, Envelopes	Up to 20 envelopes
Package Dimensions W x D x H (imperial)	19.57 x 14.92 x 22.95 in
Package Dimensions W x D x H (metric)	497 x 379 x 583 mm
Package Weight (imperial)	42.0 lb
Package Weight (metric)	19.0 kg
Page Yield (set-up/inbox cartridges)	~1,200 pages black, ~1,000 pages cyan, magenta, yellow composite yield
Pallet Dimensions (imperial)	47.24 x 39.37 x 97.76 in (AMS/APJ), 47.24 x 39.37 x 74.8 in (EMEA)
Pallet Dimensions W x D x H (metric)	1200 x 1000 x 2483 mm (NA/APJ), 1200 x 1000 x 1900 mm (EMEA)
Pallet Weight (imperial)	1072 lb (NA/APJ), 815 lb (EMEA)
Pallet Weight (metric)	486 kg (NA/APJ), 370 (EMEA)
Paper Handling Optional/input	Optional 550-sheet tray
Paper Handling Standard/input	50-sheet multipurpose tray, 250-sheet input tray
Paper Handling Standard/output	150-sheet output bin
Paper Trays, Maximum	3
Paper Trays, Standard	2
Plug and Play Technologies	Auto Wireless Connect
Power Supply Required	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)
Print Cartridges/Bottle, Number	4 (1 each black, cyan, magenta, yellow)
Print Colors	Yes

Print Languages, Standard	HP PCL 6, HP PCL 5e, HP PCL 5c, HP Postscript level 3 emulation, PDF, URF, PWG Raster, Native Office
Print Resolution Black (normal)	ImageREt 2400, HP premium print quality mode (600 x 600 dpi)
Print Resolution Color (normal)	ImageREt 2400, HP premium print quality mode (600 x 600 dpi)
Print Speed Black (Portrait, A5)	Up to 44 ppm
Print Speed Black Duplex (A4)	Up to 29 ipm
Print Speed Black Duplex (Letter)	Up to 31 ipm
Print Speed Color (Portrait, A5)	Up to 44 ppm
Print Speed Color Duplex (A4)	Up to 29 ipm
Print Speed Color Duplex (Letter)	Up to 31 ipm
Print Speed Footnote (A5)	[7] Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
Print Speed Footnote Number (A5)	[7]
Print Technology	Laser
Printable Area Maximum (metric)	212 x 352 mm
Printer Management	HP Web JetAdmin Software; Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration; Utility - Driver; Deployment Utility - Managed Printing Administrator)
Processor Speed	1200 MHz
Product-specific Additional Information Pointer	hp.com/support/colorlj4201-4203
Quantity Per Pallet	24 (NA/APJ), 18 (EMEA)
Recommended Media Weight (duplex, metric)	60-163g/m² plain paper, 105-200g/m² glossy
Recommended Monthly Page Volume	750 to 4,000
Replacement Cartridges Footnote	[2] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield
Safety Approvals and Requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); IEC 62368-1:2014; EN 62368-1:2014(EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); UL62368-1 2nd Ed. 2014-12-01, CSA C22.2 No. 62368-1-14, 2nd Ed.; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 56, Dated May 8, 2019; Other safety approvals as required by individual countries.
Segment (filter)	Small medium business
Standard Media Sizes (duplex, Imperial)	Letter; Legal; Executive; Oficio; Oficio (8.5 x 13 in); 16k; A4; A5; A5-R; B5(JIS)

Standard Media Sizes (duplex, metric)	A4; A5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); B5 (JIS); Oficio; Oficio (216 x 340 mm); A5R
Standard Memory	512 MB NAND Flash, 512 MB DRAM
Storage Temperature Range (celsius)	-20 to 40°C
Storage Temperature Range (fahrenheit)	-4 to 104°F
System Requirements, Macintosh, Minimum	2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;
System Requirements, Minimum	2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;
Target Number of Users and Print Volume	For teams up to 10 users; Prints up to 4,000 pages/month
Tariff Numbers	AM Base / National HTS Code 8443321010; EU Base HTS Code 8443321000; AP Base HTS Code 84433231
Technology	Laser
Typical Electricity Consumption (TEC) Footnote	[4] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Energy Star TEC based on 115V test result; Blue Angel TEC based on 230V test result.
Typical Electricity Consumption (TEC) number	0.370 kWh/Week (Blue Angel); 0.395 kWh/Week (Energy Star 3.0)
Warm-up Time	As fast as 50 sec
What Is In The Box Footnote	[1] For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[5] Values based on 115 V test results based on Energy Star test method.

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.