



# HP Color LaserJet Professional CP5225 Printer (CE710A)

## Overview



**Ideal for 3-15 users, this versatile printer lets you easily print on many paper types and sizes.**

Gain control of your printed documents and make an impact when communicating. One versatile printer covers all your printing needs from general office to oversized documents.

### Affordable A3 printing

Now you can handle all your business printing and A3 output in your own office using a single printer. Print everyday business documents, marketing materials and wide-format projects at an affordable price—often less than printing at a copy shop.

### Easy to use, share and maintain

The printer's control panel is intuitive and instructive. Networked models are easy to share, and it's a snap to replace and order supplies.

### High-quality output on a range of documents

Make an impact by putting your business in the best light. Using in-line printer architecture, four colors are aligned and applied in a single pass for reliable, accurate print quality.

## Features



Print color up to 20 ppm



A3 support



Only the power you need<sup>[4]</sup>



On-the-go printing with HP ePrint<sup>[5]</sup>



Ethernet (printer)



Take the guesswork out of fleet management<sup>[6]</sup>

---

*[4] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.*

*[5] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times*

*[6] Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at <http://www.hp.com/go/webjetadmin>*

## Specifications

<b>Print Resolution Technologies</b>	HP ImageREt 3600
<b>Print quality black (best)</b>	Up to 600 x 600 dpi
<b>Print quality color (best)</b>	Up to 600 x 600 dpi
<b>Print speed black (ISO, A4)</b>	Up to 20 ppm
<b>Print speed black (ISO, letter)</b>	Up to 20 ppm
<b>Print Speed Color (ISO)</b>	Up to 20 ppm
<b>Print speed color (ISO)</b>	Up to 20 ppm
<b>Bottom margin (A4)</b>	4.23 mm
<b>Left margin (A4)</b>	4.23 mm
<b>Right margin (A4)</b>	4.23 mm
<b>Top margin (A4)</b>	4.23 mm
<b>Functions</b>	Print
<b>Duplex printing</b>	Manual (driver support provided)
<b>Duty cycle (monthly, A4)</b>	Up to 75,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 75,000 pages
<b>Replacement cartridges</b>	HP Color LaserJet Black Print Cartridge (~7000 pages); HP Color LaserJet Cyan Print Cartridge (~7300 pages); HP Color LaserJet Yellow Print Cartridge (~7300 pages); HP Color LaserJet Magenta Print Cartridge (~7300 pages)
<b>Connectivity, standard</b>	1 Hi-Speed USB 2.0
<b>Wireless capability</b>	Optional, enabled with purchase of a hardware accessory
<b>Mobile printing capability</b>	Mobile Print Capability not supported
<b>Software included</b>	Print driver (HP PCL 6); Toolbox FX configuration utility; SNP alerts; and installation software on CD-ROM
<b>Compatible Operating Systems</b>	Windows 10 (For more information go to <a href="http://support.hp.com/us-en/document/c04658195">http://support.hp.com/us-en/document/c04658195</a> ), Windows 8 through the HP Universal Print Driver (for more information go to <a href="http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=c03365145">http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=c03365145</a> ), Windows 7 through the HP Universal Print Driver (for more information go to <a href="http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=c03737332">http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=c03737332</a> ), Windows Vista, Windows XP Home, Windows XP Professional, Windows XP Professional x64, Windows XP Media Center, Windows Server 2003, Windows 2000; Mac OS X v 10.3, v 10.4, v 10.5, v 10.6; Linux (see <a href="http://www.hplip.net">http://www.hplip.net</a> )
<b>Energy star certified</b>	No
<b>Ecolabels</b>	CECP
<b>Display</b>	2-line, 16-character backlit display
<b>Dimensions (W x D x H)</b>	545 x 599 x 338 mm

<b>Dimensions (W x D x H)</b>	21.5 x 23.6 x 13.3 in <i>(Without trays and covers extended)</i>
<b>Weight</b>	40.9 kg
<b>Weight</b>	90.2 lb <i>(With print cartridges)</i>
<b>Power consumption</b>	440 watts (printing), 30 watts (ready), 4.4 watts (sleep), 0.5 watts (off) <i>(Values subject to change. See <a href="http://www.hp.com/support">http://www.hp.com/support</a> for current information. Power numbers are the highest values measured using all standard voltages. )</i>
<b>Power supply type</b>	Built-in power supply
<b>What's in the box</b>	HP Color LaserJet Professional CP5225 Printer; Power cord; Getting Started Guide; CD with software and documentation; Warranty and service information; Pre-installed print cartridges; 100-sheet multipurpose tray; 250-sheet input tray
<b>Manufacturer Warranty</b>	One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> to learn about HP award winning service and support options in your region.

## Additional specifications

<b>Accessories</b>	HP Color LaserJet 500-sheet Paper Tray CE860A, HP 64 MB DDR2 144-pin SDRAM DIMM CB421A, HP 128 MB DDR2 144-pin SDRAM DIMM CB422A, HP 256 MB DDR2 144-pin SDRAM DIMM CB423A, HP USB Cable (a-b) 2 meter C6518A, HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A, HP Barcode Printing Solution HG271US, HP Barcodes and More Solution HG281US, HP Scalable Barcode Set Solution HG282UT, HP MICR USB Fonts Solution HG283US
<b>Acoustic power emissions (active, printing)</b>	6.3 B(A)
<b>Acoustic power emissions (ready)</b>	5.3 B(A)
<b>Acoustic power note</b>	Configuration tested: base model, simplex printing, A4 paper at an average of 20 ppm. Values are subject to change. For current information see <a href="http://www.hp.com/support">http://www.hp.com/support</a> .
<b>Acoustic pressure emissions bystander (active, printing)</b>	49 dB(A)
<b>Automatic paper sensor</b>	No
<b>Business filter</b>	cMPS
<b>Cable included</b>	Yes, 1 USB cable (AP); No, please purchase USB cable separately (EMEA)
<b>Cartons per layer</b>	1
<b>Color or black</b>	Color
<b>Compatible Network Operating Systems</b>	Windows 2000, Windows XP Home, Windows XP Professional, Windows Server 2003, Windows Vista(R), Windows XP Media Center, Windows XP Professional x64, Windows 7 (HP UPD only), Mac OS X v 10.3, Mac OS X v 10.4 or higher, Linux (see <a href="http://www.hplip.net">http://www.hplip.net</a> )
<b>Component type</b>	Printer
<b>Control panel</b>	2-line; 16-character backlit display; 5 buttons (Cancel job, Left arrow, Right arrow, Select, Back); 2 LED indicator lights (Attention, Ready)
<b>Count of layers in pallet</b>	4
<b>Country of origin</b>	Product of China
<b>Driver updates</b>	Latest printer driver information available at <a href="http://www.hp.com/support">http://www.hp.com/support</a>
<b>Duty cycle note</b>	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.
<b>Electromagnetic compatibility</b>	CISPR 22: 2005/EN 55022: 2006 Class A, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1+A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class A (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries
<b>Engine life</b>	600000
<b>Envelope Feeder</b>	No

<b>FCC Class A emissions</b>	FCC Class A emissions - for use in commercial environments, not residential environments
<b>Finished output handling</b>	Sheetfed
<b>First page out black (A4, ready)</b>	As fast as 16 sec
<b>First page out black (letter, ready)</b>	As fast as 16 sec
<b>First page out color (A4, ready)</b>	As fast as 17 sec
<b>First page out color (letter, ready)</b>	As fast as 17 sec
<b>First page out footnote</b>	Exact speed varies depending on the system configuration, software application, driver and document complexity.
<b>Fonts and typefaces</b>	84 scalable TrueType fonts
<b>HP ePrint capability</b>	No
<b>Input capacity</b>	Up to 350 sheets
<b>Internal Storage</b>	None
<b>Mac compatible</b>	Yes
<b>Maximum Memory</b>	448 MB
<b>Maximum dimensions (W x D x H)</b>	862 x 1066 x 370 mm
<b>Maximum dimensions (W x D x H)</b>	34 x 42 x 14.6 in
<b>Maximum input capacity (sheets)</b>	Up to 850 sheets
<b>Maximum output capacity (sheets)</b>	Up to 250 sheets
<b>Media size, tray 1</b>	A3; A4; A5; A6; RA3; SRA3; B4; B5; 8k; 16k; 10 x 15 cm; post cards (JIS single and double); envelopes (DL, C5, B5); 76 x 127 to 320 x 457 mm
<b>Media size, tray 2</b>	A3; A4; A5; B4; B5; 8k; 16k; Double postcard; 148 x 182 to 297 x 432 mm
<b>Media size, tray 3</b>	A3; A4; B4; B5; 8k; 16k; Double postcard; 148 x 210 to 297 x 432 mm
<b>Media sizes supported</b>	Tray 1: A3, A4, A5, A6, RA3, SRA3, B4, B5, 8k, 16k, 10x15 cm, post cards (JIS single and double); envelopes (DL, C5, B5); custom: 76 x 127 to 320 x 457 mm; Tray 2: A3, A4, A5, B4, B5, 8k, 16k, double postcard; custom: 148 x 182 to 297 x 432 mm; Optional tray 3: A3, A4, B4, B5, 8k, 16k, double postcard; custom: 148 x 210 to 297 x 432 mm
<b>Media sizes supported</b>	Tray 1: Letter, legal, executive, 11x17, 12x18, 4x6, 5x8, 8.5x13, envelopes (No. 10, Monarch), custom: 3 x 5 to 12.6 x 18 in, Tray 2: letter, legal, executive, 11x17, 8.5x13, custom: 5.8 x 7.2 to 11.7 x 17 in, Optional tray 3: letter, legal, executive, 11x17, 8.5x13, custom: 5.8 x 8.3 to 11.7 x 17 in
<b>Media sizes, custom</b>	Tray 1: 3 x 5 to 12.6 x 18 in; 250-sheet input Tray 2: 5.8 x 7.2 to 11.7 x 17 in; optional 500-sheet input Tray 3: 5.8 x 8.3 to 11.7 x 17 in
<b>Media sizes, custom</b>	Tray 1: 76 x 127 to 320 x 457 mm; 250-sheet input Tray 2: 148 x 182 to 297 x 432 mm; optional 500-sheet input Tray 3: 148 x 210 to 297 x 432 mm
<b>Media type and capacity, tray 1</b>	Sheets: 100; envelopes: 20
<b>Media type and capacity, tray 2</b>	Sheets: 250
<b>Media type and capacity, tray 3</b>	Sheets: 500

<b>Media types</b>	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough); cardstock; glossy film; transparencies; labels; envelopes
<b>Media weight (tray 1)</b>	60 to 220 g/m <sup>2</sup>
<b>Media weight (tray 2)</b>	Up to 120 g/m <sup>2</sup> plain papers, up to 160 g/m <sup>2</sup> coated papers
<b>Media weight (tray 3)</b>	Up to 120 g/m <sup>2</sup> plain papers, up to 160 g/m <sup>2</sup> coated papers
<b>Media weight, supported</b>	Tray 1: 60 to 220 g/m <sup>2</sup> , Tray 2, automatic two-sided printing unit, optional Tray 3: up to 120 g/m <sup>2</sup> plain papers, up to 160 g/m <sup>2</sup> coated papers
<b>Media weight, supported</b>	Tray 1: 16 to 58 lb bond, Tray 2, automatic two-sided printing unit, optional Tray 3: up to 32 lb plain papers, up to 43 lb coated papers
<b>Memory</b>	192 MB
<b>Memory Slots</b>	1 slot, 144-pin, DDR2 DIMM
<b>Memory card compatibility</b>	None
<b>Memory upgrade</b>	Expandable to 448 MB through one DDR2 DIMM slot
<b>Minimum System Requirements</b>	Windows 10 (For more information go to <a href="http://support.hp.com/us-en/document/c04658195">http://support.hp.com/us-en/document/c04658195</a> ), Windows 8 through the HP Universal Print Driver (for more information go to <a href="http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=c03365145">http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=c03365145</a> ), Windows 7 through the HP Universal Print Driver (for more information go to <a href="http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=c03737332">http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=c03737332</a> ), Windows Vista (32-bit and 64-bit): 1 GHz processor, 512 MB RAM, 250 MB hard disk space; Windows XP-32 Home, Windows XP-32 Professional, Windows XP-x64 (print driver only): any Pentium® II processor (Pentium® III or higher recommended), 128 MB RAM, 250 MB hard disk space; Windows 2000, Windows Server 2003 (print driver only): any Pentium® II processor or higher, 64 MB RAM, 250 MB hard disk space; SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher, CD-ROM drive, USB or Ethernet port
<b>Minimum System Requirements for Macintosh</b>	Mac OS X v 10.3, 10.4, 10.5, 10.6; Power PC G3, G4, G5, or Intel Core processor; 150 MB available hard disk space; CD-ROM drive; USB or Ethernet port
<b>Model number</b>	CP5225
<b>Network ready</b>	Optional
<b>Non-Operating Humidity Range</b>	10 to 90% RH
<b>Number of users</b>	5-15 Users
<b>Operating humidity range</b>	10 to 80% RH
<b>Operating temperature range</b>	50 to 86° F
<b>Operating temperature range</b>	10 to 30° C
<b>Output capacity</b>	Up to 250 sheets
<b>Package dimensions (W x D x H)</b>	28.26 x 27.63 x 18.81 in
<b>Package dimensions (W x D x H)</b>	718 x 702 x 478 mm
<b>Package weight</b>	43 kg
<b>Package weight</b>	95 lb

**Page yield footnote**

For information on cartridge page and photo yields, see <http://www.hp.com/go/pageyield>

<b>Pallet dimensions</b>	28.38 x 30.15 x 77.20 in
<b>Pallet dimensions (W x D x H)</b>	721 x 766 x 1961 mm
<b>Pallet weight</b>	428 lb
<b>Pallet weight</b>	195 kg
<b>Paper handling input, optional</b>	500-sheet input tray 3
<b>Paper handling input, standard</b>	100 sheet multi-purpose tray, 250-sheet input tray 2
<b>Paper handling output, standard</b>	250-sheet output bin
<b>Paper trays, maximum</b>	3
<b>Paper trays, standard</b>	2
<b>Photo (product photo, jpg, 190x170)</b>	Printers and Multifunction/CE710A_190x170.jpg
<b>Photo (product photo, jpg, 70x100)</b>	Printers and Multifunction/CE710A_70x100.jpg
<b>Ports</b>	1 Hi-Speed USB 2.0
<b>Power</b>	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.
<b>Power consumption (active)</b>	440 watts
<b>Power consumption (manual-off)</b>	0.5 watts
<b>Power consumption (sleep)</b>	4.4 watts
<b>Print Cartridges/Bottle, Number</b>	4 (1 each black, cyan, magenta, yellow)
<b>Print Technology</b>	Laser
<b>Print colors</b>	Yes
<b>Print languages</b>	HP PCL 6, HP PCL 5, HP postscript level 3 emulation
<b>Print quality black (normal)</b>	Up to 600 x 600 dpi
<b>Print speed black (normal, A3)</b>	Up to 10 ppm
<b>Print speed color (normal, A3)</b>	Up to 10 ppm
<b>Print technology</b>	Laser
<b>Printer Management</b>	SNP (default install); Toolbox FX (additional software install)
<b>Printer black pages (MPV black)</b>	788
<b>Printer color pages (MPV color)</b>	1463
<b>Processor</b>	Motorola Coldfire V5x
<b>Processor speed</b>	540 MHz
<b>Product logos</b>	Microsoft Windows; Microsoft Vista; Macintosh; USB



<b>Product long name specifications</b>	HP Color LaserJet Professional CP5225 Printer, Color Printer for Business, Print, Optional high-capacity trays
<b>Product short name specifications</b>	HP LaserJet Pro CP5225 Color Printer
<b>Quantity per pallet</b>	4
<b>Recommended monthly page volume</b>	1500 to 5000
<b>Recommended monthly page volume note</b>	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
<b>Recommended operating humidity range</b>	20 to 60% RH
<b>Recommended operating temperature range</b>	59 to 80.6° F
<b>Recommended operating temperature range</b>	15 to 27° C
<b>Replacement cartridges footnote</b>	Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a>
<b>Safety</b>	IEC 60950-1 (International); EN 60950-1+A11 (EU); IEC 60825-1+A1+A2; NRTL Listed (US/Canada); GS License (Europe); EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries
<b>Standard input capacity (envelopes)</b>	Up to 20
<b>Standard media sizes (duplex)</b>	A3; A4; A5; SRA3; B4; B5
<b>Standard media sizes (duplex, imperial)</b>	Letter; legal; executive; 11 x 17 in; 12 x 18 in
<b>Standard output capacity (envelopes)</b>	Up to 15 envelopes
<b>Standby mode power demand</b>	30 watts
<b>Storage device and direct print support</b>	Storage devices not supported
<b>Storage temperature range</b>	32 to 95° F
<b>Storage temperature range</b>	0 to 35° C
<b>Sub-brand name</b>	Color LaserJet
<b>Tariff numbers</b>	8443321010
<b>Technical support information</b>	<a href="http://www.hp.com/support">http://www.hp.com/support</a>
<b>Typical electricity consumption (TEC) number</b>	1.787 kWh/Week
<b>UNSPSC code</b>	43212105

**UPC number**

(A2S) 884420971382; (AB0) 884420971313; (AB2) 884420971320; (ABG) 884420971368; (ABJ) 884420971351; (ABT) 884420971290; (ABU) 884420971252; (ABY) 884420971306; (ACJ) 884420971375; (ACQ) 884420971283; (ARR) 884420971344; (ARS) 884420971399; (B13) 888182819968; (B19) 884420971269; (BAZ) 884420971276; (BF0) 884420984450; (BFQ) 884420971337

**Upgradability**

Memory upgradeable to 448 MB; optional 500 sheet tray; only one additional tray may be added

**Web address for additional information**

Solutions: <http://www.hp.com/go/gsc>; Paper: <http://www.hp.com/go/paper>; Services: <http://www.hp.com/services/printer>

---

## Ink/Toner/Paper/Printer Supplies

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP Color Laser Toner Printer Cartridges

HP 307A Black Original LaserJet Toner Cartridge	CE740A ★
HP 307A Cyan Original LaserJet Toner Cartridge	CE741A ★
HP 307A Magenta Original LaserJet Toner Cartridge	CE743A ★
HP 307A Yellow Original LaserJet Toner Cartridge	CE742A ★
HP Color LaserJet CE980A Toner Collection Unit	CE980A ★

### HP Paper for Multiple Uses

#### HP Multi-use Everyday Paper

HP All-in-One Paper-10 reams/Letter/8.5 x 11 in	HPT1122
HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A3/297 x 420 mm	CHP715
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP920
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPC3HP
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Office Paper-500 sht/A3/297 x 420 mm	CHP120
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S
HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A3/297 x 420 mm	CHP220
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

#### HP Multipurpose Paper

HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225

## HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN06A	
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN07A	
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN09A	
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN11A	
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	7MV81A	
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	7MV82A	
HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830	

## HP Paper Designed for Laser Printers

### HP Laser Photo Paper

HP Color Laser Glossy Photo Paper-100 sht/10 x 15 cm	Q8843A	
HP Glossy Photo Laser Paper-100 sht/210 x 297 mm	Q6614A	obsolete

### HP Laser Everyday Paper

HP Color Laser Paper 100 gsm-500 sht/A3/297 x 420 mm	CHP360	
HP Color Laser Paper 100 gsm-500 sht/A4/210 x 297 mm	CHP350	
HP Color Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CHP345	
HP Color Laser Paper 120 gsm-250 sht/A4/210 x 297 mm	CHP340	
HP Color Laser Paper 120 gsm-500 sht/A4/210 x 297 mm	CHP342	
HP Color Laser Paper 90 gsm-500 sht/A3/297 x 420 mm	CHP380	
HP Color Laser Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP370	
HP LaserJet Paper-10 reams/Letter/8.5 x 11 in	HPJ1124	
HP LaserJet Paper-500 sht/A4/210 x 297 mm	CHP310	
HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P	

### HP Laser Brochure Paper

HP Laser Glossy Brochure Paper 150 gsm-300 sht/Letter/8.5 x 11 in	X3E84A	
---	--------	--

### HP Superior Laser Paper

HP Superior Glossy Laser Paper-150 sht/A4/210 x 297 mm	Q6616A	obsolete
--	--------	----------

## HP Business Papers

### HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m <sup>2</sup> , A4 (210 x 297 mm), 150 sheets	CG965A
HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6611A
HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6543A
HP Enhanced Tri-Fold Business Paper Glossy 40 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	Q6612A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper Glossy 200 g/m <sup>2</sup> A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN10A
HP Professional Business Paper Matte 200 g/m <sup>2</sup> A4 (210 x 297 mm) 150 sheets	7MV80A
HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN05A

## HP Home & Office Papers

### HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720
HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P
HP Premium24(R), 24 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPJ1124P

## HP Paper Designed for Inkjet Printers

### HP Inkjet Photo Paper

HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets	6MF93A
---	--------

## Accessories

### Memory

★ : Recommended

#### DDRAM

HP 256 MB DDR2 144-pin DIMM

CB423A ★

### Paper Handling

#### Input Trays

HP Color LaserJet 500-sheet Paper Tray

CE860A ★

# Solutions

## HP Document and Workflow Solutions Overview

★ : Recommended

### HP Document and Workflow Solutions Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION

## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Commercial Care Pack Services

HP 1 year Post Warranty Parts Exchange Service for Color LaserJet CP5225	U4TK5PE
HP 3 year Parts Exchange Service for Color LaserJet CP5225	U4TK2E
HP 4 year Parts Exchange Service for Color LaserJet CP5225	U4TK3E
HP 5 year Parts Exchange Service for Color LaserJet CP5225	U4TK4E
HP Installation Service with network configuration for Workgroup Printer(1 unit)	U9JT2E
HP Preventive Maintenance Service for Low Midend LaserJet ScanJet	U5AB3E

#### Imaging and Printing Hardware Support Onsite Svc

HP 1 year Post Wty Next Business Day w/Defective Media Retention Service for Color LaserJet CP5225	UQ491PE
HP 1 year Post-Warranty 4 hour response 9x5 Onsite Color LaserJet CP5225 Hardware Support	UQ493PE
HP 3 year 4 hour response 9x5 Onsite Color LaserJet CP5225 Hardware Support	UQ501E
HP 3 year Next Business Day w/Defective Media Retention Service for Color LaserJet CP5225	UQ496E
HP 4 year 4 hour response 9x5 Onsite Color LaserJet CP5225 Hardware Support	UQ500E
HP 4 year Next Business Day w/Defective Media Retention Service for Color LaserJet CP5225	UT990E
HP 5 year 4 hour response 9x5 Onsite Color LaserJet CP5225 Hardware Support	UQ499E
HP 5 year Next Business Day w/Defective Media Retention Service for Color LaserJet CP5225	UU868E

### Document & Printing

#### Print Management Software Solutions

HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN

## Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements



accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Mar 25, 2025 4:31 PM UTC+0000