



HP ScanJet Enterprise Flow 7500 Flatbed Scanner (L2725B)

Overview



Integrate a complete scanning solution.

Easily integrate this legal flatbed scanner into document workflows. Get rapid scanning and reliable paper handling with HP EveryPage technology.^[1] Workgroups can enhance scans with a suite of comprehensive scan software.

Get fast scanning and excellent image results.

Get fast, reliable scanning—up to 50 ppm/100 ipm with 200 dpi in black and white, grayscale and color.

Count on HP reliability and save valuable time.

Scan with confidence—HP EveryPage technology keep scan projects running smoothly.

Easily integrate and improve document management.

Simplify scanning tasks with HP Scan Premium and automatically enhance images for ideal scans.

[1]HP EveryPage was referred to as HP Precision Feed for products introduced prior to Spring 2013.

Specifications

Scanner advanced features	Auto exposure, Auto threshold, Auto detect color, Background smooth/removal, Remove Noise, Auto detect size, Straighten content, Enhance content, Multi-streaming, Auto feed, Multi-feed detection sensor, Auto orient, Multi-color dropout, Channel color dropout, Edge erase, Resize page, Delete blank page, Merge pages, Hole fill, Digital stamps, Metadata capture, PDF permissions, Document separation (Blank page, Barcode)
Connectivity, standard	USB 2.0
Connectivity, optional	EMEA: Silex SX-DS-3000U1 Fast Ethernet USB Device Server; Silex SX-3000GB Gigabit Ethernet USB Device Server; Silex SX-DS-3000WAN 802.11n Wireless and Gigabit Ethernet USB Device Server; Silex SX-DS-4000U2 High Performance Gigabit Ethernet USB Device Server
Software included	HP Scan Premium, HP TWAIN driver, EMC ISIS driver, Kofax VirtualReScan Pro
Compatible Operating Systems	Windows 10, Windows 8, Windows 7, Windows 7 x64, Windows Vista, Windows Vista x64, Windows XP Home, Windows XP Professional x64; Apple OS X El Capitan (v10.11), Yosemite (v10.10), Mavericks (v10.9)
Energy star certified	No
Digital sending standard features	Local or network folder; e-mail; SharePoint 2007 & 2010; Cloud destinations; Google Drive; Box; FTP; printer; fax; user-defined command-line application; web folder
Scan file format	PDF (image-only, searchable, MRC, PDF/A, encrypted), TIFF (single page, multi-page, compressed: G3, G4, LZW, JPEG), DOC, RTF, WPD, XLS, TXT, XML, XPS, HTML, OPF, JPG, BMP, PNG
Scan input modes	Front panel scan to HP Scan Premium; HP Document Copy; software scan using HP Scan Premium; user application via TWAIN, ISIS, WIA or Kofax VRS drivers
Scan technology	Charge Coupled Device (CCD)
Scanner type	Flatbed, ADF
Minimum dimensions (W x D x H)	515 x 426 x 211 mm
Minimum dimensions (W x D x H)	20.28 x 16.77 x 8.31 in (With automatic document feeder)
Weight	10.61 kg
Weight	23.37 lb
Power consumption	50 watts maximum, 15.5 watts (standby), 3.0 watts (sleep), < 0.5 watts (off) <i>(Power requirements are based on the country or region where the product is sold. Do not convert operating voltages or use with other voltages. Doing so might cause damage that would not be covered under HP product warranty.)</i>
Power supply type	External universal power adapter
What's in the box	HP Scanjet Enterprise 7500 Flatbed Scanner with automatic document feeder (ADF); Hi-Speed USB cable; Power adapter with power cord; Setup and Support Guide

Manufacturer Warranty

One-year limited hardware warranty, phone and Web support included.
Warranty may vary by country as required by law.

Additional specifications

Accessories	HP 100 ADF Roller Replacement Kit L2718A
Acoustic power emissions (active, printing)	6.1 B(A)
Additional information about Eco	http://www.hp.com/go/ecosolutions
Auto document feeder capacity for photo paper	None
Automatic document feeder capacity	Standard, 100 sheets
Automatic document feeder scan speed	Up to 50 ppm/100 ipm (b&w, color, grayscale, 200 dpi)
Automatic document feeder scan speed	Up to 50 ppm/100 ipm (b&w, color, grayscale, 200 dpi)
Bit depth	24-bit (external), 30-bit (internal)
Business filter	cMPS
Cable included	Yes, 1 USB
Cartons per layer	4 (NA, EMEA Industrial, LAR, APJ)
Color scanning	Yes
Component type	Printer
Control panel	9 front-panel buttons: Tools, Cancel, Navigation buttons (Up, Down, OK/Select, Back), Simplex Scan, Duplex Scan, Sleep (with LED illumination); 4-line back-lit LCD
Count of layers in pallet	6
Country of origin	Product of Singapore
Customer segment	Workgroup document management
Document weight ADF (maximum)	120 g/m ²
Document weight ADF (maximum)	32 lb
Document weight ADF (minimum)	49 g/m ²
Document weight ADF (minimum)	13 lb
Duplex ADF scanning	Yes
Duty cycle (daily)	Recommended daily duty cycle: 3000 pages
Electromagnetic compatibility	Class B; EU (EMC Directive, EN 55022: 2006+A1: 2007, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1: 2001+A2: 2005, EN 55024: 1998+A1: 2001+A2: 2003), US and Canada (FCC Rules, FCC Part 15 Subpart B), Australia and New Zealand (SMA), China (CCC), Korea (KCC), Taiwan (BSMI), Russia (GOST)
Image scaling or enlargement range	1 to 999% in 1% increments
Internal Storage	None

Levels of grayscale	256
Light source (scanning)	Light Emitting Diode (LED)
Mac compatible	Yes
Maximum dimensions (W x D x H)	20.28 x 16.77 x 8.31 in
Maximum dimensions (W x D x H)	515 x 426 x 211 mm
Media size (ADF)	Letter; legal; A4; A5; custom; long paper up to 864 mm (34 in)
Media types	Paper (plain, inkjet, photo)
Media weights, supported ADF	49 to 120 g/m ²
Media weights, supported ADF	13 to 32 lb
Memory	768 MB
Minimum System Requirements	Windows 10, Windows 8, Windows 7 and Windows Vista: at least 1.3 GHz processor, 1 GB RAM; For Windows XP: at least a 1.3 GHz processor, 512 MB RAM; For all systems: 300 MB (minimum) free hard disk space (80 MB drivers only), USB 2.0 port, CD-ROM drive, 1024 x 768 SVGA monitor, 16-bit color
Minimum System Requirements for Macintosh	Apple OS X El Capitan (v10.11); Yosemite (v10.10); Mavericks (v10.9)
Multifeed detection	Yes, ultrasonic
Network ready	None
Non-Operating Humidity Range	15 to 80% RH
Operating humidity range	15 to 80% RH
Operating temperature range	10 to 35°C
Operating temperature range	50 to 95°F
Output resolution dpi settings	75; 100; 150; 200; 240; 300; 400; 500; 600
Package dimensions (W x D x H)	607 x 507 x 342 mm
Package dimensions (W x D x H)	23.9 x 19.96 x 13.46 in
Package weight	29.65 lb
Package weight	13.45 kg
Pallet dimensions	48 x 40 x 85.8 in (NA); 47.2 x 39.4 x 86.3 in (EMEA Industrial); 47.2 x 31.5 x 86.5 in (EMEA Euro); 48 x 40 x 86.3 in (LAR, APJ)
Pallet dimensions (W x D x H)	1219.2 x 1016 x 2179 mm (NA); 1200 x 1000 x 2191 mm (EMEA Industrial); 1200 x 800 x 2196 mm (EMEA Euro); 1219.2 x 1016 x 2191 mm (LAR, APJ)
Pallet weight	757 lb (NA, EMEA Industrial, LAR, APJ), 50 lb (EMEA Euro)
Pallet weight	344 kg (NA, EMEA Industrial, LAR, APJ), 23 kg (EMEA Euro)
Ports	USB 2.0
Power	Input voltage 100 to 240 VAC (+/-10%), 50/60 Hz (+/- 3 Hz)
Printer black pages (MPV black)	12600
Printer color pages (MPV color)	8400

Processor speed	1.3 GHz
Product logos	Microsoft Windows; Vista; USB; TWAIN; ISIS; Kofax VRS Pro
Quantity per pallet	24 (NA, EMEA Industrial, LAR, APJ)
RMN number	FCLSD-1004
Recommended operating humidity range	15 to 80% RH
Recommended operating temperature range	50 to 95°F
Recommended operating temperature range	10 to 35°C
Replaceable parts	Scanner Engine; Control Panel; Pick Roller and Separation Pad; Power Supply; Power Cords
Safety	IEC 60950-1: 2005 2nd Edition; national derivatives, associated voluntary and mandatory certifications: Canada (CSA), China (CCC), Russia (GOST), European Union (CE and Nemko GS), Taiwan (BSMI), USA (CSA NRTL); other Mexico (NOM)
Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 dpi
Scan size (ADF), maximum	8.5 x 34 in
Scan size (ADF), maximum	216 x 864 mm
Scan size (ADF), minimum	2.75 x 5.8 in
Scan size (ADF), minimum	70 x 148 mm
Scan size, maximum	216 x 356 mm
Scan size, maximum	8.5 x 14 in
Scan size, minimum	25.4 x 25.4 mm
Scan size, minimum	8.5 x 14 in
Scan speed footnote	Scan speeds measured at 200 dpi, b&w, grayscale, and color. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
Scanning options (ADF)	Single-pass duplex
Security management	Power button to on/off device
Storage temperature range	-40 to 140°F
Storage temperature range	-40 to 60°C
Sub-brand name	Scanjet
System requirements, recommended	Windows 8, Windows 7, Windows Vista: 2 GB RAM; For Windows XP: 1 GB RAM; For all systems: 2.4 GHz processor, 750 MB free hard disk space, USB 2.0 port, CD-ROM drive, 1024 x 768 SVGA monitor 16-bit color
Tariff numbers	8471608000
Transparency adapter	None
Transparent materials adapter (supported)	No

Twain version	Version 2.1
UNSPSC code	43211711
UPC number	(AB2) 889296212010; (ABG) 887758563090; (ABT) 887758563052; (ABY) 887758563069; (AC4) 887758563014; (AC8) 887758563021; (ACJ) 193424850662; (ACQ) 887758563076; (AKH) 887758563038; (B19) 887758563045; (BAZ) 887758563083; (BBU) 193424850655; (BG8) 887758563113; (BG9) 887758563120; (BGJ) 887758563007

HP Maintenance Kits

★ : Recommended

HP ScanJet Maintenance Kits

HP 100 ADF Roller Replacement Kit	L2718A ★
HP 100 ADF Roller Replacement Kit	L2718A

Accessories

Maintenance and Cleaning Kits

★ : Recommended

Cleaning Kits

HP ADF Cleaning Cloth Package	C9943B ★
-------------------------------	----------

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Commercial Care Pack Services

HP 1 year Post Warranty Next Business Day Exchange Scanjet 7500 and 7500 Flow Service	UV257PE
HP 1 year Post Warranty Next Business Day Onsite Exchange Scanjet 7500 and 7500 Flow Support	UV256PE
HP 3 year Next Business Day Exchange Scanjet 84xx 7500 and 7500 Flow Service	U4937E
HP 4 year Next Business Day Onsite Exchange Support for Scanjet SJ84xx/7500/7500 Flow	U9JM2E
HP 4y Nbd Exch SJ Ent 7500 SVC	U22W3E
HP 5 year Next business day Exchange Scanjet 84xx/7500/7500 Flow Service	U5AA9E
HP 5y Nbd Onsite Exch SJ Ent 7500 SVC	U22W4E
HP Installation Service with network configuration for Workgroup Printer(1 unit)	U9JT2E

Imaging and Printing Hardware Support Onsite Svc

HP 3 year Next Business Day Onsite Exchange Scanjet 84xx 7500 and 7500 Flow Support	U4938E
---	--------

Solutions

HP Document and Workflow Solutions

★ : Recommended

HP Document and Workflow Solutions Print Management

HP Web Jetadmin	HPWEBJETADMIN
-----------------	---------------

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Jun 16, 2024 3:50 PM UTC+0000